Victaulic[®] Installation-Ready[™] Rigid Coupling for CPVC/PVC Pipe in Potable Water Applications

Style 857 Style 857



1.0 PRODUCT DESCRIPTION

Available Sizes

2 – 12"/DN50 – DN300

Pipe Material

- Schedules 40 and 80 chlorinated polyvinyl chloride (CPVC) pipe per ASTM F441, 23447 minimum cell classification per ASTM D1784.
- Schedules 40 and 80 polyvinyl chloride (PVC) pipe per ASTM D1785, 12454 minimum cell classification per ASTM D1784.

Operating Temperature

- Schedules 40 and 80 CPVC pipe: +32°F to +180°F/0°C to +82°C
- Schedules 40 and 80 PVC pipe: +32°F to +140°F/0°C to +60°C

NOTE

• Operating temperature subject to pipe manufacturer's temperature limits.

Maximum Working Pressure

• See section 5.0 for pressure ratings and temperature reduction factors.

Function

- Intended for use in potable water systems.
- Joins Schedules 40 and 80 CPVC/PVC pipe prepared with the Victaulic PGS-300 groove profile.
- Provides a rigid pipe joint designed to restrict axial and angular movement.

NOTE

• For non-potable water systems, refer to <u>publication 33.07</u>: Victaulic Installation-Ready™ Rigid Coupling Style 357.

Pipe Preparation

• The Style 857 Rigid Coupling is exclusively for use on pipe and fittings which feature the Victaulic PGS-300 groove profile (see section 7.0 for Reference Materials).

2.0 CERTIFICATION/LISTINGS



The Victaulic Grade P gasket supplied with the Style 857 Installation-Ready[™] Rigid Coupling is UL Classified in accordance with NSF/ANSI/CAN 61 for cold +73°F/+23°C and hot +180°F/+82°C potable water service and NSF/ANSI/CAN 372.

NOTE

See <u>publication 02.06</u>: Victaulic Potable Water Approvals ANSI/NSF for potable water approvals if applicable.

ALWAYS REFER TO ANY NOTIFICATIONS AT THE END OF THIS DOCUMENT REGARDING PRODUCT INSTALLATION, MAINTENANCE OR SUPPORT.



3.0 SPECIFICATIONS – MATERIAL

Housing: Ductile iron conforming to ASTM A536, Grade 65-45-12.

Housing Coating Color: Blue.

Gasket1: Grade "P" Fluoroelastomer Blend

P (Double blue stripe color code). Temperature range $+0^{\circ}F$ to $+180^{\circ}F/-18^{\circ}C$ to $+82^{\circ}C$. Specifically formulated for compatibility with potable water systems. Optimized for improved resistance to chlorine, chloramine and other typical potable water disinfectants. UL Classified in accordance with NSF/ANSI/CAN 61 for cold $+73^{\circ}F/+23^{\circ}C$ and hot $+180^{\circ}F/+82^{\circ}C$ potable water service and NSF/ANSI/CAN 372.

Services listed are General Service Guidelines only. It should be noted that there are services for which these gaskets are not compatible. Reference should always be made to the latest <u>Victaulic Seal Selection Guide</u> for specific gasket service guidelines and for a listing of services which are not compatible.

NOTE

• Victaulic reserves the right to substitute equivalent and/or higher grade elastomer products.

Bolts/Nuts: (specify choice)

Standard: Carbon steel oval neck track bolts meeting the mechanical property requirements of ASTM A449 (imperial) and ISO 898-1 Class 9.8 (M10-M16) Class 8.8 (M20 and greater). Carbon steel hex nuts meeting the mechanical property requirements of ASTM A563 Grade B (imperial - Heavy Hex nuts) and ASTM A563M Class 9 (metric - hex nuts). Track bolts and hex nuts are zinc electroplated per ASTM B633 ZN/FE5, finish Type III (imperial) or Type II (metric).


Optional:


- 2 12"/DN50 DN300: Standard bolts/nuts as listed above, with fluoropolymer top coat.
- **2 8"/DN50 DN200:** Stainless steel oval neck track bolts meeting the mechanical property requirements of ASTM F593, Group 2 (316 stainless steel), condition CW. Stainless steel Heavy Hex nuts meeting the mechanical property requirements of ASTM F594, Group 2 (316 stainless steel), condition CW, with galling reducing coating.
- **10 12"/DN250 DN300:** Stainless steel oval neck track bolts meeting the mechanical property requirements of ASTM A193, Class 2 (316 stainless steel), Grade B8M. Stainless steel Heavy Hex nuts meeting the mechanical property requirements of ASTM A194 Grade 8M Heavy Hex, with galling reducing coating.
- ² Optional bolts/nuts available in imperial size only.



4.0 DIMENSIONS

Style 857 Installation-Ready™ Rigid Coupling on CPVC/PVC Pipe in Potable Water Applications





Pre-Assembled

Assembled

Size		Pipe End Separation ³	Bolt/Nut ⁴		Dimensions				Weight	
	Actual Outside				(Installatio	sembled on-Ready™ lition)	J	oint Assemble	d	Approximate
Nominal	Diameter	Allowable	Qty.	Size	Х	Y	X	Y	Z	(Each)
inches	inches	inches		inches	inches	inches	inches	inches	inches	lb
DN	mm	mm		mm	mm	mm	mm	mm	mm	kg
2	2.375	0.15	2	3/8 x 2 1/2	3.93	5.73	3.54	5.81	2.40	3.3
DN50	60.3	3.8	2	M10 x 64	100	146	90	148	61	1.5
2 ½	2.875	0.15	2	3/8 x 2 1/2	4.39	6.23	4.05	6.23	2.38	3.6
	73.0	3.8	2	M10 x 64	112	158	103	158	60	1.6
3	3.500	0.15	2	½ x 3	5.13	7.31	4.64	7.20	2.39	4.4
DN80	88.9	3.8		M12 x 76	130	186	118	183	61	2.0
4	4.500	0.15	2	½ x 3 ¼	6.56	8.75	5.92	8.75	2.45	6.1
DN100	114.3	3.8	2	M12 x 83	167	222	150	222	62	2.8
6	6.625	0.15	2	½ x 3 ¼	8.64	10.71	8.02	10.54	2.85	8.8
DN150	168.3	3.8	2	M12 x 83	219	272	204	268	72	4.0
8	8.625	0.22	2	3/4 x 5	11.27	14.06	10.50	14.40	2.90	18.1
DN200	219.1	5.6		M20 x 127	286	357	267	366	74	8.2
10	10.750	0.20	2	3/4 x 6 1/4	13.35	16.94	12.66	16.94	2.92	23.5
DN250	273.0	5.1		M20 x 159	339	430	322	430	74	10.7
12	12.750	0.20	2	3/4 x 6 1/4	15.30	18.79	14.68	18.74	2.91	25.6
DN300	323.9	5.1	2	M20 x 159	389	477	373	476	74	11.6

The Allowable Pipe End Separation dimension shown is for system layout purposes only. Style 857 Installation-Ready™ rigid couplings are considered rigid connections and will not accommodate expansion/contraction or angular movement of the piping system. Contact Victaulic for torsional resistance information.



<u>victaulic.com</u> 3

⁴ Number of bolts required equals number of housing segments.

5.0 PERFORMANCE

Style 857 Installation-Ready[™] Rigid Coupling on CPVC/PVC Pipe in Potable Water Applications Maximum Working Pressure For Schedule 80 CPVC Pipe At +73°F/+23°C

S	ize		
Nominal	Actual Outside Diameter	Maximum Working Pressure	Maximum Permissible End Load
inches	inches	psi	lb
DN	mm	kPa	N
2	2.375	400	1772
DN50	60.3	2758	7882
2 ½	2.875	420	2726
	73.0	2896	12126
3	3.500	370	3560
DN80	88.9	2551	15836
4	4.500	320	5089
DN100	114.3	2206	22637
6	6.625	280	9652
DN150	168.3	1931	42934
8	8.625	250	14607
DN200	219.1	1724	64975
10	10.750	175	15883
DN250	273.0	1207	70651
12	12.750	175	22343
DN300	323.9	1207	99387

Maximum Working Pressure For Schedule 40 CPVC/PVC Pipe At +73°F/+23°C

Si	ze		
Nominal	Actual Outside Diameter	Maximum Working Pressure	Maximum Permissible End Load
inches	inches	psi	lb
DN	mm	kPa	N
2	2.375	280	1240
DN50	60.3	1931	5516
2 ½	2.875	260	1688
	73.0	1793	7509
3	3.500	230	2213
DN80	88.9	1586	9844
4	4.500	220	3499
DN100	114.3	1517	15564
6	6.625	180	6205
DN150	168.3	1241	27601
8	8.625	140	8180
DN200	219.1	965	36386
10	10.750	120	10892
DN250	273.0	827	48450
12	12.750	110	14044
DN300	323.9	758	62471

Maximum Working Pressure For Schedule 80 PVC Pipe At +73°F/+23°C

Si	ze		
Nominal	Actual Outside Diameter	Maximum Working Pressure	Maximum Permissible End Load
inches	inches	psi	lb
DN	mm	kPa	N
2	2.375	380	1683
DN50	60.3	2620	7486
2 ½	2.875	380	2467
	73.0	2620	10974
3	3.500	320	3079
DN80	88.9	2206	13696
4	4.500	320	5089
DN100	114.3	2206	22637
6	6.625	260	8963
DN150	168.3	1793	39869
8	8.625	240	14022
DN200	219.1	1655	62373
10	10.750	175	15883
DN250	273.0	1207	70651
12	12.750	175	22343
DN300	323.9	1207	99387

33.17 13532 Rev D Updated 07/2021 © 2021 Victaulic Company. All rights reserved.



<u>victaulic.com</u> 4

5.1 PERFORMANCE

Style 857 Installation-Ready™ Rigid Coupling on CPVC/PVC Pipe in Potable Water Applications

Maximum Working Pressure For Schedules 40 and 80 CPVC Pipe At Elevated Temperature

For the maximum working pressure rating of the joint at elevated temperature, multiply the working pressure rating of the coupling at +73°F/+23°C by the appropriate derating factor in the chart below.

Pressure capacity derating factors for operating temperatures above 73°F/23°C					
At 80°F/27°C	Multiply By	1.00			
At 90°F/32°C	Multiply By	0.91			
At 100°F/37°C	Multiply By	0.82			
At 110°F/43°C	Multiply By	0.72			
At 120°F/49°C	Multiply By	0.65			
At 130°F/54°C	Multiply By	0.57			
At 140°F/60°C	Multiply By	0.50			
At 150°F/66°C	Multiply By	0.42			
At 160°F/71°C	Multiply By	0.40			
At 170°F/77°C	Multiply By	0.29			
At 180°F/82°C	Multiply By	0.25			

NOTE

Maximum Working Pressure For Schedules 40 and 80 PVC Pipe at Elevated Temperature

For the maximum working pressure rating of the joint at elevated temperature, multiply the working pressure rating of the coupling at +73°F/+23°C by the appropriate derating factor in the chart below.

Pressure capacity derating factors for operating temperatures above 73°F/23°C					
At 80°F/27°C	Multiply By	0.88			
At 90°F/32°C	Multiply By	0.75			
At 100°F/37°C	Multiply By	0.62			
At 110°F/43°C	Multiply By	0.51			
At 120°F/49°C	Multiply By	0.40			
At 130°F/54°C	Multiply By	0.31			
At 140°F/60°C	Multiply By	0.22			

NOTE

Derating factors are typical per the pipe manufacturer's recommendation in accordance with ASTM D2837 and PPI TR-3.



victaulic.com 5

[•] Derating factors are typical per the pipe manufacturer's recommendation in accordance with ASTM D2837 and PPI TR-3.

6.0 NOTIFICATIONS

WARNING













- · Read and understand all instructions before attempting to install, remove, adjust, or maintain any Victaulic piping products.
- . Depressurize and drain the piping system before attempting to install, remove, adjust, or maintain any Victaulic piping products.
- . Wear safety glasses, hardhat, and foot protection.
- . DO NOT attempt to install Victaulic couplings on pipe or fittings that show signs of damage.
- Consult with the pipe manufacturer for service recommendations and for questions concerning compatibility between the fluid media and pipe material.
- . Victaulic Style 857 Rigid Couplings SHALL NOT be used in systems containing compressed air or other gases.
- . Compressed air or other gases SHALL NOT be used for system acceptance testing.

Failure to follow these instructions could result in death or serious personal injury and property damage.

7.0 REFERENCE MATERIALS

02.06: Victaulic Potable Water Approvals ANSI/NSF

05.01: Victaulic Seal Selection Guide

24.09: Victaulic Cut Grooving Tool for CPVC/PVC Pipe: Model CG1100

25.18: Victaulic PGS-300 Cut Groove Specifications

33.03: Victaulic CPVC Fittings

33.06: Victaulic Installation-Ready™ Transition Coupling Style 356

33.07: Victaulic Installation-Ready™ Rigid Coupling Style 357

33.08: Victaulic Reducing Coupling Style 358

33.16: Victaulic Installation-Ready™ Transition Coupling for CPVC/PVC Pipe in Potable Water Applications Style 856

33.18: Victaulic Reducing Coupling for CPVC/PVC Pipe in Potable Water Applications Style 858

I-350: Victaulic Field Installation Handbook: CPVC Piping Products

I-ENDCAP: Victaulic End Cap Installation Safety Instructions

User Responsibility for Product Selection and Suitability

Each user bears final responsibility for making a determination as to the suitability of Victaulic products for a particular end-use application, in accordance with industry standards and project specifications, as well as Victaulic performance, maintenance, safety, and warning instructions. Nothing in this or any other document, nor any verbal recommendation, advice, or opinion from any Victaulic employee, shall be deemed to alter, vary, supersede, or waive any provision of Victaulic Company's standard conditions of sale, installation guide, or this disclaimer.

Intellectual Property Rights

No statement contained herein concerning a possible or suggested use of any material, product, service, or design is intended, or should be constructed, to grant any license under any patent or other intellectual property right of Victaulic or any of its subsidiaries or affiliates covering such use or design, or as a recommendation for the use of such material, product, service, or design in the infringement of any patent or other intellectual property right. The terms "Patented" or "Patent Pending" refer to design or utility patents or patent applications for articles and/or methods of use in the United States and/or other countries.

Note

This product shall be manufactured by Victaulic or to Victaulic specifications. All products to be installed in accordance with current Victaulic installation/assembly instructions. Victaulic reserves the right to change product specifications, designs and standard equipment without notice and without incurring obligations.

Installation

Reference should always be made to the Victaulic installation handbook or installation instructions of the product you are installing. Handbooks are included with each shipment of Victaulic products, providing complete installation and assembly data, and are available in PDF format on our website at www.victaulic.com.

Warranty

Refer to the Warranty section of the current Price List or contact Victaulic for details.

Trademarks

Victaulic and all other Victaulic marks are the trademarks or registered trademarks of Victaulic Company, and/or its affiliated entities, in the U.S. and/or other countries.

