



## Type Approval Certificate

This is to certify that the undernoted product(s) has/have been tested with satisfactory results in accordance with the relevant requirements of the Lloyd's Register Type Approval System.

|                            |                                                                                                                                                                                                 |
|----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Manufacturer</b>        | <b>Victaulic</b>                                                                                                                                                                                |
| <b>Address</b>             | 4901 Kessersville Road, Easton, Pennsylvania, 18040, United States                                                                                                                              |
| <b>Place of Production</b> | Victaulic POLSKA SP z o.o.<br>ul. Niepodleglosci 8, Drezdenko, 66-530, Poland                                                                                                                   |
| <b>Place of Production</b> | Victaulic Company<br>Alburtis Facility, 8023 Quarry Road, Alburtis, Pennsylvania, 18011, United States                                                                                          |
| <b>Place of Production</b> | Dalian Bingshan Metal Technology Co. Ltd.<br>No. 9 Northeast 7th Street,, Dalian Economy & Technology Developing Zone, Dalian, 116600, China                                                    |
| <b>Type</b>                | Flanged Connectors                                                                                                                                                                              |
| <b>Description</b>         | Flange Adapters with Grade E EPDM, Nitrile and Grade T (Type A) Nitrile gaskets.( Note - Grade E and Grade T (Type A) are Thirty minutes wet Fire resistant type gaskets as per IACS UR P 2.11) |
| <b>Trade Name</b>          | 741                                                                                                                                                                                             |

1330 Enclave Parkway, Houston, Texas, 77077,  
United States

---

**Gopal Nair**

Piping & Pressure System Principal Specialist  
to Lloyd's Register North America, Inc.  
A member of the Lloyd's Register group

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.



## Type Approval Certificate

**Application** Application for Marine Systems as per Part 5 Chapter 12 Section 2.12 of Ship Rules as indicated in other conditions below.

**Specified Standard** Rules and Regulations for Classification of Ships - 2021  
Rules and Regulations for Classification of Offshore Units 2022

| <b>Ratings</b> | Type | Size            | MAWP               |
|----------------|------|-----------------|--------------------|
|                | 741  | 50-300mm(2-12") | 16 bar ( 232 psig) |

**Additional Tests** Grade E and Grade T(Type A) are Fire resistant type gaskets as per IACS UR P 2.11- thirty minutes wet fire test.

**Other Conditions** Applications  
Water filled wet fire main & wet water spray and Deck wash lines<sup>3</sup>  
Seawater cooling- wet (inboard of ship side valves)<sup>4</sup>  
Fresh Water cooling system<sup>4</sup>  
Ballast systems- wet (in accessible positions i.e. not inside tanks or duct keels)<sup>4</sup>  
Flammable Fluids (Flash Point >60° C) as per Part 5,Chapter 12 Section 2 - Table12.2.7 <sup>2,3</sup>  
Domestic supply (non-essential system)  
Service air (Non-Essential)  
Heating and air-conditioning (not refrigerants)

1) Fire endurance test shall be applied when mechanical joints are installed in pump rooms and open decks.

2) Not inside machinery spaces of Category A or accommodation spaces. May be accepted in other machinery spaces provided the joints are located in easily visible and accessible positions (refer to MSC/Circ.734).

1330 Enclave Parkway, Houston, Texas, 77077,  
United States

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.



## Type Approval Certificate

- 3) Approved fire-resistant types except in cases where such mechanical joints are installed on open decks, as defined in SOLAS II-2/Reg. 9.2.3.3.2.2(10) and not used for fuel oil lines.
- 4) Fire endurance test shall be applied when mechanical joints are installed inside machinery spaces of category A.
- 5) Material – Ductile Iron ASTM A 536 Grade 65-45-12

This certificate is not valid for equipment, the design, ratings or operating parameters of which have been varied from the specimen tested. The manufacturer should notify Lloyd's Register North America, Inc. of any modification or changes to the equipment in order to obtain a valid Certificate.

**Previous Version:** 99/60181 (E5)

The Design Appraisal Document PRJ11100410919- Q/ADSO/23-0126 - 99/60181(E5) and its supplementary Type Approval Terms and Conditions form part of this Certificate.

1330 Enclave Parkway, Houston, Texas, 77077,  
United States

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.