



COUPLINGS, FITTINGS, VALVES AND ACCESSORIES

FIRE PROTECTION PRICE LIST

PL2026-A-FP
Effective October 1, 2026



ENGINEERING CONFIDENCE INTO EVERY BUILD



Around the world and across diverse business lines, Victaulic provides durable pipe joining solutions that solve the construction industry's toughest challenges.

Since 1919, Victaulic's innovative piping products and design services continue to **increase construction productivity** and **reduce risk, ensuring projects are completed safely, on time and within budget.**

With more than 40 international facilities, Victaulic helps customers in 140 countries succeed in the global construction industry.

FIRE PROTECTION | HVAC | PLUMBING | OIL & GAS | MINING | WATER & WASTEWATER | POWER GENERATION | MARITIME



victaulic.com

© 2024 VICTAULIC COMPANY. ALL RIGHTS RESERVED.
Source: skyscrapercenter.com and the Council on Tall Buildings and Urban Habitat



Index

SECTION 1 – FireLock™ and Fire Protection Products	
Style 109 FireLock™ Installation-Ready™ One-Bolt Coupling	
Style 009V FireLock™ Installation-Ready™ Rigid Coupling	
Style 009N FireLock EZ™ Rigid Coupling	
Style 004N FireLock™ Installation-Ready™ Flexible Coupling	
Style 005H FireLock™ Rigid Coupling	
FireLock™ Innovative Groove System (IGS)	
FireLock™ Installation-Ready™ Fittings	
FireLock™ and Standard Fittings	
Style 744 FireLock™ Flange Adapter	
No. 65 End of Run Fitting IGS™ Grooved Outlet	
No. 67 End of Run Fitting	
No. 10-DR Drain Elbow	
Series 728 FireLock™ Grooved End Ball Valve	
Series 705 FireLock™ Butterfly Valve – Supervised OPEN	
Series 707C FireLock™ Butterfly Valve – Supervised CLOSED	
Series 765 FireLock™ High Pressure Butterfly Valve – Supervised OPEN	
Series 766 FireLock™ High Pressure Butterfly Valve – Supervised CLOSED	
Series 771 OS&Y and Series 772 NRS Gate Valves	
Series 773 and Series 774 Post Indicators	
Series 775 FireLock™ Butterfly Valve Wall Post Indicator Assembly	
Supervisory Switches	
Series 717H and 717 FireLock™ Check Valves	
Series 722 FireLock™ Threaded Ball Valve	
Series 732H FireLock™ Wye-Type <i>Vic-Strainer</i>	
Series UTD Universal Test and Drain	
Series ARV Adjustable Relief Valve	
Style 735 FireLock™ Fire Pump Test Meter	
SECTION 2 – Victaulic® Hydraulic Control Valves	
Series 867-42T Pressure Reducing Valve	
Series 867-43T Pressure Relief Valve	
Series 867-7UF Pressure Relief Valve	
Series 867-3HC Direct Acting Pressure Relief Valve/Fire Pump Casting Relief	

Series 866-460 Level Control BERMAD Valve	
Series 866-465 Level Control BERMAD Valve	
Series 866-466 Level Control BERMAD Valve	
Series 866-482 Level Control BERMAD Valve	
BERMAD Replacement Components and Kits	
SECTION 3 – Hole Cut Products	
Style 920/920N <i>Mechanical-T</i> Outlet	
Style 920/920N <i>Mechanical-T</i> Cross	
Style 922/922N Outlet Tee	
Style 923 Strapless Outlet	
SECTION 4 – Couplings, Spare Parts and Fittings	
Style 07 Zero-Flex™ Rigid Coupling	
Style 177N QuickVic™ Flexible Coupling	
Style 77 Standard Coupling	
Style 75 Flexible Coupling	
Style 750 Reducing Coupling	
Spare Parts	
IPS Size Grooved End Fittings	
SECTION 5 – VicFlex™ Flexible Stainless Steel Sprinkler Fittings	
Series AH2-CC Hose	
Series AH2-CC-300 Hose	
Series AH2 Hose	
Series AH2-300 Hose	
Series AH1-CC Hose	
Series AH1 Hose	
Series AH5 Hose	
VicFlex™ Brackets	
VicFlex™ Reducers and End Fittings	
VicFlex™ Preassembled System Order Form	
VicFlex™ Style AB6 Assembly – Cold Storage	
VicFlex™ Style AB6 Bracket Assembly Order Form	
Style VS1 VicFlex™ Dry Sprinkler	
Series FL-SC/VS2 V3202 Recessed Pendent	
Series FL-SC/VS2 V3201 Recessed Pendent	
Series FL-SC/VS2 V3204 Concealed Pendent	
Series FL-SC/VS2 V3203 Concealed Pendent	
Series AQC-U Assembly For Clean Room Applications	
Series AQD Assembly For Duct Systems	

Index

SECTION 6 – Vic-Press™ System for Schedule 10S Stainless Steel Pipe	
Vic-Press™ – Press System for Schedule 10S, Type 304 Stainless Steel Piping	
Vic-Press™ – Press System for Schedule 10S, Type 316 Stainless Steel Piping	
SECTION 7 – Pipe Preparation Tools	
RG2300 Roll Grooving Tool	
RG2910 Roll Grooving Tool	
RG3400 Roll Grooving Tool	
RG4200 Shop Fabrication Grooving Tool	
VE268 Shop Fabrication Grooving Tool	
PS3400 Pipe Stand	
VAPS 112 Pipe Stand	
PFT510 Vic-Press™ Tool for Schedule 10S Stainless Steel Pipe	

Table of Contents

SECTION 1 – FireLock™ and Fire Protection Products

Style 109 FireLock™ Installation-Ready™ One Bolt Rigid Coupling	1-2
Style 009V FireLock™ Installation-Ready™ Rigid Coupling	1-2
Style 009N FireLock EZ™ Rigid Coupling	1-3
Style 004N FireLock Installation-Ready™ Flexible Coupling.	1-3
Style 005H FireLock™ Rigid Coupling.	1-4
FireLock™ Innovative Groove System (IGS)	
No. 142 Welded Outlet.	1-5
Style 922 and Style 920N Outlet-T.	1-5
No. 101 Installation-Ready™ 90° Elbow.	1-6
Style 108 Installation-Ready™ Rigid Coupling	1-6
Style 115 Installation-Ready™ Reducing Coupling	1-6
Style 118 1" Outlet Coupling	1-7
No. 102 Installation-Ready™ Tee.	1-7
No. 103 Installation-Ready™ 45° Elbow.	1-8
No. 148 Sprinkler Reducer	1-8
No. 143 Close Nipple.	1-9
No. 111 Grooved End Elbow	1-9
No. 113 OGS x IGS x IGS Reduce on the Run and Outlet Tee	1-9
No. 114 IGS x IGS x IGS Grooved Tee	1-10
No. 117 IGS 45° Elbow	1-10
No. 145 Female Threaded x Groove 90° Elbow	1-10
No. 147 Back-to-Back Sprinkler Tee	1-11
No. 65 End of Run Fitting IGS™ Grooved Outlet	1-11
No. 146 Cap	1-11
No. 140 Male Threaded x Groove Adapter	1-12
No. 141 Female Threaded x Groove Adapter	1-12
No. 116 CPVC Adapter.	1-12
No. 144 OGS x IGS™ Grooved Concentric Reducer.	1-13
WB-1 and NAP-1 Weld Plunger Cone.	1-13
FireLock™ Installation-Ready™ Fittings	
No. 101 90° Elbow	1-15
No. 103 45° Elbow	1-15
No. 102 Tee	1-16
No. 104 Installation-Ready™ Bull Head Tee	1-16
No. 143 IGS™ Nipple	1-16
FireLock™ and Grooved IPS Pipe Fittings	
No. 001 – 90° FireLock™ Elbow	1-17
No. 003 – 45° FireLock™ Elbow	1-17
No. 10 - 90° IPS Elbow	1-18
No. 11 - 45° IPS Elbow	1-18
No. 002 – FireLock™ Tee	1-18
No. 006 – FireLock™ Cap.	1-18
No. 20 IPS Tee	1-19
No. 60 IPS Cap	1-19
Style 744 FireLock™ Flange Adapter.	1-20
Flange Adapter Notes	1-20
No. 65 End of Run Fitting IGS™ Grooved Outlet	1-21
No. 67 End of Run Fitting	1-21

No. 10-DR Drain Elbow.	1-21
Series 728 FireLock™ Ball Valve.	1-22
Series 705 Butterfly Valve – Supervised OPEN	1-23
Series 705 Weatherproof Actuator Replacement Kit.	1-23
Series 707C Butterfly Valve – Supervised CLOSED	1-24
Series 765 High Pressure Butterfly Valve – Supervised OPEN	1-24
Series 766 High Pressure Butterfly Valve – Supervised CLOSED.	1-25
Series 771 OS&Y and Series 772 NRS Gate Valves	1-26
Flange Mounting Kits – Series 772H NRS	1-26
Series 774 Post Indicators.	1-27
Series 775 FireLock™ Butterfly Valve Wall Post Indicator Assembly	1-27
Series 775 FireLock™ Butterfly Valve Wall Post Indicator Assembly	1-28
Supervisory Switches	1-28
Series 717H FireLock™ Check Valve.	1-28
Series 717 FireLock™ Check Valve	1-29
Series 722 Threaded Ball Valve.	1-29
Series 732H FireLock™ Wye-Type <i>Vic-Strainer</i>	1-30
Series UTD Universal Test and Drain.	1-30
Series ARV Adjustable Relief Valve	1-31
Series 735 Fire Pump Test Meter	1-31

SECTION 2 – Victaulic® Hydraulic Control Valves

Series 867-42T-20 Pressure Reducing Valve.	2-2
Series 867-43T Pressure Relief Valve and Series 867-43T-PS Suction Control Valve	2-2
Series 867-7UF Pressure Relief Valve	2-3
Series 867-3HC Direct Acting Pressure Relief Valve/ Fire Pump Casing Relief Valve	2-3
Series 866-460 Level Control BERMAD Valve with Modulating Horizontal Float	2-4
Series 866-465 Level Control BERMAD Valve with Bi-Level Electric Float	2-4
Series 866-466 Level Control BERMAD Valve with Vertical Float	2-5
Series 866-482 Level Control BERMAD Valve with Altitude Pilot	2-5
Replacement Components for Series 867-42T-20	2-6
Replacement Components for Series 867-43T	2-7
Fire Protection Pilots and Repair Kits.	2-8

SECTION 3 – Hole Cut Products

Styles 920/920N <i>Mechanical-T</i> Outlet.	3-2
Styles 920/920N <i>Mechanical-T</i> Cross	3-4
Style 922 Outlet Tee	3-7
Style 922N Outlet Tee.	3-7
Style 923 Strapless Outlet.	3-8

SECTION 4 – Couplings, Spare Parts and Fittings

Style 07 Zero-Flex™ Rigid Coupling	4-2
Style 177N QuickVic Flexible Coupling for Steel.	4-2
Style 77 Standard Flexible Coupling	4-3
Style 75 Flexible Coupling	4-3

Table of Contents

Style 750 Reducing Coupling	4-4
Lubricant	4-5
Gaskets.	4-5
Metal Liners	4-6
Plated Trackhead Bolts and Nuts	4-6
Go-No-Go Pipe Tape.	4-7
GDC-FP Go-No-Go Pipe Tape.	4-7
Elbows –	
No. 12 - 22½°	4-8
No. 13 - 11¼°	4-8
No. 100 and No. 110 1½ D Long Radius Elbows	4-8
No. 29M Tee with Threaded Branch	4-9
No. 35 Cross.	4-9
No. 33 True Y	4-9
No(s). 40, 42, and 43 Adapter Nipples	4-10
No. 80 Female Threaded Adapter	4-10
No(s). 18 and 19 Adapter Elbows	4-11
No. 25 Grooved Reducing Tee	4-12
No. 29T Threaded Reducing Tee	4-14
No. 50 Concentric Reducer	4-16
No. 51 Eccentric Reducer.	4-16
No. 52 Reducer – Male Threaded Small End.	4-17
Series GH1	4-18
SECTION 5 – VicFlex™ Flexible Sprinkler Fitting Systems	
Series AH2-CC	5-2
Series AH2-CC-300 VicFlex™ Hose	5-2
Series AH2 VicFlex™ Hose	5-3
Series AH2-300 VicFlex™ Hose	5-3
Series AH1-CC	5-3
Series AH1 VicFlex™ Hose	5-4
VicFlex™ Brackets	5-5
VicFlex™ Reducers and End Fittings.	5-6
Style AB6W for Wet Drop Assemblies	5-6
VicFlex™ Preamsembled System	5-7
VicFlex™ Preamsembled System Order Form.	5-7
VicFlex™ Style AB6 Assembly – Cold Storage	5-9
VicFlex™ Style AB6 Bracket Assembly Order Form	5-9
VicFlex™ Dry Sprinkler Style VS1	5-11
Style VS1 Cover Plates	5-11
Clean Room Cover Seal Gasket	5-11
VicFlex™ Dry Sprinkler Brackets.	5-12
VicFlex™ Dry Sprinkler Style VS1 Order Form	5-12
Series FL-SC/VS2 V3202 – Quick Response – K5.6/ 8.0 (SI), Recessed Pendent	5-14
Series FL-SC/VS2 V3201 – Standard Response – K5.6/ 8.0 (SI), Recessed Pendent	5-15
Series FL-SC/VS2 V3204 – Quick Response – K5.6/ 8.0 (SI), Concealed Pendent.	5-16
Series FL-SC/VS2 V3203 – Standard Response – K5.6/ 8.0 (SI), Concealed Pendent.	5-17
Series AQC-U Assembly for Clean Room Applications	5-18
Series AQD Assembly For Duct Systems	5-18
Series AQD Assembly For Metal Duct Systems	5-19

Sprinkler Bag Replacement Kit	5-19
---	------

SECTION 6 – Vic-Press™ System, for Schedule 10S Stainless Steel Pipe

Style P500 Loose Seals	6-3
Style P597 Standard Coupling	6-3
Style P596 Male Adapter – Threaded.	6-3
Series P569 Type 316 Stainless Steel Ball Valve.	6-4
Series P589 Brass Body Ball Valve	6-4
Style P586 90° Elbow – Short Tangent	6-5
Style P542 90° Street Elbow	6-5
Style P591 45° Elbow	6-5
Style P543 45° Street Elbow	6-6
Style P592 Tee	6-6
Style P593 Tee – Reducing Branch	6-6
Style P588 Tee – Reducing Branch – Threaded.	6-7
Style P594 Concentric Reducer.	6-7
Style P595 Flange Adapter	6-8
Style P565 Flange Adapter	6-8
Style P587 Transition Nipple	6-8
Style P584 Threaded Union.	6-9
Style P599 Female Adapter – Threaded.	6-9
Style P561 Adapter	6-9
Style P540 End Cap	6-10
PFT510 Vic-Press Tool.	6-10
Style P500 Loose Seals	6-12
Style P507 Standard Coupling	6-12
Style P576 Male Adapter – Threaded.	6-12
Style P508 Slip Coupling	6-13
Series P569 Stainless Steel Ball Valve	6-13
Series P569 Repair Kits.	6-14
Series P589 Brass Body Ball Valve	6-14
Style P568 90° Elbow – Short Tangent	6-14
Style P562 90° Street Elbow	6-15
Style P571 45° Elbow	6-15
Style P563 45° Street Elbow	6-15
Style P572 Tee	6-16
Style P573 Tee – Reducing Branch	6-16
Style P578 Tee – Reducing Branch Threaded	6-16
Style P574 Concentric Reducer	6-17
Style P575 Flange Adapter.	6-17
Style P566 Flange Adapter	6-18
Style P577 Adapter Nipple.	6-18
Style P585 Threaded Union.	6-18
Style P579 Female Adapter – Threaded	6-19
Style P560 End Cap	6-19
PFT510 Vic-Press Tool.	6-19

Section 7 – Pipe Preparation Tools

IGS™ Roll Grooving Tools – Field Portable	
RG2300	7-2
RG2910 Roll Grooving Tool	7-3
Roll Grooving Tools – Field Fabrication	
RG3400	7-4

Table of Contents

Roll Grooving Tools – Shop Fabrication

- RG4200 7-6
- VE268.....7-7

Tool Accessories

- PS3400 Pipe Stand..... 7-8
- VAPS112 Pipe Stand 7-8

Vic-Press™ Tool

- PFT510..... 7-9

How to Order7-10

Terms and Conditions of Tool Rental.....7-11

Terms and Conditions of Tool Sale.....7-12

Terms and Conditions of Sale Inside Back Cover

Warranty..... Inside Back Cover

Gaskets

Gasket Selection Guide



IMPORTANT PLEASE READ BEFORE ORDERING.
Gasket selection must always be specified on your order.

For information pertaining to gasket seals for couplings, seals for Vic-Press™ products, O-rings for Victaulic® Bolted Split Sleeve products and general definition/seal material Selection, refer to publication 05.01.

For specific chemical and temperature compatibility, refer to the Gasket Chemical Services Guide Long Report (GSG-100).

FireLock™ and Fire Protection Products



FireLock™ System for Grooved IPS Pipe

FireLock™
Installation-Ready™
One Bolt Rigid
Coupling

STYLE 109

Refer to publication 10.64



STYLE 109 – GRADE “E” (TYPE A) GASKET

PIPE inches		Approx. Wgt. Ea.	COUPLING COMPLETE † with Grade “E” (Type A) Gasket		SPARE PARTS
Nom. Size	Outside Dia.	lb	Price Each		Grade “E” (Type A) Gasket
			Painted	Galv.	
1¼	1.660	1.4	\$133.50	\$160.50	\$121.50
1½	1.900	1.5	135.50	162.00	131.00
2	2.375	1.8	153.00	177.50	138.00
2½	2.875	2.1	175.00	206.50	152.00
3	3.500	2.6	197.50	243.00	173.50
4	4.500	3.4	275.50	328.50	225.50

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

† Surcharge for couplings supplied without gasket. Contact Victaulic for pricing.

FireLock™
Installation-Ready™
Rigid Coupling

STYLE 009V

Refer to publication 10.64



STYLE 009V – GRADE “E” (TYPE A) GASKET

PIPE inches		Approx. Wgt. Ea.	COUPLING COMPLETE † with Grade “E” (Type A) Gasket	SPARE PARTS Grade “E” (Type A) Gasket
Nom. Size	Outside Dia.		Price Each	
		lb	Painted	
1¼	1.660	1.7	\$133.50	\$126.50
1½	1.900	1.7	135.50	134.00
2	2.375	2.1	153.00	142.50
2½	2.875	2.2	175.00	155.00
3	3.500	2.6	197.50	180.00
4	4.500	3.5	275.50	231.00
6	6.625	6.3	431.00	248.00
8	8.625	13.0	717.50	352.50
10	10.750	25.0	4553.50	2239.00
12	12.750	30.0	5671.00	2318.00

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

† Surcharge for couplings supplied without gasket. Contact Victaulic for pricing.

FireLock™ System for Grooved IPS Pipe

FireLock EZ™ Rigid Coupling

STYLE 009N

Refer to publication 10.64



STYLE 009N – GRADE “E” (TYPE A) GASKET

PIPE inches		Approx. Wgt. Ea.	COUPLING COMPLETE † with Grade “E” (Type A) Gasket		COUPLING COMPLETE † with Grade “E” (Type A) Gasket and Stainless Steel Bolts & Nuts	SPARE PARTS
Nom. Size	Outside Dia.		lb	Price Each		
		Painted		Galv.	Galv.	
1¼	1.660	1.4	\$133.50	\$160.50	\$314.50	\$126.50
1½	1.900	1.5	135.50	162.00	319.50	134.00
2	2.375	1.9	153.00	177.50	352.50	142.50
2½	2.875	2.1	175.00	206.50	414.00	155.00
3	3.500	2.3	197.50	243.00	486.50	180.00
4	4.500	2.9	275.50	328.50	660.50	231.00
5	5.563	5.0	363.50	454.00	913.00	232.50
6	6.625	5.9	431.00	522.00	1052.00	248.00
8	8.625	11.4	717.50	869.50	1751.00	352.50
10	10.750	22.6	4553.50	6558.50	13245.00	2239.00
12	12.750	27.6	5671.00	7907.50	15966.00	2318.00

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

† Surcharge for couplings supplied without gasket. Contact Victaulic for pricing.

FireLock™ Installation-Ready™ Flexible Coupling

STYLE 004N

Refer to publication 10.63



STYLE 004N – GRADE “E” (TYPE A) GASKET

PIPE inches		Approx. Wgt. Ea.	COUPLING COMPLETE † with Grade “E” (Type A) Gasket	SPARE PARTS
Nom. Size	Outside Dia.		Price Each	Grade “E” (Type A) Gasket
		Painted		
2	2.375	3.3	\$175.50	\$142.50
2½	2.875	3.8	198.50	155.00
3	3.500	4.3	222.50	176.50
4	4.500	7.4	316.00	231.00
5	5.563	10.0	453.00	232.50
6	6.625	12.8	516.50	248.00
8	8.625	20.7	800.00	352.50

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

† Surcharge for couplings supplied without gasket. Contact Victaulic for pricing.

FireLock™ System for Grooved IPS Pipe

FireLock™ Rigid Coupling

STYLE 005H

Refer to publication 10.02



STYLE 005H – GRADE “E” (TYPE A) GASKET

PIPE inches		COUPLING COMPLETE † With Grade “E” (Type A) Gasket			SPARE PARTS			
Nom. Size	Outside Dia.	Approx. Wgt. Each lb	Price Each		Grade E (Type A) Gasket Only Price Ea.	Bolt & Nut *		
			Painted	Galv.		No.	Size inches	Price Each Pltd.
1¼	1.660	1.2	\$149.00	\$178.00	\$132.50	2	¾ x 2¼	\$43.00
1½	1.900	1.2	153.50	181.00	140.50	2	¾ x 2¼	43.00
2	2.375	1.6	169.50	200.00	149.50	2	¾ x 2½	44.50
2½	2.875	1.9	196.50	231.00	163.00	2	¾ x 2½	44.50
3	3.500	2.1	220.00	269.50	175.00	2	¾ x 2½	44.50
4	4.500	3.1	308.00	369.00	233.50	2	¾ x 2½	44.50
5	5.563	4.5	372.00	467.00	242.50	2	½ x 3	59.50
6	6.625	5.0	444.50	539.50	264.50	2	½ x 3	59.50
8	8.625	11.3	741.50	897.00	377.00	2	⅝ x 4¼	64.00

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

* Number of bolts equals number of segments supplied.

Note: Style 005 FireLock bolts and nuts are sized for use with Style 005 couplings only and must not be used with other Victaulic products.

† Surcharge for couplings supplied without gasket. Contact Victaulic for pricing.

Grade E (Type A) EPDM gaskets are applicable for wet and dry fire sprinkler systems (ambient temperature) only.

FireLock™ Rigid Coupling

STYLE 005H

Refer to publication 10.02



STYLE 005H – GRADE “E” (TYPE A) FLUSH-SEAL™ GASKET

PIPE inches		COUPLING COMPLETE † With Grade “E” (Type A) Flush-Seal Gasket		SPARE PARTS
Nom. Size	Approx. Wgt. Each lb	Price Each		Grade “E” (Type A) Flush-Seal Gasket Only Price Each
		Painted	Galvanized	
1¼	1.2	\$198.00	\$217.00	\$178.00
1½	1.2	205.00	238.50	196.50
2	1.6	218.50	259.00	211.50
2½	1.9	263.00	302.50	218.50 ^{NR}
3	2.1	280.00	326.50	259.50
4	3.1	388.50	453.50	342.00
5	4.5	637.00	731.00	474.50 ^{NR}
6	5.0	701.50	818.50	605.50
8	11.3	1130.00	1309.50	663.50

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

Standard gasket and Flush-Seal™ gasket approved for dry pipe systems to –40°F/–40°C. Based on “typical” pipe surface conditions, supplemental lubricant is recommended for services installed below 0°F/–18°C and for all dry pipe systems or systems to be subjected to air tests prior to being filled with water. Supplemental lubrication may also be required on pipe with raised or undercut weld seams or pipe that has voids and/or cracks at the weld seams. Victaulic continues to recommend the use of Flush-Seal™ gaskets for dry services.

† Surcharge for couplings supplied without gasket. Contact Victaulic for pricing.

^{NR} **Non-returnable**

FireLock™ System for IGS Grooved IPS Pipe

FireLock™ IGS™ Groove System

Welded Outlet

NO. 142

Refer to publication 10.54



NO. 142 WELDED OUTLET

Nom. Size inches	Approx. Wgt. Ea.	Price Each *	Sold in Box Quantities of
Run x Branch	lb		
1¼ - 1½ x 1	0.2	\$9.50	100
1½ - 2	0.2	9.50	100
2 - 2½	0.2	9.50	100
2½ - 3	0.2	9.50	100
3 - 4	0.2	9.50	100

* Sold in box quantities only

Outlet-T and Mechanical-T Outlet

STYLE 922 AND STYLE 920N

Refer to publication 10.54



STYLE 922 OUTLET-T AND STYLE 920N MECHANICAL-T – GRADE “E” (TYPE A) GASKET

Nom. Size inches	Style Number	Approx. Wgt. Ea. lb	COMPLETE with Grade “E” (Type A) Gasket	
			Price Each	
Run x Branch			Painted	Galv.
1¼ x 1	922	1.1	\$31.50	\$41.00
1½	922	1.2	31.50	41.00
2	922	1.2	33.00	42.00
2½	922	1.6	36.50	48.50
3	920N	2.8	102.50	125.50
4	920N	3.1	125.50	149.50

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

FireLock™ System for IGS Grooved IPS Pipe

Installation-Ready™ 90° Elbow

NO. 101

Refer to publication 10.54



NO. 101 INSTALLATION-READY™ 90° ELBOW

Size		Approx. Wgt. Ea.	Price Each	
Nominal inches	Actual Outside Diameter inches	lb	Painted	Galv.
1	1.315	2.2	\$34.50	\$43.00

Installation-Ready™ Rigid Coupling

STYLE 108

Refer to publication 10.54



STYLE 108 INSTALLATION-READY™ RIGID COUPLING

Size		Approx. Wgt. Ea.	Price Each	
Nominal inches	Actual Outside Diameter inches	lb	Painted	Galv.
1	1.315	1.5	\$26.00	\$30.50

Installation-Ready™ Reducing Coupling

STYLE 115

Refer to publication 10.54



STYLE 115 INSTALLATION-READY™ REDUCING COUPLING

Size	Approx. Wgt. Ea.	Price Each	
Nominal inches	lb	Painted	Galv.
1¼ x 1	1.9	\$36.50	\$43.00
1½	2.1	40.50	49.50

FireLock™ System for IGS Grooved IPS Pipe

1" Outlet Coupling

STYLE 118

Refer to publication 10.54



STYLE 118 1" OUTLET COUPLING

Size		Approx. Wgt. Ea.	Price Each	
Nominal inches		lb	Painted	
1	x 1	2.4	\$66.00	

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

Installation-Ready™ Tee

NO. 102

Refer to publication 10.54



NO. 102 INSTALLATION-READY™ TEE

Size		Approx. Wgt. Ea.	Price Each	
Nominal inches	Actual Outside Diameter inches	lb	Painted	Galv.
1	1.315	3.0	\$41.00	\$51.50

FireLock™ System for IGS Grooved IPS Pipe

Installation-Ready™ 45° Elbow

NO. 103

Refer to publication 10.54



NO. 103 INSTALLATION-READY™ 45° ELBOW

Size		Approx. Wgt. Ea.	Price Each	
Nominal inches	Actual Outside Diameter inches	lb	Painted	Galv.
1	1.315	2.1	\$42.00	\$52.50

Sprinkler Reducer

NO. 148

NPT or BSPT Sprinkler Outlet

Refer to publication 10.54



NO. 148 SPRINKLER REDUCER

End to End	Nominal Size	Threaded Outlet Size		Approx. Wgt. Each	Price Each *		Sold in Box Quantities of
inches		inches		lb	Painted	Galv.	
3.0	1	1/2	3/4	0.4	\$13.50	\$14.50	50
3.5				0.5	14.50	+	
4.0				0.6	15.00	+	
4.5				0.6	15.00	+	
5.0				0.7	15.50	+	
5.5				0.8	16.00	+	40
6.0				0.8	16.50	18.50	
12.0				1.7	25.50	26.00	20
18.0				2.5	30.50	+	10
24.0				3.4	36.50	+	
30.0	1	1/2	3/4	4.2	36.50	+	8
36.0				5.0	41.00	+	

Note: 36" / 914.0 mm size features sprinkler outlet on both ends

*** Sold in box quantities only**

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

+ Quoted on application. Contact Victaulic for pricing and availability.

FireLock™ System for IGS Grooved IPS Pipe

Close Nipple

NO. 143

Refer to publication 10.54



NO. 143 CLOSE NIPPLE

Size		End to End	Approx. Wgt. Each	Price Each *	Sold in Box Quantities of
Nominal inches	Actual Outside Diameter inches	inches	lb		
1	1.315	1.5	0.2	\$6.50	25
		2.0	0.3	7.00	
		2.5	0.4	8.00	
		3.0	0.4	8.50	
		3.5	0.5	9.50	
		4.0	0.6	12.50	
		4.5	0.6	13.50	
		5.0	0.7	15.00	

* Sold in box quantities only

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

Grooved End Elbow

NO. 111

Refer to publication 10.54



NO. 111 GROOVED END ELBOW

Size	Approx. Wgt. Ea.	Price Each	
Nominal inches	lb	Painted	Galv.
1	0.64	\$15.50	\$17.50

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

OGS x IGS x IGS Reduce on the Run and Outlet Tee

NO. 113

Refer to publication 10.54



NO. 113 OGS X IGS X IGS REDUCE ON THE RUN AND OUTLET TEE

Size	Approx. Wgt. Ea.	Price Each	
Nominal inches	lb	Painted	Galv.
1 1/4 x 1 x 1	1.3	\$29.50	\$40.50
1 1/2	1.3	30.50	41.50

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

FireLock™ System for IGS Grooved IPS Pipe

IGS x IGS x IGS Grooved Tee

NO. 114

Refer to publication 10.54



NO. 114 IGS X IGS X IGS GROOVED TEE

Size	Approx. Wgt. Ea.	Price Each	
Nominal inches	lb	Painted	Galv.
1	0.9	\$25.50	\$36.50

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

IGS 45° Elbow

NO. 117

Refer to publication 10.54



NO. 117 IGS 45° ELBOW

Size	Approx. Wgt. Ea.	Price Each	
Nominal inches	lb	Painted	Galv.
1	0.5	\$21.00	\$31.50

Female Threaded x Groove 90° Elbow

NO. 145

Refer to publication 10.54



NO. 145 FEMALE THREADED X GROOVE 90° ELBOW

Size	Approx. Wgt. Ea.	Price Each	
Nominal inches			
Threaded x Grooved	lb	Painted	Galv.
1/2 x 1	0.5	\$16.50	\$18.50
3/4	0.5	16.50	18.50
1	0.5	16.50	18.50

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

FireLock™ System for IGS Grooved IPS Pipe

Back-to-Back Sprinkler Tee

NO. 147

Refer to publication 10.54



NO. 147 BACK-TO-BACK SPRINKLER TEE

Size			Approx. Wgt. Ea.	Price Each
Nominal inches			lb	Painted
1/2	x	1/2 x 1	0.7	\$30.00

End of Run Fitting IGS™ Grooved Outlet

NO. 65

Refer to publication 10.54



END OF RUN FITTING

Nominal Size		Approx. Weight Each	Price Each	
inches		lb	Painted	Galv.
1 1/4	x 1	0.7	\$42.00	\$51.00
1 1/2		0.8	42.00	51.00
2		1.2	47.00	59.50
2 1/2		1.6	51.50	63.50
3		2.6	69.00	84.00

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

Cap

NO. 146

Refer to publication 10.54



NO. 146 CAP

Size		Approx. Wgt. Ea.	Price Each *		Sold in Box Quantities of
Nominal inches	Actual Outside Diameter inches	lb	Painted	Galv.	
1	1.315	0.2	\$12.50	\$15.00	20

*** Sold in box quantities only**

FireLock™ System for IGS Grooved IPS Pipe

Male Threaded x Groove Adapter

NO. 140

Refer to publication 10.54



NO. 140 MALE THREADED X GROOVE ADAPTER

Size		Approx. Wgt. Ea.	Price Each *	Sold in Box Quantities of
Nominal inches	Actual Outside Diameter inches	lb		
1	1.315	0.3	\$9.50	50

* Sold in box quantities only

Female Threaded x Groove Adapter

NO. 141

Refer to publication 10.54



NO. 141 FEMALE THREADED X GROOVE ADAPTER

Size		Approx. Wgt. Ea.	Price Each *	Sold in Box Quantities of
Nominal inches	Actual Outside Diameter inches	lb		
1	1.315	0.5	\$9.50	50

* Sold in box quantities only

CPVC Adapter

NO. 116

1" SOCKET X 1" IGS™ GROOVE

Refer to publication 10.54



NO. 116 CPVC ADAPTER

Size		Approx. Wgt. Ea.	Price Each *	Sold in Box Quantities of
Nominal inches	Actual Outside Diameter inches	lb		
1	1.315	0.19	\$38.00	10

* Sold in box quantities only

FireLock™ System for IGS Grooved IPS Pipe

OGS x IGS™ Grooved Concentric Reducer

NO. 144

Refer to publication 10.54



NO. 144 OGS X IGS™ GROOVED CONCENTRIC REDUCER

Nominal Size inches	Approx. Wgt. Ea. lb	Price Each *		Sold in Box Quantities of
		Painted	Galv.	
1 x 1¼	0.5	\$16.00	+	25
	0.6	18.50	\$25.50	

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

+ Quoted on application. Contact Victaulic for pricing and availability.

* Sold in box quantities only

Weld Plunger Cone

Refer to publication 10.54



WB-1



NAP-1

WELD PLUNGER CONE

Model	Approx. Weight Each lbs	Victaulic Part Code	Price Each
WB-1	2.2	A010AQBWL B	\$959.50 ^{NR}
NAP-1	0.3	A010AQBNA P	959.50 ^{NR}

^{NR} Non-returnable

Roll Grooving Tool

Refer to Section 7 – Pipe Preparation Tools for prices and where to call for purchase information.

RG2910 FOR 1" FIRELOCK™ IGS™



FireLock™ System for IGS Grooved IPS Pipe

GDC-FP

Refer to Section 4 – Couplings, Spare Parts and Fittings for prices and where to call for purchase information.

**GO/NO-GO POCKET-SIZED IGS
GROOVE DIAMETER CABLES FOR
1" CARBON STEEL PIPE**



FireLock™ System for Grooved IPS Pipe

FireLock™ Installation-Ready™ Fittings

90° Elbow

NO. 101

Refer to publication 10.06



NO. 101 90° ELBOW – GRADE “E” (TYPE A) GASKET

PIPE inches		Approx. Wgt. Ea.	COUPLING COMPLETE † with Grade “E” (Type A) Gasket		SPARE PARTS
Nom. Size	Outside Dia.	lb	Price Each		Grade “E” (Type A) Gasket
			Painted	Galv.	
1¼	1.660	3.2	\$314.50	\$392.50	\$233.50
1½	1.900	3.7	324.00	403.00	245.50
2	2.375	5.4	326.50	405.50	261.00
2½	2.875	6.4	392.50	488.00	287.00

† Surcharge for fittings supplied without gasket. Contact Victaulic for pricing.

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

45° Elbow

NO. 103

Refer to publication 10.06



NO. 103 45° ELBOW – GRADE “E” (TYPE A) GASKET

PIPE inches		Approx. Wgt. Ea.	COUPLING COMPLETE † with Grade “E” (Type A) Gasket		SPARE PARTS
Nom. Size	Outside Dia.	lb	Price Each		Grade “E” (Type A) Gasket
			Painted	Galv.	
1¼	1.660	2.8	\$314.50	\$392.50	\$233.50
1½	1.900	3.1	324.00	403.00	245.50
2	2.375	4.4	326.50	405.50	261.00
2½	2.875	4.9	392.50	488.00	287.00

† Surcharge for fittings supplied without gasket. Contact Victaulic for pricing.

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

FireLock™ System for Grooved IPS Pipe

Tee

NO. 102

Refer to publication 10.06



NO. 102 TEE – GRADE “E” (TYPE A) GASKET

PIPE inches		Approx. Wgt. Ea.	COUPLING COMPLETE † with Grade “E” (Type A) Gasket		SPARE PARTS
Nom. Size	Outside Dia.	lb	Price Each		Grade “E” (Type A) Gasket
			Painted	Galv.	
1¼	1.660	4.2	\$483.00	\$601.50	\$345.50
1½	1.900	4.6	498.00	622.50	367.00
2	2.375	6.4	505.50	631.00	389.00
2½	2.875	7.5	582.00	728.00	426.00

† Surcharge for fittings supplied without gasket. Contact Victaulic for pricing.

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

Installation-Ready™ Bull Head Tee

NO. 104

Refer to publication 10.06



NO. 104 INSTALLATION-READY™ BULL HEAD TEE

PIPE					Approx. Weight Each	COUPLING COMPLETE † with Grade “E” (Type A) Gasket		SPARE PARTS
inches						Price Each		
Nom. Size					lb	Painted	Galv.	Grade “E” (Type A) Gasket
1½	x	1½	x	2		\$536.00	\$668.00	
2	x	2	x	2½		546.50	681.00	
2½	x	2½	x	3		627.00	782.50	

† Surcharge for fittings supplied without gasket. Contact Victaulic for pricing.

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

IGS™ Nipple

NO. 143

Refer to publication 10.06



NO. 143 IGS™ NIPPLE

Size		End to End	Approx. Wgt. Ea.	Price Each
Nominal	Actual Outside Diameter	inches	lb	
inches				
1¼	1.660	2.375	0.4	\$80.50
1½	1.900	2.375	0.5	86.50
2	2.375	2.375	0.7	103.50
2½	2.875	2.375	1.1	122.50

FireLock™ System for Grooved IPS Pipe

FireLock™ Fittings

FireLock™ Fittings

90° ELBOW NO. 001

45° ELBOW NO. 003

Refer to publication 10.03



No. 001



No. 003



FIRELOCK™ FITTINGS – 90° ELBOW OR 45° ELBOW

Nom. Size	90° Elbow No. 001			45° Elbow No. 003		
inches	Approx. Wgt. Each lb	Price Each		Approx. Wgt. Each lb	Price Each	
		Painted	Galv.		Painted	Galv.
1¼	1.0	\$110.50	\$131.50	0.7	\$110.50	\$131.50
1½	1.2	110.50	131.50	0.8	110.50	131.50
2	1.7	117.00	149.00	1.8	117.00	149.00
2½	3.1	155.00	206.50	2.2	155.00	192.00
3	4.0	200.50	266.00	3.1	200.50	251.00
4	6.7	286.00	392.50	5.6	286.00	377.50
5	12.6	663.50	872.00	8.3	663.50	815.00
6	18.3	779.50	1067.00	11.7	779.50	980.50
8	25.5	1515.00	2152.00	20.4	1515.00	2080.00
10	43.2	3797.00	4662.50	25.0	3797.00	4662.50
12	66.7	5261.50	6194.50	36.1	5261.50	6194.50

NOTE: FireLock™ Fittings are designed for use with FireLock™ and FireLock EZ™ couplings. Use of other products may result in bolt pad interference.

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

FireLock™ System for Grooved IPS Pipe

Fittings

90° ELBOW NO. 10

45° ELBOW NO. 11

Refer to publication 07.01



No. 10



No. 11



FITTINGS – 90° ELBOW OR 45° ELBOW

Nom. Size	90° Elbow No. 10				45° Elbow No. 11			
	Approx. Wgt. Ea. lb	C - E inches	Price Each		Approx. Wgt. Ea. lb	C - E inches	Price Each	
			Painted	Galv.			Painted	Galv.
$\frac{3}{4}$	0.5	2.25	\$437.00	\$461.50	0.5	1.50	\$437.00	\$461.50
1	0.6	2.25	236.00	310.00	0.6	1.75	236.00	297.00
1 $\frac{1}{4}$	1.0	2.75	236.00	310.00	0.9	1.75	236.00	297.00
1 $\frac{1}{2}$	1.2	2.75	236.00	310.00	0.9	1.75	236.00	297.00
10	63.3	9.00	4754.00	5941.50	37.5	4.75	3086.00	3855.50
12	74.0	10.00	5227.50	6536.00	66.7	5.25	3701.50	4629.50

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

(sw) Victaulic fittings are made of ductile iron, except those marked (sw) segmentally welded steel.

FireLock™ Fittings

TEE NO. 002

CAP NO. 006

Refer to publication 10.03



No. 002



No. 006



FIRELOCK™ FITTINGS – TEE OR CAP

Nom. Size	Tee No. 002			Cap No. 006		
	Approx. Wgt. Each lb	Price Each		Approx. Wgt. Each lb	Price Each	
		Painted	Galv.		Painted	Galv.
1 $\frac{1}{4}$	1.4	\$152.00	\$182.50	0.3	\$66.00	\$99.50
1 $\frac{1}{2}$	1.8	152.00	182.50	0.4	69.50	99.50
2	2.4	176.50	218.00	0.6	82.00	110.50
2 $\frac{1}{2}$	3.6	229.50	291.50	1.0	94.50	117.00
3	5.3	315.00	404.00	1.2	111.50	140.50
4	8.7	474.50	615.00	2.4	161.00	217.00
5	15.7	1086.00	1357.50	4.1	315.00	429.00
6	22.7	1250.50	1630.00	5.9	351.00	483.00
8	38.7	2652.00	3501.00	12.7	662.50	903.50
10	63.6	5062.50	5765.50	14.2	1465.50	2132.00
12	80.7	6194.50	6860.50	22.6	2598.50	3531.00

NOTE: FireLock™ Fittings are designed for use with FireLock™ and FireLock EZ™ couplings. Use of other products may result in bolt pad interference.

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

FireLock™ System for Grooved IPS Pipe

Fittings

TEE NO. 20

Refer to publication 07.01



No. 20



FITTINGS – STANDARD TEE

Nom. Size	Approx. Wgt. Ea.	Tee No. 20	
		Price Each	
inches	lb	Painted	Galv.
$\frac{3}{4}$	0.6	\$468.50	\$505.00
1	1.0	361.50	470.00
1 $\frac{1}{4}$	1.5	361.50	470.00
1 $\frac{1}{2}$	2.0	361.50	470.00
10	73.0	5685.50	7105.00
12	99.0	7390.50	9236.50

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

Fittings

CAP NO. 60

Refer to publication 07.01



No. 60



FITTINGS – CAP

Nom. Size	Approx. Wgt. Ea.	Cap No. 60		Tapped Cap No. 60
		Price Each		Price Each
inches	lb	Painted	Galv.	Painted
$\frac{3}{4}$	0.2	\$471.00	\$513.00	+
1	0.3	201.50	237.50	+
1 $\frac{1}{4}$	0.3	201.50	237.50	+
1 $\frac{1}{2}$	0.5	201.50	237.50	+
2	0.6	201.50	237.50	\$1008.50
2 $\frac{1}{2}$	1.0	201.50	237.50	1018.50
3	1.4	201.50	237.50	1265.00
3 $\frac{1}{2}$	2.5	215.50	281.00	+
4	2.5	215.50	281.00	1295.00
5	4.6	494.00	659.50	+
6	6.0	492.50	659.50	1425.50
8	13.1	935.00	1234.50	1701.00
10	21.0	1629.50	2039.50	+
12	35.6	2848.00	3562.00	+

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

Caps are malleable/ductile iron.

+ Quoted on application. Contact Victaulic for pricing and availability.

FireLock™ System for Grooved IPS Pipe

FireLock™ Flange Adapter

STYLE 744 – 175 PSI WITH GRADE “E” (TYPE A) GASKET

Refer to publication 10.04



STYLE 744 – GRADE “E” (TYPE A) GASKET

PIPE inches		VIC-FLANGE COMPLETE †			SPARE PARTS
Nominal Size	Outside Diameter	Approx. Wgt. Each lb	Price Each		Grade “E” (Type A) Gasket Price Ea.
			Painted	Galv.	
Style 744 - Hinged					
2	2.375	2.7	\$569.50	\$658.00	\$112.50
2½	2.875	4.2	662.50	784.50	130.00
3	3.500	4.8	742.50	889.00	136.00
4	4.500	6.5	966.00	1172.50	178.00 ^{NR}
5	5.563	8.3	1155.00	1408.50	208.50
6	6.625	9.0	1261.00	1532.00	243.00 ^{NR}
8	8.626	13.9	1581.50	1975.50	320.50 ^{NR}

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

The *Vic-Flange* adapters utilize standard ANSI 125/150 flange bolts (supplied by installer). Bolt hole pattern is standard for ANSI CL 150 and 125 CL flanges.

For Flange Washers see Spare Parts.

† Surcharge for couplings supplied without gasket. Contact Victaulic for pricing.

^{NR} **Non-returnable**

Victaulic Flange Adapter Washer Notes



Victaulic flange adapters require a smooth, hard surface at the mating flange face for effective sealing. Some applications, for which the Victaulic flange adapter is otherwise well suited, do not provide an adequate mating surface. In such cases, it is recommended that a metal flange washer be inserted between the Victaulic flange adapter and the mating flange to provide the necessary sealing surface. See Spare Parts Section for flange washer prices.

Typical applications where a Victaulic flange washer should be used are:

1. When mating to a serrated flange: a flange gasket should be used adjacent to the serrated flange. The flange washer is then inserted between the Victaulic flange adapter and the flange gasket.
2. When mating to a wafer valve: where typical valves are rubber lined and partially rubber faced (smooth or not), the flange washer is placed between the valve and the Victaulic flange adapter.
3. When mating to a rubber faced flange: the flange washer is placed between the Victaulic flange adapters and the rubber faced flange.
4. When mating C.I. flanges to IPS flanges: the flange washer is placed between two Victaulic flange adapters. If one flange is not a Victaulic flange adapter (e.g. a flanged valve), then a flanged gasket must be placed adjacent to that flange and the flange washer must be inserted between the flange gasket and the Victaulic flange adapter.
5. When mating to components (valves, strainers, etc.) where the component flange face has an insert: follow the same arrangement as in # 1 above.

When ordering Victaulic flange washers, always specify the *Vic-Flange* Adapter style number and size to assure the proper flange washer is supplied.

For additional notes regarding *Vic-Flange* Adapters, refer to publications 06.06, 06.32 and 20.04.

FireLock™ System for Grooved IPS Pipe

No. 65

Refer to Page 1-11 for prices.

END OF RUN FITTING IGS™ GROOVED OUTLET

Refer to publication 10.54



End of Run Fitting

NO. 67

Refer to publication 10.21



END OF RUN FITTING

Nominal Size inches	Approx. Weight Each lb	Price Each	
		Painted	Galv.
1¼ x ½ NPT	0.6	\$220.00	\$271.00
	¾ NPT	220.00	271.00
	1 NPT	220.00	271.00
1½ x ½ NPT	0.7	220.00	271.00
	¾ NPT	220.00	271.00
	1 NPT	220.00	271.00
2 x ½ NPT	0.7	234.00	306.00
	¾ NPT	234.00	306.00
	1 NPT	234.00	306.00
2½ x ½ NPT	1.3	275.50	334.00
	¾ NPT	275.50	334.00
	1 NPT	275.50	334.00
3 x ¾ NPT	2.0	361.50	446.50
	1 NPT	361.50	446.50

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

For FireLock™ IGS™ Groove No. 65 End-of-Run Fitting, refer to FireLock™ IGS™ Groove System Section of this book.

Drain Elbow

NO. 10-DR

Refer to publication 10.05



DRAIN ELBOW WITH 1" DRAIN

Nom. Size inches	Approx. Wgt. Ea. lb	Price Each	
		Painted	Galv.
2½	5.2	\$542.50	\$696.50
3	5.3	692.00	824.50
4	8.8	700.50	949.50
6	18.7	1225.00	1741.50
8	29.5	1537.00	2245.50

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

FireLock™ System for Grooved IPS Pipe

Fire Protection Valves

FireLock™ Ball Valve

SERIES 728
Refer to publication 10.17



Threaded



Grooved



SERIES 728 – WITH WEATHERPROOF ACTUATOR

Nominal Size	T x T Ball Valve with Weatherproof Actuator †		G x G Ball Valve with Weatherproof Actuator † *	
	Approx. Wgt. Each lb	Price Each	Approx. Wgt. Each lb	Price Each
1	5.1	\$766.00	–	–
1¼	5.8	\$815.00	7.5	\$815.00
1½	6.6	\$966.50	8.5	\$966.50
2	8.5	\$1165.50	10.5	\$1165.50

* Grooved valve will come standard with a ½" NPT tap.
† Please specify choice of grooved or threaded ends on order.

V - 020 - 4 6 6 T - W2

Type	Act. In./mm	Size Code	Pressure Rating	Body/Ball	Seat	End Connection	Operator
V	1/25 1¼/32 1½/40 2/50	010 012 014 020	4 - 365 psi	6 - Bronze/Chrome Plated Brass	6 - Reinforced TFE	T - Threaded G - Grooved*	W2 - UL/ULC/FM Weatherproof Gear Operator w/2 SPDT Switches W9 - UL/FM Weatherproof Gear Operator with 2 SPDT Switches and Extra Long Wire Leads

* 1¼"/32 mm, 1½"/40 mm and 2"/50 mm only

FireLock™ System for Grooved IPS Pipe

Butterfly Valve – Supervised OPEN

SERIES 705

(with weatherproof actuator)

Refer to publication 10.81



SERIES 705 BUTTERFLY VALVE

Nominal Size	WRD – Pre-wired without Tap		WRD – Pre-wired with Tap	
	Approx. Wgt. Each lb	Price Each	Approx. Wgt. Each lb	Price Each
inches				
2	8.2	\$1427.50	8.2	\$1567.00
2½	9.7	1427.50	9.7	1567.00
3	10.7	1541.50	10.7	1693.00
4	14.0	1616.00	14.0	1773.50
5	25.4	2419.50	23.7	+
6	28.7	2294.00	28.7	2494.00
8	43.0	3514.00	43.0	3752.00
10	80.6	8498.00	–	–
12	94.6	12136.50	–	–

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

+ Quoted on application. Contact Victaulic for pricing and availability.

Weatherproof Actuator Replacement Kit

**FOR SERIES 705 – SUPERVISED
OPEN ONLY**

(Consists of mounting bolt,
actuator, handwheel and
assembly hardware)

Refer to publication 10.81

GEAR OPERATOR REPAIR KIT FOR SERIES 705

Nominal Size inches	Part Code	Kit Price Each
2	K020705100	\$1382.00
2½	K024705100	1382.00
3	K030705100	1382.00
4	K040705100	1484.50
5	K050705100	1484.50
6	K060705100	1798.50
8	K080705100	3806.00
10	K100705100	4952.00
12	K120705100	4952.00

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

FireLock™ System for Grooved IPS Pipe

Butterfly Valve – Supervised CLOSED

SERIES 707C

(with weatherproof actuator)

Refer to publication 10.75



SERIES 707C – PRE-WIRED

Nominal Size	WRD – Pre-wired without Tap		
inches	Approx. Wgt. Each lb	Part Code	Price Each
2	8.2	V020707900	\$1938.00
2½	9.7	V024707900	1938.00
3	10.7	V030707900	2094.50
4	14.0	V040707900	2193.50
5	25.4	V050707900	3283.50
6	28.7	V060707900	3114.50
8	43.0	V080707900	4764.50

High Pressure Butterfly Valve – Supervised OPEN

SERIES 765

(with Weatherproof Actuator)

Refer to publication 10.80



SERIES 765 GROOVED END HIGH PRESSURE BUTTERFLY VALVE

Nominal Size	Pre-wired without Tap		Pre-wired with Tap	
inches	Approx. Wgt. Each lb	Price Each	Approx. Wgt. Each lb	Price Each
2	9.5	\$2170.50	9.5	\$2352.50
2½	9.7	2246.50	9.7	2436.50
3	10.7	2428.00	10.7	2630.00
4	14.0	2543.50	14.0	2759.00
5	25.8	3805.50	25.8	4149.50
6	28.7	3610.00	28.7	3916.00
8	43.0	5526.50	43.0	5994.00
10	80.6	13374.50	–	–
12	94.6	19095.50	–	–

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

FireLock™ System for Grooved IPS Pipe

High Pressure Butterfly Valve – Supervised CLOSED

SERIES 766

(with Weatherproof Actuator)
Refer to publication 10.83



SERIES 766 GROOVED END HIGH PRESSURE BUTTERFLY VALVE

Nominal Size	Pre-wired without Tap		
inches	Approx. Wgt. Each lb	Part Code	Price Each
2	8.2	V020766900	\$2170.50
2½	9.7	V024766900	2246.50
3	10.7	V030766900	2428.00
4	14.0	V040766900	2543.50
5	25.4	V050766900	3805.50
6	28.7	V060766900	3610.00
8	43.0	V080766900	5526.50

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

FireLock™ System for Grooved IPS Pipe

Series 771A OS&Y (300 psi) Groove x Groove
 Series 771H OS&Y Groove x Groove
 Series 771F OS&Y Groove x Flange
 Series 772A NRS (300 psi) Groove x Groove
 Series 772H NRS Groove x Groove
 Series 772F NRS Groove x Flange Gate Valves

Refer to publication 10.92 or 10.72



Series 771H

Series 772H

Series 771F

Series 772F



Gate Valve Size inches	OS&Y				NRS			
	Approx. Weight Each lb	Series 771A Groove x Groove Price Each	Series 771H Groove x Groove Price Each	Series 771F Groove x Flange Price Each	Approx. Weight Each lb	Series 772A Groove x Groove Price Each	Series 772H Groove x Groove Price Each	Series 772F Groove x Flange Price Each
2½	30.6	\$2625.00	\$2386.00	\$2386.00	29.3	\$2431.00	\$2208.50	\$2208.50
3	36.0	3412.00	3101.50	3101.50	63.0	3263.50	2966.00	2966.00
4	77.0	4012.50	3648.50	3648.50	70.0	3883.00	3531.00	3531.00
6	144.0	5372.00	4884.00	4884.00	117.0	4978.50	4526.50	4526.50
8	170.0	8418.50	7653.50	7653.50	188.0	7350.00	6682.00	6682.00
10	344.7	11330.00	10300.50	10300.50	297.7	10677.00	9706.00	9706.00
12	489.5	17670.00	16063.00	16063.00	394.9	14937.00	13578.50	13578.50

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

Flange Mounting Kits
 for use with Series
 772H NRS Gate
 Valves

FLANGE MOUNTING KITS FOR USE WITH SERIES 772F NRS GATE VALVES

Gate Valve Size inches	Victaulic Part Code	Price Each
2½ – 3	K024772001	\$606.00
4	K040772001	594.00
6 – 8	K060772001	717.00 ^{NR}
10	K100772001	1104.50
12	K120772001	2233.00

HANDWHEELS FOR SERIES 772H AND 772F NRS GATE VALVES

Gate Valve Size inches	Victaulic Part Code	Price Each
2½	K024772002	\$129.00
3 – 4	K030772002	129.00
6	K060772002	343.00
8	K080772002	343.00
10	K100772002	394.50
12	K120772002	394.50

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

^{NR} Non-returnable

FireLock™ System for Grooved IPS Pipe

Series 774 Post Indicator

Refer to publication 10.92



Series 774



SERIES 774 POST INDICATORS

Description	Approx. Weight Ea. lb	Price Each
Series 774 Upright Post Indicator	250.0	\$6315.00

FireLock™ Butterfly Valve Wall Post Indicator Assembly

SERIES 775

Refer to publication 10.76



SERIES 775 WITH SERIES UM/UMC

Valve Size inches	Description	Victaulic Part Code	Price Each
2	BFV Wall Post and Universal Manifold Assembly	V0207750UM	\$4312.50
	BFV Wall Post and Universal Manifold Check Assembly	V020775UMC	4838.00
2½	BFV Wall Post and Universal Manifold Assembly	V0247750UM	4399.50
	BFV Wall Post and Universal Manifold Check Assembly	V024775UMC	4989.00
3	BFV Wall Post and Universal Manifold Assembly	V0307750UM	4542.50
	BFV Wall Post and Universal Manifold Check Assembly	V030775UMC	5235.50
4	BFV Wall Post and Universal Manifold Assembly	V0407750UM	5810.00
	BFV Wall Post and Universal Manifold Check Assembly	V040775UMC	6218.00
6	BFV Wall Post and Universal Manifold Assembly	V0607750UM	6100.50
	BFV Wall Post and Universal Manifold Check Assembly	V060775UMC	7109.50
8	BFV Wall Post and Universal Manifold Assembly	V0807750UM	7885.50
	BFV Wall Post and Universal Manifold Check Assembly	V080775UMC	9461.00

SERIES 775 WITH BUTTERFLY VALVE SERIES 705/765 (SUPERVISED OPEN)

Valve Size inches	Description	Victaulic Part Code	Price Each
2	BFV Wall Post Indicator with 705 Valve	V020775705	\$4409.50
	BFV Wall Post Indicator with 765 Valve	V020775765	4819.00
2½	BFV Wall Post Indicator with 705 Valve	V024775705	4391.00
	BFV Wall Post Indicator with 765 Valve	V024775765	4800.50
3	BFV Wall Post Indicator with 705 Valve	V030775705	4449.50
	BFV Wall Post Indicator with 765 Valve	V030775765	4860.00
4	BFV Wall Post Indicator with 705 Valve	V040775705	4499.50
	BFV Wall Post Indicator with 765 Valve	V040775765	4910.00
6	BFV Wall Post Indicator with 705 Valve	V060775705	4871.50
	BFV Wall Post Indicator with 765 Valve	V060775765	5281.50
8	BFV Wall Post Indicator with 705 Valve	V080775705	5513.00
	BFV Wall Post Indicator with 765 Valve	V080775765	5923.50
10	BFV Wall Post Indicator with 705 Valve	V100775705	7936.50
	BFV Wall Post Indicator with 765 Valve	V100775765	8346.50
12	BFV Wall Post Indicator with 705 Valve	V120775705	10931.50
	BFV Wall Post Indicator with 765 Valve	V120775765	11342.50

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.



FireLock™ System for Grooved IPS Pipe

FireLock™ Butterfly Valve Wall Post Indicator Assembly

SERIES 775

Refer to publication 10.76



SERIES 775 WITH BUTTERFLY VALVE SERIES 707C/766 (SUPERVISED CLOSED)

Valve Size inches	Description	Victaulic Part Code	Price Each
2	BFV Wall Post Indicator with 707C Valve	V020775707	\$4723.50
	BFV Wall Post Indicator with 766 Valve	V020775766	5134.00
2½	BFV Wall Post Indicator with 707C Valve	V024775707	4857.50
	BFV Wall Post Indicator with 766 Valve	V024775766	5267.00
3	BFV Wall Post Indicator with 707C Valve	V030775707	4917.50
	BFV Wall Post Indicator with 766 Valve	V030775766	5328.50
4	BFV Wall Post Indicator with 707C Valve	V040775707	4993.00
	BFV Wall Post Indicator with 766 Valve	V040775766	5403.50
6	BFV Wall Post Indicator with 707C Valve	V060775707	5572.50
	BFV Wall Post Indicator with 766 Valve	V060775766	5982.00
8	BFV Wall Post Indicator with 707C Valve	V080775707	6388.50
	BFV Wall Post Indicator with 766 Valve	V080775766	6799.50

SERIES 775 ROOFTOP KIT ASSEMBLY

Valve Size inches	Description	Victaulic Part Code	Price Each
2 – 12	Rooftop Kit Assembly	K020775003	\$2229.50 ^{NR}

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

^{NR} Non-returnable

Supervisory Switches



SUPERVISORY SWITCHES

Model	Description	Price Each
OSYSU-2	Outside Screw and Yoke Valve Supervisory Switch	\$829.50 ^{NR}
PCVS	Post Indicator / Butterfly Valve Supervisory Switch	774.00
PTS-C	Plug-In Supervisory Switch	1624.00

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

^{NR} Non-returnable

FireLock™ Check Valve

SERIES 717H

Refer to publication 10.08



SERIES 717H

Size inches	Approx. Weight Each lb	Price Each
2	5.8	\$842.00
2½	7.5	890.50
3	9.7	890.50

FireLock™ System for Grooved IPS Pipe

FireLock™ Check Valve

SERIES 717

Refer to publication 10.08



2½ and 3"



4 – 12"



SERIES 717

Size inches	Approx. Weight Each lb	Price Each
2½	3.6	\$890.50
3	3.6	890.50
4	20.0	925.50
5	27.0	2242.50
6	38.0	2297.00
8	64.0	3984.00
10	100.0	7585.00
12	140.0	9893.50

Threaded Ball Valve

SERIES 722

Refer to publication 08.15



SERIES 722

Nominal Size inches	Approx. Wgt. Each lb	Price Each
¼	0.2	\$136.00
½	0.4	177.00
¾	0.7	178.50
1	1.0	235.00
1¼	1.5	370.50
1½	2.1	457.50
2	2.4	606.00

FireLock™ System for Grooved IPS Pipe

FireLock™ Wye-Type Vic-Strainer

SERIES 732H
Refer to publication 10.68



SERIES 732H


Nominal Size	Approx. Weight Each	Price Each	
		Galvanized *	Standard Basket Only
inches	lb		
2	10.0	\$4656.00	\$3045.00
2½	14.0	4950.50	3172.00
3	20.0	5646.00	2759.00
4	32.0	6567.50	2866.50

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

* Vic-Strainer Series 732H standard components include galvanized body, access cap and coupling (Grade "E" EPDM, plated bolts and nuts) and Type 304 stainless steel basket (0.062" diameter holes for 2 – 3 7/8 – 80 mm sizes; and 0.188" diameter holes for 4 7/8 – 100 mm sizes). Contact Victaulic for details.

Universal Test and Drain

SERIES UTD
Refer to publication 30.73.



SERIES UTD – UNIVERSAL TEST AND DRAIN

UTD Body Size	Description	Part Code	Price Each
Nominal inches			
1	IGS with Series ARV	S010UTDGA0	\$814.00 ^{NR}
	Threaded with Series ARV	S010UTDTHDF	814.00
1¼	GxG with Series ARV	S012UTDGAA	995.50 ^{NR}
	Threaded with Series ARV	S012UTDTAA	995.50 ^{NR}
2	GxG with Series ARV	S020UTDGA4	1419.50 ^{NR}
	Threaded with Series ARV	S020UTDTA4	1419.50 ^{NR}

^{NR} **Non-returnable**

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

FireLock™ System for Grooved IPS Pipe

Adjustable Relief Valve

SERIES ARV – ADJUSTABLE RELIEF VALVE

SERIES ARV

Refer to publication 30.74.



^{NR} **Non-returnable**

Description	Part Code	Price Each
½" Adjustable Relief Valve	P0047470PR	\$339.50 ^{NR}

Fire Pump Test Meter

SERIES 735 – MODEL S OR MODEL L

SERIES 735

Refer to publication 10.11



Nominal Size	Gallons Minute	Style 735 Model S		Style 735 Model L	
		Wgt. Ea. lb	Price Each	Wgt. Ea. lb	Price Each
2½ inches	100	9.0	\$24269.50	14.0	\$39168.00
2½ inches	150	9.0	24269.50	14.0	39168.00
3	200	10.0	26713.00	15.0	41883.50
4	250	12.0	30360.50	17.0	43611.50
4	300	12.0	30360.50	17.0	43611.50
4	450	12.0	30360.50	17.0	43611.50
5	500	13.0	33338.00	18.0	43823.00
6	750	15.0	36386.50	20.0	47715.00
6	1000	15.0	36386.50	20.0	47715.00
6	1250	15.0	36386.50	20.0	47715.00
8	1500	22.0	41226.00	27.0	53152.50
8	2000	22.0	41226.00	27.0	53152.50
8	2500	22.0	41226.00	27.0	53152.50
8	3000	22.0	41226.00	27.0	53152.50
10	3500	33.0	49105.50	38.0	61828.50
10	4000	33.0	49105.50	38.0	61828.50
10	4500	33.0	49105.50	38.0	61828.50
12	5000	66.0	61228.00	71.0	75737.50

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

Victaulic® Hydraulic Control Valves



Victaulic® Hydraulic Control Valves

Pressure Control Valves

Pressure Reducing Valve

SERIES 867-42T-20
BERMAD MODEL FP 42T-20

Refer to publication 30.93



Nominal Size	High Build Epoxy Fusion-Bonded Coating (Standard)			
	OGS		ANSI Class 300RF	
inches	Victaulic Part Code	Price Each	Victaulic Part Code	Price Each
1½	S014867T2C	\$5199.00	–	–
2	S020867T2C	5199.00	–	–
2½	S024867T2C	6389.50	–	–
3	S030867T2C	7935.00	S030867T3C	\$12357.00
4	S040867T2C	11069.50	S040867T3C	14229.00
6	S060867T2C	22669.00	S060867T3C	24050.00
8	S080867T2C	30323.00	S080867T3C	31146.50
10	–	–	S100867T3C	51655.50

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

* Other finishes and valve body materials available upon request.

Agency approvals, such as UL and FM, vary by size and end connection. Refer to publication 30.93 for details.

Pressure Relief Valve and Suction Control Valve

SERIES 867-43T
SERIES 867-43T-PS
BERMAD MODEL FP 43T

Refer to publication 30.93



Nominal Size	High Build Epoxy Fusion-Bonded Coating (Standard)					
	OGS			ANSI Class 300		
	Victaulic Part Code		Price Each	Victaulic Part Code		Price Each
inches	T	TPS †		T	TPS †	
1½	S0148672T0	S0148672TS	\$6421.50	–	–	–
2	S0208672T0	S0208672TS	6421.50	–	–	–
2½	S0248672T0	S0248672TS	7968.00	–	–	–
3	S0308672T0	S0308672TS	9516.50	S0308673T0	S0308673TS	\$9850.00
4	S0408672T0	S0408672TS	12345.00	S0408673T0	S0408673TS	13149.00
6	S0608672T0	S0608672TS	16425.50	S0608673T0	S0608673TS	17492.50
8	S0808672T0	S0808672TS	22914.00	S0808673T0	S0808673TS	24405.00
10	–	–	–	–	S1008673TS	56026.50
12	–	–	–	–	S1208673TS	62796.00

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

* Other finishes and valve body materials available upon request.

Agency approvals, such as UL and FM, vary by size and end connection. Refer to publication 30.93 for details.

† Indicates pump suction.

Victaulic® Hydraulic Control Valves

Pressure Relief Valve

SERIES 867-7UF
BERMAD MODEL FP 730-UF
 Refer to publication 30.95



Nominal Size	Standard Polyester Red Coating (Standard) *									
inches	OGS		ANSI Class 150RF		ANSI Class 150RF Angled		ANSI Class 300RF		NPT	
	Victaulic Part Code	Price Each	Victaulic Part Code	Price Each	Victaulic Part Code	Price Each	Victaulic Part Code	Price Each	Victaulic Part Code	Price Each
1½	S014867270	\$10194.50	S014867170	\$10195.00	S014867171	\$10195.00	–	–	–	–
2	S020867270	7808.00	S020867170	7808.00	S020867171	7808.00	S020867370	\$7807.50	S020867470	\$7801.00
2½	S024867270	7856.50	S024867170	7856.50	S024867171	7856.50	–	–	S024867470	7873.50
3	S030867270	10082.50	S030867170	10144.00	S030867171	10144.00	S030867370	9990.00	–	–
4	S040867270	15185.50	S040867170	15450.50	S040867171	15450.50	S040867370	15207.00	–	–
6	S060867270	24696.50	S060867170	26004.50	S060867171	26004.50	S060867370	25104.50	–	–
8	S080867270	36000.50	S080867170	37489.50	S080867171	37489.50	–	–	–	–
10	–	–	S100867170	65138.50	S100867171	65138.50	–	–	–	–
12	–	–	S120867170	92805.50	–	–	–	–	–	–

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

* Other finishes and valve body materials available upon request.


Agency approvals, such as UL and FM, vary by size and end connection. Refer to publication 30.93 for details.

Above pricing based on model FP-XXX-867-7UF-X-C-XX-PR-NN. All other configurations are priced on application.

Direct Acting Pressure Relief Valve/Fire Pump Casing Relief Valve

In-field Adjustment psi	Victaulic Part Code	Price Each
15 – 235	S0068671HC	\$1385.50
100 – 365	S0068673HC	1765.50

SERIES 867-3HC
BERMAD MODEL FP 3HC-0
 Refer to publication 30.98



NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

* Other finishes and valve body materials available upon request.

Agency approvals, such as UL and FM, vary by size and end connection. Refer to publication 30.93 for details.

Victaulic® Hydraulic Control Valves

Level Control Valves

Level Control BERMAD Valve

SERIES 866-460
BERMAD FP-450-60

**with Modulating Horizontal
Float**

Refer to publication 30.94



Nominal Size	High Built Epoxy Red (Standard) *	
inches	Victaulic Part Code	Price Each
2	S020866260	\$7454.50
3	S030866260	9829.50
4	S040866260	12553.00
6	S060866260	20292.00
8	S080866260	29362.50

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

* Other finishes and valve body materials available upon request.

End connection is not differentiated by price. OGS, Class 150RF flange and NPT available.

Above pricing based on model FP-XXX-866-460-G-CXX-ER-NN. All other configurations are priced on application.

Level Control BERMAD Valve

SERIES 866-465
BERMAD FP-450-65

with Bi-Level Electric Float



Nominal Size	High Built Epoxy Red (Standard) *	
inches	Victaulic Part Code	Price Each
2	S020866265	\$8851.00
3	S030866265	11209.50
4	S040866450	13939.50
6	S060866265	21654.00
8	S080866265	30783.50

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

* Other finishes and valve body materials available upon request.

End connection is not differentiated by price. OGS, Class 150RF flange and NPT available.

Above pricing based on model FP-XXX-866-465-G-CXX-ER-4DC-NN. All other configurations are priced on application.

Victaulic® Hydraulic Control Valves

Level Control BERMAD Valve

SERIES 866-466
BERMAD FP-450-66

with Vertical Float



Nominal Size	High Built Epoxy Red (Standard) *	
inches	Victaulic Part Code	Price Each
2	S020866266	\$11962.00
3	S030866266	13515.00
4	S040866266	16237.00
6	S060866266	24073.00
8	S080866266	32272.50

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

* Other finishes and valve body materials available upon request.

End connection is not differentiated by price. OGS, Class 150RF flange and NPT available.

Above pricing based on model FP-XXX-866-466-G-C-ER-NN. All other configurations are priced on application.

Level Control BERMAD Valve

SERIES 866-482
BERMAD FP-450-82

with Altitude Pilot



Nominal Size	High Built Epoxy Red (Standard) *	
inches	Victaulic Part Code	Price Each
2	S020866282	\$11905.50
3	S030866282	13515.00
4	S040866282	16237.00
6	S060866282	24073.00
8	S080866282	32271.00

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

* Other finishes and valve body materials available upon request.

End connection is not differentiated by price. OGS, Class 150RF flange and NPT available.

Above pricing based on model FP-XXX-866-482-M6-G-CXX-ER-NN. All other configurations are priced on application.

Victaulic® Hydraulic Control Valves

Replacement Components for Series 867-42T-20

Tubing Replacement Kit

Refer to publication 30.93



TUBING REPLACEMENT KIT

Nominal Size inches	Victaulic Part Code	Price Each
1½	S014867TFK	\$584.50
2	S020867TFK	584.50
2½	S024867TFK	584.50
3	S030867TFK	584.50
4	S040867TFK	584.50
6	S060867TFK	584.50
8	S080867TFK	584.50

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

* For sizes greater than 8", please reach out to Victaulic Customer Care

Tubing Replacement Kit includes only tubing and fittings.

Y-Strainer Replacement

Refer to publication 30.93



Y-STRAINER

Nominal Size inches	Description	Part Code	Price Each
¾	Y-Strainer	S000867002	\$76.00

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

Series 867-42T-20 valves, sizes 1 1/2"-8", require one 3/8" Y-strainer.

Check Valve Replacement

Refer to publication 30.93



CHECK VALVE

Nominal Size inches	Description	Part Code	Price Each
¾	Check Valve	S000867014	\$124.00
½	Check Valve	S004867C04	138.50

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

Series 867-42T-20 valves, sizes 1 1/2"-6", require two 3/8" Check Valves.

Series 867-42T-20 valves, size 8", require one 3/8" and one 1/2" check valve.

Replacement Diaphragm and Elastomer Kit

Refer to publication 30.93



REPLACEMENT DIAPHRAGM AND ELASTOMER KIT

Nominal Size inches	Victaulic Part Code	Price Each
1½ – 2	S014867K4Y	\$973.50
3	S030867K4Y	1333.50
4	S040867K4Y	1417.50
6	S060867K4Y	3756.00
8 – 10	S080867K4Y	4023.00

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

Victaulic® Hydraulic Control Valves

Replacement Components for Series 867-43T

Tubing Replacement Kit

Refer to publication 30.93



TUBING REPLACEMENT KIT

Nominal Size inches	Victaulic Part Code	Price Each
1½	S014867K43	\$752.00
2	S020867K43	752.00
2½	S024867K43	752.00
3	S030867K43	752.00
4	S040867K43	752.00
6	S060867K43	752.00
8	S080867K43	752.00

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

* For sizes greater than 8", please reach out to Victaulic Customer Care

Tubing Replacement Kit includes only tubing and fittings.

Y-Strainer Replacement

Refer to publication 30.93



Y-STRAINER

Nominal Size inches	Description	Part Code	Price Each
¾	Y-Strainer	S000867002	\$76.00

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

Series 867-43T valves, sizes 1 1/2"-8", require one 3/8" Y-strainer.

Check Valve Replacement

Refer to publication 30.93



CHECK VALVE

Nominal Size inches	Description	Part Code	Price Each
¾	Check Valve	S000867014	\$124.00

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

Series 867-43T valves, sizes 1 1/2"-8", require one 3/8" Check Valve.

Replacement Diaphragm and Elastomer Kit

Refer to publication 30.93



REPLACEMENT DIAPHRAGM AND ELASTOMER KIT

Nominal Size inches	Victaulic Part Code	Price Each
1½ - 2	S014867K4Y	\$973.50
3	S030867K4Y	1333.50
4	S040867K4Y	1417.50
6	S060867K4Y	3756.00
8 - 10	S080867K4Y	4023.00

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

Victaulic® Hydraulic Control Valves

Replacement Fire Protection Pilots and Repair Kits

Reference the label on the Series 867 to identify the correct kits from the tables below



Description	Victaulic Part Code	Price Each
PB-L #2 Pilot Reducing Valve	S000867PBL	\$1227.00
PB-L #2 Pilot Repair Kit	S000972KE3	160.00

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.



Description	Victaulic Part Code	Price Each
PB #2 Pilot Reducing Valve	S0008672PB	\$982.50
PB #2 Pilot Repair Kit	S000867K0T	96.50

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.



Description	Victaulic Part Code	Price Each
PB #3-R Pilot Valve	S0008673PL	\$1346.00
PB #3-R Pilot Repair Kit	S000867K3B	253.50

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.



Description	Victaulic Part Code	Price Each
PB #3-R HP Pilot Valve	S0008673PB	\$3818.50

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.



Description	Victaulic Part Code	Price Each
2UL Pilot Valve	S0008672UL	\$2317.00
2UL Pilot Repair Kit	S000867K02	323.00

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.



Description	Victaulic Part Code	Price Each
3UL Pilot Relief Valve	S0008673UL	\$1682.00
3UL Pilot Repair Kit	S000867K03	165.50

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.



Description	Victaulic Part Code	Price Each
3UL HP Pilot Relief Valve	S0008673HL	\$2974.50
3UL HP Pilot Repair Kit	S000867K03	165.50

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

Hole Cut Products



Hole Cut Products

Mechanical-T Outlet

STYLES 920/920N

Refer to publication 11.02



Style 920 Female



STYLE 920 – FEMALE THREADED BRANCH

Size			Style	COMPLETE <i>MECHANICAL-T</i> Female Threaded Branch †				Spare Parts	
inches Run x Brch.			Number	Approx. Wgt. Ea. lb	Price Each		Bolts & Nuts Size inches	Standard Grade “E” or “T” Gaskets	
					Painted	Galv.			
2	x	½	920N	3.1	\$220.00	\$274.50	½ x 2¾	\$51.00	
		¾	920N	3.1	220.00	274.50	½ x 2¾	51.00	
		1	920N	3.0	220.00	274.50	½ x 2¾	51.00	
		1¼	920N	3.5	253.50	311.50	½ x 2¾	59.50	
		1½	920N	3.6	253.50	311.50	½ x 2¾	59.50	
2½	x	½	920N	3.0	220.00	274.50	½ x 2¾	51.00	
		¾	920N	3.0	220.00	274.50	½ x 2¾	51.00	
		1	920N	2.9	220.00	274.50	½ x 2¾	51.00	
		1¼	920N	3.5	306.00	370.50	½ x 3¼	59.50	
		1½	920N	3.6	306.00	370.50	½ x 3	59.50	
3	x	½	920N	3.4	253.50	306.00	½ x 2¾	51.00	
		¾	920N	3.4	253.50	306.00	½ x 2¾	51.00	
		1	920N	3.3	253.50	306.00	½ x 2¾	51.00	
		1¼ §	920N	3.8	315.50	394.00	½ x 2¾	59.50	
		1½ §	920N	4.1	315.50	394.00	½ x 2¾	59.50	
		2 §	920N	4.9	364.50	450.00	½ x 3¼	59.50	
4	x	½	920N	3.7	314.50	376.00	½ x 2¾	51.00	
		¾	920N	3.7	314.50	376.00	½ x 2¾	51.00	
		1	920N	3.6	314.50	376.00	½ x 2¾	51.00	
		1¼	920N	4.0	367.50	435.00	½ x 2¾	59.50	
		1½	920N	4.2	382.00	480.00	½ x 2¾	59.50	
		2	920N	5.0	382.00	483.50	½ x 2¾	59.50	
		2½	920	5.8	399.00	514.50	1 x 2¾	64.00	
		3	920	8.4	424.00	542.50	1 x 3¼	71.00	
5	x	1½	920	7.7	464.00	589.00	⅝ x 4¾	59.50	
		2	920	8.2	464.00	589.00	⅝ x 4¾	59.50	
		2½	920	8.3	490.00	624.00	⅝ x 4¾	64.00	
		3	920	8.4	522.00	667.50	⅝ x 4¾	71.00	
6	x	1¼	920N	4.8	476.00	608.50	½ x 2¾	59.50	
		1½	920N	5.1	476.00	608.50	½ x 2¾	59.50	
		2	920N	5.6	476.00	608.50	½ x 2¾	59.50	
		2½	920	7.6	513.00	662.50	⅝ x 4¾	64.00	
		3	920	8.4	544.50	698.00	⅝ x 4¾	71.00	
		4	920	10.1	604.00	782.50	⅝ x 4¾	92.50	
8	x	2	920	11.6	829.50	1042.50	¾ x 4¼	67.00	
		2½	920	11.6	829.50	1042.50	¾ x 4¼	67.00	
		3	920	12.6	873.00	1105.00	¾ x 4¼	71.00	
		4	920	15.3	899.50	1158.50	¾ x 4¼	92.50	

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

Victaulic Hole Cutting Tool available, designed specifically for cutting holes to receive Mechanical-T outlet. See Section 17 – Pipe Preparation Tools for more information.

† Some sizes of the Mechanical-T outlets are available with British Standard Pipe Threads (BSPT) female threaded outlets. Contact Victaulic for details.

§ Requires 1/2 x 3/4" bolts when used in cross configuration.

For FireLock™ IGS™ Groove Style 920N Mechanical-T Outlet sizes 2 x 1, 2 1/2 x 1, 3 x 1, and 4 x 1, refer to FireLock™ IGS™ Groove System Section in this book.

Hole Cut Products

Mechanical-T Outlet

STYLES 920/920N

Refer to publication 11.02



Style 920 Grooved



STYLES 920/920N GROOVED MECHANICAL-T OUTLET

Size inches Run x Branch	Style Number	Approx. Wgt. Ea. lb	COMPLETE MECHANICAL-T Grooved Branch		Spare Parts	
			Price Each		Bolts & Nuts Size inches	Standard Grade "E" or "T" Gaskets
			Painted	Galv.		
2 x 1	920N	–	–	–	–	\$51.00
	920N	3.2	\$253.50	\$311.50	1/2 x 2 3/4	59.50
	920N	3.2	253.50	311.50	1/2 x 2 3/4	59.50
2 1/2 x 1	920N	–	–	–	–	51.00
	920N	3.2	306.00	370.50	1/2 x 3 3/4	59.50
	920N	3.3	306.00	370.50	1/2 x 3	59.50
3 x 1	920N	–	+	+	–	51.00
	920N	3.7	315.50	394.00	1/2 x 2 3/4	59.50
	920N	3.8	315.50	394.00	1/2 x 2 3/4	59.50
	920N	4.6	364.50	450.00	1/2 x 3 3/4	59.50
3 1/2 x 2	920N	3.8	1392.00	1737.50	1/2 x 2 3/4	59.50
4 x 1	920N	1.6	+	+	–	51.00
	920N	3.6	367.50	435.00	1/2 x 2 3/4	59.50
	920N	3.9	382.00	480.00	1/2 x 2 3/4	59.50
	920N	4.6	382.00	483.50	1/2 x 2 3/4	59.50
	920	5.0	399.00	514.50	1/2 x 2 3/4	64.00
	920	6.4	424.00	542.50	1/2 x 3 3/4	71.00
5 x 1 1/2	920	7.6	464.00	589.00	5/8 x 4 3/4	59.50
	920	8.0	464.00	589.00	5/8 x 4 3/4	59.50
	920	7.9	490.00	624.00	5/8 x 4 3/4	64.00
	920	8.8	522.00	667.50	5/8 x 4 3/4	71.00
6 x 1 1/4	920N	4.8	476.00	608.50	1/2 x 2 3/4	59.50
	920N	5.1	476.00	608.50	1/2 x 2 3/4	59.50
	920N	5.6	476.00	608.50	1/2 x 2 3/4	59.50
	920	7.6	522.00	662.50	5/8 x 4 3/4	64.00
	920	8.4	544.50	698.00	5/8 x 4 3/4	71.00
	920	10.1	604.00	782.50	5/8 x 4 3/4	92.50
8 x 2	920	11.6	829.50	1042.50	3/4 x 4 1/4	67.00
	920	11.6	829.50	1042.50	3/4 x 4 1/4	67.00
	920	11.6	873.00	1105.00	3/4 x 4 1/4	71.00
	920	12.5	899.50	1158.50	3/4 x 4 1/4	92.50

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

Victaulic Hole Cutting Tool available, designed specifically for cutting holes to receive Mechanical-T outlet. See Section 17 – Pipe Preparation Tools for more information.

§ Requires 1/2 x 3 3/4" bolts when used in cross configuration.

For FireLock™ IGS™ Groove Style 920N Mechanical-T Outlet sizes 2 x 1, 2 1/2 x 1, 3 x 1, and 4 x 1, refer to FireLock™ IGS™ Groove System Section in this book.

+ Quoted on application. Contact Victaulic for pricing and availability.

Hole Cut Products

Mechanical-T Cross

STYLE 920/920N *

Refer to publication 11.03



The following combinations of *Mechanical-T* Crosses can be achieved with the use of two *Mechanical-T* Upper Housings of the same run size and the same or different outlet size. Most sizes of *Mechanical-T* outlets are available with either grooved or female threaded outlets. Your choice must be specified on each order.

STYLES 920/920N MECHANICAL-T CROSS

Nominal Size inches				Style		COMPLETE <i>MECHANICAL-T</i> Cross with “E” or “T” Gasket †	
Run x Branch						Painted	Galv.
		A	B	Number			
2	x	2	x	$\frac{1}{2}$ x $\frac{1}{2}$	920N	\$342.00	\$436.00
				$\frac{1}{2}$ x $\frac{3}{4}$	920N	390.00	497.00
				$\frac{1}{2}$ x 1	920N	342.00	436.00
				$\frac{1}{2}$ x $1\frac{1}{4}$	920N	390.00	497.00
				$\frac{1}{2}$ x $1\frac{1}{2}$	920N	390.00	497.00
				$\frac{3}{4}$ x $\frac{3}{4}$	920N	342.00	497.00
				$\frac{3}{4}$ x 1	920N	342.00	436.00
				$\frac{3}{4}$ x $1\frac{1}{4}$	920N	390.00	497.00
				$\frac{3}{4}$ x $1\frac{1}{2}$	920N	390.00	497.00
				1 x 1	920N	342.00	436.00
				1 x $1\frac{1}{4}$	920N	390.00	497.00
				1 x $1\frac{1}{2}$	920N	390.00	497.00
				$1\frac{1}{4}$ x $1\frac{1}{4}$	920N	390.00	497.00
				$1\frac{1}{2}$ x $1\frac{1}{4}$	920N	390.00	497.00
				$1\frac{1}{2}$ x $1\frac{1}{2}$	920N	390.00	497.00
$2\frac{1}{2}$	x	$2\frac{1}{2}$	x	$\frac{1}{2}$ x $\frac{1}{2}$	920N	342.00	436.00
				$\frac{1}{2}$ x $\frac{3}{4}$	920N	342.00	436.00
				$\frac{1}{2}$ x 1	920N	342.00	436.00
				$\frac{1}{2}$ x $1\frac{1}{4}$	920N	467.50	603.00
				$\frac{1}{2}$ x $1\frac{1}{2}$	920N	467.50	639.50
				$\frac{3}{4}$ x $\frac{3}{4}$	920N	342.00	436.00
				$\frac{3}{4}$ x 1	920N	342.00	436.00
				$\frac{3}{4}$ x $1\frac{1}{4}$	920N	467.50	603.00
				$\frac{3}{4}$ x $1\frac{1}{2}$	920N	467.50	639.50
				1 x 1	920N	342.00	436.00
				1 x $1\frac{1}{4}$	920N	467.50	603.00
				1 x $1\frac{1}{2}$	920N	467.50	603.00
				$1\frac{1}{4}$ x 1	920N	467.50	+
				$1\frac{1}{4}$ x $1\frac{1}{4}$	920N	467.50	603.00
				$1\frac{1}{2}$ x 1	920N	467.50	+
3	x	3	x	$\frac{1}{2}$ x $\frac{1}{2}$	920N	382.00	490.00
				$\frac{1}{2}$ x $\frac{3}{4}$	920N	382.00	490.00
				$\frac{1}{2}$ x 1	920N	467.50	581.50
				$\frac{1}{2}$ x $1\frac{1}{4}$ §	920N	467.50	581.50
				$\frac{1}{2}$ x $1\frac{1}{2}$ §	920N	467.50	581.50
				$\frac{1}{2}$ x 2 §	920N	538.50	665.00

* Style 920 and Style 920N housings cannot be mated to achieve cross connections. Refer to publication 11.03, or contact Victaulic for details.

‡ Available grooved only.

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

† Some sizes of the Mechanical-T outlets are available with British Standard Pipe Threads (BSPT) female threaded outlets. Contact Victaulic for details.

§ Requires $\frac{1}{2}$ x $\frac{3}{4}$ " bolts when used in cross configuration.

+ Quoted on application. Contact Victaulic for pricing and availability.

Hole Cut Products

Nominal Size inches						Style	COMPLETE <i>MECHANICAL-T</i> Cross with "E" or "T" Gasket †		
Run x Branch							Number	Painted	Galv.
				A	B				
3	x	3	x	$\frac{3}{4}$	x	$\frac{3}{4}$	920N	\$382.00	\$490.00
				$\frac{3}{4}$	x	1	920N	467.50	581.50
				$\frac{3}{4}$	x	1 $\frac{1}{4}$	920N	467.50	581.50
				$\frac{3}{4}$	x	1 $\frac{1}{2}$	920N	467.50	581.50
				$\frac{3}{4}$	x	2	920N	538.50	665.00
				1	x	1	920N	382.00	490.00
				1	x	1 $\frac{1}{4}$	920N	467.50	581.50
				1	x	1 $\frac{1}{2}$	920N	467.50	581.50
				1	x	2	920N	538.50	665.00
				1 $\frac{1}{4}$	x	1 $\frac{1}{4}$ §	920N	467.50	581.50
				1 $\frac{1}{2}$	x	1 $\frac{1}{4}$ §	920N	467.50	581.50
				1 $\frac{1}{2}$	x	1 $\frac{1}{2}$ §	920N	467.50	581.50
				2	x	1 $\frac{1}{4}$ §	920N	538.50	606.00
				2	x	1 $\frac{1}{2}$	920N	538.50	665.00
				2	x	2 §	920N	538.50	665.00
4	x	4	x	$\frac{1}{2}$	x	$\frac{1}{2}$	920N	467.50	604.50
				$\frac{1}{2}$	x	$\frac{3}{4}$	920N	467.50	604.50
				$\frac{1}{2}$	x	1	920N	467.50	604.50
				$\frac{1}{2}$	x	1 $\frac{1}{4}$	920N	564.00	708.00
				$\frac{1}{2}$	x	1 $\frac{1}{2}$	920N	564.00	708.00
				$\frac{1}{2}$	x	2	920N	604.50	711.00
				$\frac{3}{4}$	x	$\frac{3}{4}$	920N	467.50	604.50
				$\frac{3}{4}$	x	1	920N	467.50	604.50
				$\frac{3}{4}$	x	1 $\frac{1}{4}$	920N	564.00	708.00
				$\frac{3}{4}$	x	1 $\frac{1}{2}$	920N	564.00	708.00
				$\frac{3}{4}$	x	2	920N	604.50	711.00
				1	x	1	920N	467.50	604.50
				1	x	1 $\frac{1}{4}$	920N	564.00	711.00
				1	x	1 $\frac{1}{2}$	920N	604.50	708.00
				1	x	2	920N	604.50	711.00
				1 $\frac{1}{4}$	x	1 $\frac{1}{4}$	920N	564.00	708.00
				1 $\frac{1}{2}$	x	1 $\frac{1}{4}$	920N	564.00	708.00
				1 $\frac{1}{2}$	x	1 $\frac{1}{2}$	920N	564.00	708.00
				2	x	1 $\frac{1}{4}$	920N	604.50	711.00
				2	x	1 $\frac{1}{2}$	920N	604.50	711.00
				2	x	2	920N	604.50	711.00
				2 $\frac{1}{2}$	x	2 $\frac{1}{2}$	920	604.50	766.00
				3	x	2 $\frac{1}{2}$	920	629.00	812.50
				3	x	3	920	629.00	812.50

* Style 920 and Style 920N housings cannot be mated to achieve cross connections. Refer to publication 11.03, or contact Victaulic for details.

‡ Available grooved only.

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

† Some sizes of the Mechanical-T outlets are available with British Standard Pipe Threads (BSPT) female threaded outlets. Contact Victaulic for details.

§ Requires $\frac{1}{2}$ x $\frac{3}{4}$ " bolts when used in cross configuration.

Hole Cut Products

Nominal Size inches						Style	COMPLETE <i>MECHANICAL-T</i> Cross with "E" or "T" Gasket †	
Run x Branch						Number	Painted	Galv.
				A	B			
5	x	5	x	1½	x 1½	920	\$690.50	\$873.00
				2	x 1½	920	726.00	873.00
				2	x 2	920	690.50	873.00
				2½	x 1½	920	726.00	923.00
				2½	x 2	920	726.00	923.00
				2½	x 2½	920	726.00	923.00
				3	x 1½	920	777.00	992.00
				3	x 2	920	777.00	992.00
				3	x 2½	920	777.00	992.00
				3	x 3	920	777.00	992.00
6	x	6	x	1¼ ‡	x 1¼ ‡	920N	706.50	905.50
				1½	x 1¼ ‡	920N	706.50	905.50
				1½	x 1½	920N	706.50	905.50
				2	x 1½	920N	706.50	905.50
				2	x 2	920N	735.00	977.00
				2½	x 2½	920	757.00	977.00
				3	x 2½	920	807.50	1035.00
				3	x 3	920	807.50	1035.00
				4	x 2½	920	893.50	1158.50
				4	x 3	920	893.50	1158.50
				4	x 4	920	893.50	1158.50
8	x	8	x	2	x 2	920	1234.00	1555.00
				2½	x 2	920	1234.00	1555.00
				2½	x 2½	920	1234.00	1555.00
				3	x 2½	920	1297.50	1649.50
				3	x 3	920	1297.50	1649.50
				4	x 2½	920	1342.50	1734.00
				4	x 3	920	1342.50	1734.00
				4	x 4	920	1342.50	1734.00

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

* Style 920 and Style 920N housings cannot be mated to achieve cross connections. Refer to publication 11.03, or contact Victaulic for details.

‡ Available grooved only.

† Some sizes of the Mechanical-T outlets are available with British Standard Pipe Threads (BSPT) female threaded outlets. Contact Victaulic for details.

§ Requires ½ x 3¼" bolts when used in cross configuration.

Hole Cut Products

Outlet Tee

STYLE 922

Refer to publication 10.52



STYLE 922 – GRADE “E” EPDM TYPE A GASKET

Nominal Size inches	Approx. Wgt. Ea.	COMPLETE OUTLET-TEE Grade “E” Type A Gasket	
		Price Each	
Run x Branch	lb	Painted	Plated
1 $\frac{1}{4}$ x $\frac{1}{2}$	1.07	\$52.00	\$96.50
	1.17	52.00	96.50
	1.20	52.00	102.50
1 $\frac{1}{2}$ x $\frac{1}{2}$	1.15	52.00	96.50
	1.20	52.00	96.50
	1.42	52.00	105.00
2 x $\frac{1}{2}$	1.30	52.00	105.00
	1.37	52.00	105.00
	1.50	59.00	116.50
2 $\frac{1}{2}$ x $\frac{1}{2}$	1.40	61.50	116.50
	1.50	61.50	116.50
	1.65	61.50	119.50

For FireLock™ IGS™ Groove Style 922 Outlet Tee sizes 1 $\frac{1}{4}$ x 1, 1 $\frac{1}{2}$ x 1, 2 x 1, and 2 $\frac{1}{2}$ x 1, refer to FireLock™ IGS™ Groove System Section in this book.

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

Outlet Tee

STYLE 922N

Refer to publication 10.52



STYLE 922N – GRADE “E” EPDM TYPE A GASKET

Nominal Size inches	Approx. Wgt. Ea.	COMPLETE OUTLET-TEE Grade “E” Type A Gasket	
		Price Each	
Run x Branch	lb	Painted	Plated
2 x $\frac{1}{2}$	1.30	\$52.00	\$105.00
	1.37	52.00	105.00
	1.50	59.00	116.50
2 $\frac{1}{2}$ x $\frac{1}{2}$	1.40	61.50	116.50
	1.50	61.50	116.50
	1.65	61.50	119.50

For FireLock™ IGS™ Groove Style 922N Mechanical-T Outlet sizes 2 x 1, 2 $\frac{1}{2}$ x 1, 3 x 1, and 4 x 1, refer to FireLock™ IGS™ Groove System Section in this book.

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

FireLock™ IGS Grooved Outlet-T and Mechanical-T Outlet

STYLE 922 AND STYLE 920N



For FireLock™ IGS Groove Style 922 Outlet-T and Style 920N Mechanical-T Outlet, refer to FireLock™ IGS Groove System Section page 1-5 in this book.

Hole Cut Products

Strapless Outlet

STYLE 923
Refer to publication 11.05



4 – 8"



10" and larger



STRAPLESS OUTLET – WITH GRADE “E” GASKET

Nominal Size	COMPLETE STRAPLESS OUTLET With “E” or “T” Gasket	
	NPT IPS Outlet	
inches	Approx. Wgt. Per Unit lb	Price Per Unit
4 – 8 x 1/2	1.9	\$538.50
4 – 8 x 3/4	1.6	574.50
10 and larger x 1/2	1.9	538.50
10 and larger x 3/4	1.6	574.50

* Available with Grade “T” Gasket. Contact Victaulic for details.

Couplings, Spare Parts and Fittings



Couplings, Spare Parts and Fittings

Grooved IPS Pipe Couplings

Zero-Flex™ Rigid Coupling

STYLE 07

(with Style 77 gasket)
Refer to publication 06.02



STYLE 07 – GRADE “E” OR “T” GASKET OR FLUSH-SEAL™ GASKET

PIPE		Approx. Wgt. Ea.	COUPLING COMPLETE † With Grade “E” or “T” Gasket		COUPLING COMPLETE † with Flush-Seal Grade “E” or “T” Gasket		SPARE PARTS		
inches			lb	Price Each		Price Each		Plated Bolt & Nut	
Nom. Size	Outside Dia.			Painted	Galv.	Painted	Galv.	No. *	Size § Inches
1	1.315	1.6	\$184.00	\$229.50	\$256.50	\$308.00	2	³ / ₈ x 2	
1¼	1.660	1.6	172.50	215.50	243.00	287.50	2	³ / ₈ x 2	
1½	1.900	1.6	184.00	229.50	256.50	308.00	2	³ / ₈ x 2	
2	2.375	2.3	234.00	290.00	305.50	361.50	2	¹ / ₂ x 2½	
2½	2.875	2.6	264.50	333.50	364.50	425.00	2	¹ / ₂ x 2¾	
3	3.500	3.0	306.00	387.00	384.00	469.50	2	¹ / ₂ x 2½	
4	4.500	5.3	422.50	542.50	536.00	658.00	2	¹ / ₂ x 2¾	
5	5.563	7.4	542.50	708.00	842.50	1480.50	2	⁵ / ₈ x 3¼	
6	6.625	8.3	717.00	925.50	990.50	1212.50	2	⁵ / ₈ x 3¼	
8	8.625	15.1	1122.50	1456.50	1309.00	1637.50	2	³ / ₄ x 4¼	
10	10.750	23.5	2176.00	2901.50	2615.50	3317.00	2	⁷ / ₈ x 6½	
12	12.750	28.2	2431.00	3251.50	2971.50	3820.50	2	⁷ / ₈ x 6½	

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

† Surcharge for couplings supplied without gasket. Contact Victaulic for pricing.

§ Metric thread size bolts available. Contact Victaulic.

NOTE: See Spare Parts Section for spare part prices.

* Number of bolts equals number of segments supplied.

QuickVic™ Flexible Coupling for Steel

STYLE 177N

Refer to publication 06.24



STYLE 177N – GRADE “EHP” OR “T” GASKET

PIPE		Approx. Wgt. Ea.	COUPLING COMPLETE † With Grade “EHP” or “T” Gasket with Plated Bolts and Nuts		SPARE PARTS
inches			Price Each		Grade “EHP” or “T” Gasket
Nom. Size	Outside Dia.	lb	Painted	Galv.	
2	2.375	3.3	\$201.50	\$264.50	\$158.00
2½	2.875	3.8	234.50	324.00	172.50
3	3.500	4.3	256.50	355.50	192.50
4	4.500	7.4	370.50	518.50	256.50
5	5.563	10.0	590.00	842.50	384.00
6	6.625	12.8	656.00	936.50	427.00
8	8.625	20.7	1125.50	1668.50	514.50
10	10.750	23.5	1725.00	2467.50	514.50
12	12.750	28.2	1959.00	2800.00	514.50

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

† Surcharge for couplings supplied without gasket. Contact Victaulic for pricing.

NOTE: Available with stainless steel bolts and nuts. Contact Victaulic for pricing.

Couplings, Spare Parts and Fittings

Standard Coupling

STYLE 77

Refer to publication 06.04



STYLE 77 – GRADE “E” OR “T” GASKET OR FLUSH-SEAL™ GASKET

PIPE		Approx. Wgt. Ea.	COUPLING COMPLETE † With Grade “E” or “T” Gasket		COUPLING COMPLETE † With Flush-Seal Grade “E” or “T” Gasket		SPARE PARTS		
inches			lb	Price Each		Price Each		Plated Bolt & Nut	
Nom. Size	Outside Dia.	Painted		Galv.	Painted	Galv.	No.*	Size § Inches	
¾	1.050	1.1	\$135.00	\$178.50	\$206.50	\$253.50	2	⅜ x 2	
1	1.315	1.2	135.00	178.50	206.50	253.50	2	⅜ x 2	
1¼	1.660	2.0	174.00	229.50	253.50	309.50	2	½ x 2½	
1½	1.900	2.1	189.00	244.50	264.00	324.00	2	½ x 2½	
2	2.375	2.6	201.50	264.50	274.50	342.00	2	½ x 2½	
2½	2.875	3.1	234.50	324.00	333.50	422.00	2	½ x 2¾	
3	3.500	3.7	256.50	355.50	343.00	442.00	2	½ x 2¾	
3½	4.000	5.6	367.50	513.00	492.00	644.50	2	⅝ x 3¼	
4	4.500	6.7	370.50	518.50	492.50	644.50	2	⅝ x 3¼	
5	5.563	10.6	556.00	795.00	853.00	1106.50	2	¾ x 4¼	
6	6.625	12.0	656.00	936.50	948.00	1241.50	2	¾ x 4¼	
8	8.625	20.8	1061.50	1574.00	1276.50	1746.00	2	⅞ x 5	
10	10.750	27.8	1725.00	2467.50	2043.50	2745.50	2	1 x 6	
12	12.750	31.1	1959.00	2800.00	2400.00	3156.00	2	1 x 6½	

* Number of bolts equals number of segments supplied.

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

† Surcharge for couplings supplied without gasket. Contact Victaulic for pricing.

§ Metric thread size bolts available. Contact Victaulic.

NOTE: See Spare Parts Section for spare part prices.

Flexible Coupling

STYLE 75

Refer to publication 06.05



STYLE 75 – GRADE “E” OR “T” GASKET OR FLUSH-SEAL™ GASKET

PIPE		Approx. Wgt. Ea.	COUPLING COMPLETE † With Grade “E” or “T” Gasket		COUPLING COMPLETE † With Flush-Seal Grade “E” or “T” Gasket		SPARE PARTS	
inches			Price Each		Price Each		Plated Bolt & Nut	
Nom. Size	Outside Dia.	lb	Painted	Galv.	Painted	Galv.	Size \$ Inches	
1	1.315	1.3	\$136.00	\$167.00	\$211.00	\$247.50	3⁄8	x 2
1¼	1.660	1.4	138.00	178.50	221.00	264.00	3⁄8	x 2
1½	1.900	1.5	167.00	206.50	241.00	287.00	3⁄8	x 2
2	2.375	1.7	201.50	264.50	247.50	296.50	3⁄8	x 2
2½	2.875	1.9	234.50	324.00	296.50	347.00	3⁄8	x 2
3	3.500	2.9	256.50	355.50	310.00	373.00	½	x 2¾
4	4.500	4.1	370.50	518.50	440.00	538.50	½	x 2¾
5	5.563	5.8	556.00	795.00	744.50	885.00	5⁄8	x 3¼
6	6.625	7.0	656.00	936.50	821.00	997.00	5⁄8	x 3¼
8	8.625	12.4	1061.50	1574.00	1362.50	1629.50	¾	x 4¼

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

† Surcharge for couplings supplied without gasket. Contact Victaulic for pricing.

§ Metric thread size bolts available. Contact Victaulic.

NOTE: See Spare Parts Section for spare part prices.

Couplings, Spare Parts and Fittings

Reducing Coupling

STYLE 750

Refer to publication 06.08



STYLE 750 – GRADE “E” OR “T” GASKET

PIPE		Approx. Wgt. Ea.	COUPLING COMPLETE † With Grade “E” or “T” Gasket		SPARE PARTS
Nominal Size		lb	Price Each		Plated Bolt & Nut
inches			Painted	Galv.	Size § Inches
2	x 1	2.0	\$327.00	\$393.00	3⁄8 x 2
	1½	2.0	265.50	320.00	3⁄8 x 2
2½	x 2	2.9	342.00	425.00	3⁄8 x 2
3	x 2	4.6	387.00	489.00	½ x 2¾
	2½	4.1	337.00	425.00	½ x 2¾
4	x 2	8.8	608.50	764.00	5⁄8 x 3¼
	2½	8.3	546.00	717.00	5⁄8 x 3¼
	3	6.4	513.00	659.50	5⁄8 x 3¼
5	x 4	10.8	685.00	895.00	¾ x 4¼
6	x 4	16.1	1028.50	1292.50	¾ x 4¼
	5	12.6	903.50	1168.50	¾ x 4¼
8	x 6	22.3	1533.00	1938.00	7⁄8 x 5
10	x 8	32.3	1963.00	2485.50	1 x 6

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

† Surcharge for couplings supplied without gasket. Contact Victaulic for pricing.

§ Metric thread size bolts available. Contact Victaulic.

NOTE: Support rings required on vertical installations. Please specify on order.

A steel assembly washer is optionally available to prevent pipe from telescoping on vertical installations. No extra charge when specified on order with coupling.

NOTE: See Spare Parts Section for spare part prices.

Couplings, Spare Parts and Fittings

Lubricant



LUBRICANT	Price Each
PACK With 12 Tubes – 4 Fluid Ounces/120 ml Each	\$965.00
CONTAINER One Quart – 32 Fluid Ounces/960 ml Each	424.00 ^{NR}

To ensure easy assembly and service of all your Victaulic installations including HDPE, be sure to include plenty of Victaulic Lubricant with every order. The following chart provides a rough gauge of quantities recommended, based on the number of units sold.

^{NR} Non-returnable

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

LUBRICANT USAGE GUIDE								
Size of Gasket inches	Number of Gaskets		Size of Gasket inches	Number of Gaskets		Size of Gasket inches	Number of Gaskets	
	Per Tube	Per Quart		Per Tube	Per Quart		Per Tube	Per Quart
2	140	1120	8	31	252	16	11	86
3	97	773	10	25	202	18	10	76
4	71	558	12	21	171	20	9	69
6	49	383	14	12	98	24	7	57

Gaskets

GASKETS FOR STYLES 07, 75, 77 COUPLINGS

Nom. Size	Standard Gaskets		Special Gaskets
inches	Grade "E" EPDM or Grade "T" Nitrile	Flush-Seal Grade "E" or "T" *	Flush-Seal "L" Silicone *
$\frac{3}{4}$	\$100.00	\$100.00	\$334.00
1	100.00 ^{NR}	100.00	334.00
$1\frac{1}{4}$	112.50 ^{NR}	105.50 ^{NR}	475.50
$1\frac{1}{2}$	112.50 ^{NR}	112.50 ^{NR}	496.00
2	112.50	112.50 ^{NR}	309.50
$2\frac{1}{2}$	130.00	130.00 ^{NR}	357.50
3	138.00	138.00 ^{NR}	384.50 ^{NR}
$3\frac{1}{2}$	172.50	172.50 ^{NR}	–
4	172.50	172.50 ^{NR}	557.50
$4\frac{1}{2}$	220.50	–	+
5	220.50 ^{NR}	220.50	1086.00 ^{NR}
6	236.00	236.00 ^{NR}	1190.50 ^{NR}
8	320.50	320.50 ^{NR}	1328.00 ^{NR}
10	400.00	400.00 ^{NR}	1725.00 ^{NR}
12	464.00	464.00 ^{NR}	2033.50 ^{NR}

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

^{NR} Non-returnable

+ Quoted on application. Contact Victaulic for pricing and availability.

Couplings, Spare Parts and Fittings

Gaskets

NOTE:

For pricing couplings complete with any special gaskets - take the standard coupling price with Grade "E" or "T" gasket complete (Victaulic Main Price List), subtract the standard gasket price, then add on the price of the special gasket. Gasket guidelines can be found in the latest Victaulic Gasket Selection Guide (publication 05.01). This information is general in scope and Victaulic should be consulted for guidelines when a question arises.

STANDARD "E" OR "T" GASKETS FOR STYLE 750

Nom. Size inches			Price Each Grade "E" or "T"
2	x	1	\$105.50
		1½	105.50
2½	x	2	135.00 ^{NR}
3	x	2	152.00
		2½	152.00
4	x	2	174.00
		2½	178.00
		3	181.00 ^{NR}
5	x	4	210.50 ^{NR}
6	x	4	237.00
		5	256.50
8	x	6	287.00 ^{NR}
10	x	8	343.00

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

^{NR} Non-returnable

Metal Liners

STYLES 77 AND 75 COUPLINGS

(Type 304 Stainless Steel)

STYLES 77 AND 75 COUPLINGS

Nom. Size inches	Price Each
2	+
2½	+
3	+
4	+
5	+
6	+
8	+
10	+

Nom. Size inches	Price Each
12	+
14	+
16	+
18	+
20	+
24	+

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

+ Quoted on application. Contact Victaulic for pricing and availability.

Plated Trackhead Bolts and Nuts



PLATED TRACKHEAD BOLTS AND NUTS

Bolt and Nut Size inches	Price Each
¾ x 2	\$52.50 ^{NR}
½ x 2½	59.50 ^{NR}
	59.50 ^{NR}
	59.50
	59.50
⅝ x 2¾	64.50
	64.50 ^{NR}
	68.50 ^{NR}
	85.50
	105.50
¾ x 4¼	76.50 ^{NR}
	98.50 ^{NR}
⅞ x 5	129.00 ^{NR}
	136.50 ^{NR}
	158.00 ^{NR}

Bolt and Nut Size inches	Price Each
1 x 3½	\$138.00 ^{NR}
	130.00
	158.00 ^{NR}
	158.00 ^{NR}
	167.00 ^{NR}
1⅛ x 4	211.00 ^{NR}
	211.00 ^{NR}
1¼ x 5½	606.00
	606.00
1⅜ x 5¾	701.00
1½ x 4½	667.50
	752.50
1¾ x 6	1310.50
1⅞ x 6	1734.00

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

^{NR} Non-returnable

Couplings, Spare Parts and Fittings

Go-No-Go Tape



Tool Model	Part Number	Purchase Price
PT-100-A Imperial Go/No-Go Grooved Pipe Diameter Tape Each	RW75-100-MCH	\$185.00
Box of 6	RW75-100-KIT	991.50

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

* Each box contains 6 Go-No-Go Tapes.

Tool discount applies.

GDC-FP



Model	Part Number	Purchase Price
GDC-FP Go/No-Go pocket-sized IGS groove diameter cables for 1" carbon steel pipe	R205GDCASY	\$141.00

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

Couplings, Spare Parts and Fittings

Grooved IPS Pipe Fittings

Elbows

Refer to publication 07.01



No. 12
Gooseneck



No. 12
Standard



No. 13



ELBOWS – 22½° ELBOW OR 11¼° ELBOW

Nom. Size inches	22½° Elbow No. 12				11¼° Elbow No. 13			
	Approx. Wgt. Ea. lb	C - E inches	Price Each		Approx. Wgt. Ea. lb	C - E inches	Price Each	
			Painted	Galv.			Painted	Galv.
1	0.6 ‡	3.25	\$1454.00	\$1500.50	0.3 (sw)	1.38	\$583.50	+
1¼	0.8	1.75	256.00	324.00	0.5	1.38	256.00	\$324.00
1½	0.8	1.75	256.00	324.00	0.5	1.38	256.00	324.00
2	1.4 ‡	3.75	256.00	324.00	1.0	1.38	256.00	324.00
2½	2.3 ‡	4.00	256.00	324.00	1.5	1.50	256.00	324.00
3	3.1 ‡	4.50	367.50	458.00	2.1	1.50	367.50	454.00
3½	4.0 (sw)	2.50	848.00	1130.00	2.7 (sw)	1.75	848.00	1000.00
4	5.6	2.88	482.50	624.00	3.6	1.75	447.50	591.50
5	7.8 (sw)	2.88	1461.00	1759.00	5.0 (sw)	2.00	1461.00	1716.50
6	12.2 ‡	6.25	1338.00	1701.00	7.0	2.00	1338.00	1614.00
8	20.0 ‡	7.75	2777.50	3450.00	10.1	2.00	2375.50	2820.00
10	30.0	4.38	3662.50	4754.50	11.8	2.13	3421.50	4081.00
12	40.0	4.88	4947.00	6133.50	29.3	2.25	4947.00	5990.00

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.


+ Quoted on application. Contact Victaulic for pricing and availability.

(sw) Victaulic fittings are made of ductile iron, except those marked (sw) segmentally welded steel.


‡ Gooseneck design.

Long Radius - 1½ D Elbows

Refer to publication 07.01



No. 100



No. 110



LONG RADIUS – 90° LONG RADIUS ELBOW OR 45° LONG RADIUS ELBOW

Nom. Size inches	90° Long Rad. Elbow No. 100 *				45° Long Rad. Elbow No. 110 *			
	Approx. Wgt. Ea. lb	C - E inches	Price Each		Approx. Wgt. Ea. lb	C - E inches	Price Each	
			Painted	Galv.			Painted	Galv.
2	2.5	4.38	\$527.50	\$690.00	1.8	2.75	\$458.00	\$577.00
2½	3.4	5.13	658.00	754.00	2.8	3.00	1447.50	1628.50
3	6.0	5.88	527.50	690.00	4.9	3.38	458.00	577.00
4	12.3	7.50	779.00	1041.00	7.3	4.00	556.00	735.00
5	18.0	9.25	3927.50	4502.00	14.8 (sw)	4.88	3650.00	4007.00
6	30.4	10.75	2251.00	2954.00	17.4	5.50	1615.50	2069.50
8	66.0	14.25	5371.00	6864.00	36.0	7.25	2805.00	3646.00
10	107.0	15.00	6174.00	7718.50	57.0	6.25	3785.50	4732.50
12	156.0	18.00	6794.50	8490.00	90.0	7.50	5112.00	6389.00


NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

(sw) Victaulic fittings are made of ductile iron, except those marked (sw) segmentally welded steel.

Couplings, Spare Parts and Fittings

Tee

Refer to publication 07.01



No. 29M



TEE WITH THREADED BRANCH

Nom. Size	Approx. Wgt. Ea.	Tee with Male Threaded Branch No. 29M	
		Price Each	
inches	lb	Painted	Galv.
$\frac{3}{4}$	0.6	\$919.00	\$1029.50
1	1.0	+	-
$1\frac{1}{4}$	1.5	752.00	881.50
$1\frac{1}{2}$	2.0	1168.50	1374.00
2	3.0	752.00	881.50
$3\frac{1}{2}$	7.9 (sw)	+	+
4	11.3	1545.50	2122.50
5	17.8	4427.50	+
6	25.7	3954.00	4653.50
8	47.6	+	+
10	99.0	+	+
12	133.0	+	+


NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

+ Quoted on application. Contact Victaulic for pricing and availability.


(sw) Victaulic fittings are made of ductile iron, except those marked (sw) segmentally welded steel.

Cross and Wye

Refer to publication 07.01



No. 35



No. 33



CROSS AND WYE – STEEL CROSS OR STEEL 90 TRUE Y

Nom. Size	Steel Cross No. 35			Steel 90 True Wye No. 33		
	Approx. Wgt. Ea. lb	Price Each		Approx. Wgt. Ea. lb	Price Each	
inches		Painted	Galv.		Painted	Galv.
$\frac{3}{4}$	0.9	+	+	0.7	+	+
1	1.3	\$865.50	\$997.00	1.1	\$1320.50	+
$1\frac{1}{4}$	2.1	1036.50	1207.00	1.5	1320.50	+
$1\frac{1}{2}$	2.5	1117.50	1295.00	1.8	1320.50	\$1570.00
2	3.8	639.50	763.50	2.5	1320.50	1570.00
$2\frac{1}{2}$	6.1	639.50	763.50	4.3	1320.50	1570.00
3	10.5	1136.00	1386.50	6.1	1575.50	1873.00
$3\frac{1}{2}$	11.5	2272.00	2708.00	9.6	+	+
4	15.8	1875.00	2307.00	9.8	2065.00	2478.00
$4\frac{1}{2}$	18.5	+	+	-	-	-
5	20.0	3818.00	4600.00	15.0	2949.50	3540.00
6	28.0	4895.50	5942.50	22.3	3638.00	4431.00
8	48.0	6448.00	7977.00	36.0	5236.00	6433.50
10	121.5	10575.50	13080.50	69.9	8692.00	10646.50
12	110.0	15259.50	19007.00	80.0	9600.00	12139.50

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

+ Quoted on application. Contact Victaulic for pricing and availability.

Couplings, Spare Parts and Fittings

Adapter Nipples ‡

Same prices apply for:

No. 40

Grooved x Threaded

No. 42

Grooved x Beveled

No. 43

Grooved x Grooved

Refer to publication 07.01



No. 40



No. 42



No. 43

ADAPTER NIPPLES – GROOVED X THREADED, GROOVED X BEVELED, OR GROOVED X GROOVED

Nom. Size	Price Per Length – inches					
inches	3	4	6	8	10	12
$\frac{3}{4}$	+	\$145.50	+	+	+	+
1	\$145.50	145.50	\$226.00	+	+	+
1 $\frac{1}{4}$	145.50	145.50	226.00	+	+	+
1 $\frac{1}{2}$	145.50	145.50	226.00	\$259.00	\$298.00	\$339.50
2	145.50	145.50	226.00	259.00	298.00	339.50
2 $\frac{1}{2}$	167.00	167.00	299.50	299.50	349.00	396.00
3	201.50	201.50	323.00	384.50	450.00	510.50
4	325.50	325.50*	325.50	529.50	624.00	717.00
5	664.00*	664.00*	664.00	922.00	1136.00	1305.50
6	848.50	848.50*	848.50*	1095.00	1272.00	1443.50
8	949.50*	949.50*	949.50*	1261.00	1730.50	1939.50
10	1225.00*	1225.00*	1234.00*	1328.00	2043.50	2431.00
12	1662.50*	1662.50*	1569.00*	1662.50	2587.00	3079.00

NOTE: Items listed in shaded areas are special order, non-cancellable and non-returnable items.

Unless otherwise specified, Adapter Nipples for nominal pipe sizes 6" and smaller are made from Schedule 40 pipe; for nominal sizes 8" and larger, from Schedule 30 pipe.

NOTE: For Pump Package Nipples with 1 $\frac{1}{2}$ " hole cut to receive Style 923 Strapless Outlet or Style 924 Thermometer Outlet add **\$496.50** to No. 40, 42 or 43 Nipple prices and request No. 40-H, 42-H or 43-H on order. No. 40-H, 42-H and 43-H are non-cancellable and non-returnable.

*** These sizes available only in No. 42 grooved x beveled and No. 43 grooved x grooved.**

Special lengths not shown, heavier wall thickness, electroplated and galvanized nipples are priced on application.

GALVANIZED AND EXTRA HEAVY ARE NON-CANCELLABLE AND NON-RETURNABLE ITEMS.

‡ Contact Victaulic for pricing on seamless adapter nipples.

+ Quoted on application. Contact Victaulic for pricing and availability.

Female Threaded Adapter

Refer to publication 07.01



No. 80

FEMALE THREADED ADAPTER

Nom. Size	Approx. Wgt. Each	No. 80 Price Each	
		Painted	Galv.
$\frac{3}{4}$	1.0	\$1190.50	\$1317.00
1	1.0	1274.50	1367.50
1 $\frac{1}{4}$	1.5 (sw)	677.00	757.00
1 $\frac{1}{2}$	1.5 (sw)	873.50	932.50
2	1.4	417.50	489.00
2 $\frac{1}{2}$	1.5	417.50	489.00
3	2.9	482.50	589.00
4	4.5	733.00	920.50

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.


Available with British Standard Pipe Threads (BSPT). Contact Victaulic for details.

(sw) Victaulic fittings are made of ductile iron, except those marked (sw) segmentally welded steel.

Couplings, Spare Parts and Fittings

Adapter Elbows

Refer to publication 07.01



No. 18



No. 19



ADAPTER ELBOWS – 90° ADAPTER ELBOW OR 45° ADAPTER ELBOW

Nom. Size	90° Adapter Elbow No. 18			45° Adapter Elbow No. 19		
inches	Approx. Wgt. Ea. lb	Price Each		Approx. Wgt. Ea. lb	Price Each	
		Painted	Galv.		Painted	Galv.
$\frac{3}{4}$	0.5	\$597.50	\$634.00	0.5	\$608.50	\$644.50
1	0.5	403.00	496.00	0.6	—	—
$1\frac{1}{4}$	0.9	450.00	496.00	0.6	—	—
$1\frac{1}{2}$	1.1	571.50	662.50	0.9	658.00	700.50
2	2.5	403.00	496.00	1.9	—	—
$2\frac{1}{2}$	3.0	693.50	757.00	2.3	677.00	698.00
3	5.8	644.50	786.50	5.0	1149.00	1232.50
6	17.6	1975.50	2495.00	12.7	2401.00	2669.00


NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

Available with British Standard Pipe Threads (BSPT). Contact Victaulic for details.

Couplings, Spare Parts and Fittings

Reducing Tee

Refer to publication 07.01



No. 25



REDUCING TEE

Size					Reducing Tee No. 25			
inches					Approx. Wgt. Each lb	Price Each		
Run x Branch						Painted	Galv.	
1	x	1	x	¾ (sw)	1.0	\$611.00	\$718.50	
1¼	x	1¼	x	1 (sw)	1.3	633.00	718.50	
1½	x	1½	x	¾ (sw)	1.5	639.50	879.00	
				1 (sw)	1.5	879.00	904.00	
				1¼ (sw)	1.7	666.00	738.50	
				¾	2.5	829.50	974.50	
2	x	2	x	1	2.7	757.00	885.00	
				1¼ (sw)	1.8	943.50	990.00	
				1½	3.0	757.00	899.50	
				¾ (sw)	3.9	1017.50	1104.00	
2½	x	2½	x	1	3.8	757.00	885.00	
				1¼	4.2	1137.50	1338.00	
				1½	3.9	757.00	899.50	
				2	4.5	757.00	899.50	
				¾ (sw)	5.7	1172.00	1221.50	
3	x	3	x	1	6.1	667.50	850.50	
				1¼	8.0	935.50	1234.50	
				1½	6.5	667.50	860.00	
				2	6.2	667.50	860.00	
				2½	6.6	667.50	860.00	
				¾ (sw)	8.0	1498.50	1597.50	
4	x	4	x	1	7.8	899.50	1119.50	
				1¼ (sw)	9.6	1759.00	2049.00	
				1½	10.2	899.50	1119.50	
				2	11.2	899.50	1175.50	
				2½	11.4	899.50	1175.50	
				3	11.6	899.50	1175.50	
				1 (sw)	14.0	1972.00	2423.00	
5	x	5	x	1½ (sw)	14.3	2501.50	2708.00	
				2 (sw)	14.5	2168.00	2675.50	
				2½	15.2	1767.00	2223.00	
				3	16.6	1767.00	2223.00	
				4	16.7	1912.00	2414.50	
				1 (sw)	23.0	2375.50	2911.00	
6	x	6	x	1½ (sw)	24.0	2454.00	3358.50	
				2	21.6	2104.00	2762.00	
				2½	21.4	2104.00	2762.00	
				3	26.5	2104.00	2762.00	
				4	25.0	2104.00	2762.00	
				5	23.2	2104.00	2777.50	
				1½ (sw)	33.0	3030.00	3684.50	
8	x	8	x	2 (sw)	33.5	3030.00	3823.50	
				2½ (sw)	39.0	3030.00	3823.50	
				3	33.6	3263.50	3897.00	

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

(sw) Victaulic fittings are made of ductile iron, except those marked (sw) segmentally welded steel.

Couplings, Spare Parts and Fittings

Size					Reducing Tee No. 25			
inches					Approx. Wgt. Each lb	Price Each		
Run x Branch						Painted		Galv.
8	x	8	x	4	41.8	\$4374.00		\$5651.50
				5 (sw)	34.0	4374.00		5691.00
				6	42.3	4374.00		5713.50
10	x	10	x	1½ (sw)	62.0	4383.50		5742.50
				2 (sw)	62.0	4454.00		5742.50
				2½ (sw)	62.4	4523.50		5742.50
				3 (sw)	60.0	4594.50		5789.00
				4	61.0	4666.00		5830.50
				5 (sw)	52.0	4734.50		5917.50
				6	59.0	4805.00		6005.00
				8	64.7	4872.50		6092.00
				12	x	12	x	1 (sw)
2 (sw)	80.0	4929.00						6131.00
2½ (sw)	78.0	4980.00						6148.50
3 (sw)	82.0	5030.00						6168.50
4 (sw)	80.0	5082.00						6187.00
5 (sw)	75.0	5131.00						+
6 (sw)	75.0	5181.50						6226.00
8	80.0	5782.00						6945.50
10 (sw)	84.0	6105.50						7376.50

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.


(sw) Victaulic fittings are made of ductile iron, except those marked (sw) segmentally welded steel.

+ Quoted on application. Contact Victaulic for pricing and availability.

Couplings, Spare Parts and Fittings

Reducing Tee with Threaded Branch

Refer to publication 07.01



No. 29T



REDUCING TEE WITH THREADED BRANCH

Size					Reducing Tee No. 29T with Threaded Branch		
inches					Approx. Wgt. Each lb	Price Each	
Run x Branch						Painted	Galv.
1	x	1	x	¾	1.0 (sw)	+	+
1¼	x	1¼	x	1	1.3 (sw)	+	+
1½	x	1½	x	¾	1.5 (sw)	+	+
				1	1.5 (sw)	+	+
				1¼	1.7 (sw)	+	+
2	x	2	x	¾	2.5	\$875.50	\$1028.50
				1	2.7	799.50	935.50
				1¼	2.9 (sw)	1339.50	1432.50
				1½	3.0	799.50	948.00
2½	x	2½	x	¾	3.5 (sw)	1563.50	1612.50
				1	3.8	799.50	935.50
				1¼	3.8	1736.50	1784.00
				1½	3.9	799.50	948.00
				2	4.5	799.50	956.50
3	x	3	x	¾	5.9 (sw)	1459.00	1548.50
				1	6.1	799.50	998.00
				1¼	6.3	1959.00	2083.00
				1½	6.5	799.50	1002.00
				2	6.2	799.50	1002.00
				2½	6.4	1913.50	2070.00
4	x	4	x	¾	7.2 (sw)	2112.50	2603.00
				1	7.8	998.00	1225.00
				1¼	8.5 (sw)	2041.00	2198.00
				1½	9.2	998.00	1246.50
				2	11.2	998.00	1246.50
				2½	11.4	998.00	1282.50
				3	11.6	998.00	1287.50
5	x	5	x	2	14.5 (sw)	2123.50	2314.50
				2½	15.2	1909.00	2417.50
				3	16.6 (sw)	1767.00	2223.00
				4	16.7 (sw)	1909.00	2603.00
6	x	6	x	1	23.0 (sw)	2893.50	3362.50
				1½	25.0 (sw)	2561.00	3221.00
				2	21.6	2477.00	3082.50
				2½	21.4	2477.00	3082.50
				3	26.5	2477.00	3082.50
				4	25.0 (sw)	3128.00	3362.50
				5	23.2 (sw)	2477.00	3082.50
8	x	8	x	2	33.5 (sw)	3030.00	4176.50
				3	33.6 (sw)	4176.50	5413.00
				4	41.8 (sw)	4374.00	5651.50
				5	34.0 (sw)	4374.00	5685.50
				6	42.3 (sw)	4839.50	6644.50

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

Available with British Standard Pipe Threads (BSPT). Contact Victaulic for details.


(sw) Victaulic fittings are made of ductile iron, except those marked (sw) segmentally welded steel.

+ Quoted on application. Contact Victaulic for pricing and availability.

Couplings, Spare Parts and Fittings

Reducing Tee with Threaded Branch

Refer to publication 07.01



No. 29T



REDUCING TEE WITH THREADED BRANCH

Size				Reducing Tee No. 29T with Threaded Branch (sw)		
inches				Approx. Wgt. Each lb	Price Each	
Run x Branch					Painted	Galv.
10	x	10	x 2	62.0	\$5072.00	\$7407.00
			3	60.0	5072.00	6290.50
			4	61.0	5306.50	6779.00
			5	52.0	4666.00	6920.50
			6	59.0	5422.50	7011.00
			8	64.7	7309.00	8170.50
12	x	12	x 3	80.0	6827.00	8814.50
			4	82.0	7316.00	9395.00
			5	75.0	7733.00	10042.50
			6	75.0	7827.50	10136.50
			8	80.0	8047.00	10372.50
			10	84.0	8421.50	10389.00

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

Available with British Standard Pipe Threads (BSPT). Contact Victaulic for details.

(sw) Victaulic fittings are made of ductile iron, except those marked (sw) segmentally welded steel.


Couplings, Spare Parts and Fittings

Reducers

Refer to publication 07.01



No. 50



No. 51



REDUCERS – CONCENTRIC OR ECCENTRIC *

Size		Concentric Reducer No. 50			Eccentric Reducer No. 51		
inches		Approx. Wgt. Ea. lb	Price Each		Approx. Wgt. Ea. lb	Price Each	
			Painted	Galv.		Painted	Galv.
1¼	x ¾	1.9	\$1036.50	\$1137.50	3.2	+	+
	1	1.9	1085.50	1193.50	3.2	+	+
1½	x ¾	1.4	1220.50	1317.50	4.5	+	+
	1	0.8	275.00	323.00	4.5 (sw)	\$1058.00	\$1339.50
	1¼	1.0	275.00	323.00	4.5	1118.50	1398.50
2	x ¾	0.9	275.00	323.00	2.0 (sw)	1261.00	1414.00
	1	0.7	275.00	323.00	2.3 (sw)	1261.00	1414.00
	1¼	1.2	299.50	350.50	4.6 (sw)	1377.00	+
	1½	1.0	275.00	323.00	1.1	287.00	338.50
2½	x ¾	1.3	2119.50	2287.00	3.3	3182.00	3583.00
	1	1.1	371.00	426.00	3.5	2962.50	3278.50
	1¼	3.3	275.00	323.00	1.4	306.00	352.00
	1½	3.6	275.00	323.00	3.7 (sw)	1375.00	1570.00
	2	3.9	275.00	323.00	4.3	565.00	766.00
3	x ¾	1.5	2131.00	2383.50	4.5	+	+
	1	1.3	299.50	364.50	4.8 (sw)	3177.00	3498.00
	1¼	1.4	475.50	546.50	4.8	2878.50	+
	1½	5.1	330.00	400.00	5.1 (sw)	1585.50	1852.00
	2	1.6	244.50	297.00	6.0	645.50	879.00
	2½	1.8	330.00	396.50	7.0	645.50	899.50
3½	x 3	2.0	350.00	422.00	7.0 (sw)	3490.50	+
4	x 1	3.0	361.50	442.00	6.5 (sw)	6427.00	+
	1¼	4.6	2724.00	3053.00	–	–	–
	1½	2.6 (sw)	496.00	654.50	8.1 (sw)	3891.00	4202.00
	2	2.4	323.00	394.00	3.3	785.50	1093.00
	2½	2.7	396.50	481.00	3.4	785.50	1093.00
	3	3.2	396.50	481.00	3.5	785.50	1093.00
	3½	2.9	396.50	481.00	8.0 (sw)	5440.50	+
5	x 2	9.0 (sw)	3827.00	4228.50	5.2 (sw)	4291.50	+
	2½	4.3	799.50	972.00	10.8 (sw)	3655.50	+
	3	5.0	458.00	565.00	11.1 (sw)	3535.00	3939.00
	4	4.3	544.50	678.00	12.0	1062.50	1498.50
6	x 1	5.0	718.50	894.00	14.5 (sw)	6654.50	7228.00
	1½	5.5	5220.00	4474.00	+	6452.00	+
	2	6.6	718.50	894.00	14.5 (sw)	6075.00	6612.50
	2½	6.4	799.50	980.00	14.2 (sw)	7228.00	7867.50
	3	6.4	718.50	894.00	15.0	1409.00	1975.50
	4	6.5	631.00	812.50	17.0	1236.00	1811.00
8	x 5	6.4	925.50	1145.00	17.0	1481.50	2096.00
	3	9.3	1274.50	1585.50	22.0 (sw)	7050.50	7678.50
	4	10.4	1274.50	1594.50	23.0 (sw)	6168.00	7035.00
	5	11.6	1274.50	1603.00	23.0 (sw)	6168.00	7035.00
	6	11.9	1615.00	2022.00	24.0	2488.00	3381.50

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

+ Quoted on application. Contact Victaulic for pricing and availability.

(sw) Victaulic fittings are made of ductile iron, except those marked (sw) segmentally welded steel.

Couplings, Spare Parts and Fittings

Size			Concentric Reducer No. 50			Eccentric Reducer No. 51		
inches			Approx. Wgt. Ea. lb	Price Each		Approx. Wgt. Ea. lb	Price Each	
				Painted	Galv.		Painted	Galv.
10	x	4	19.7	\$2891.50	\$3562.00	32.0 (sw)	\$10884.50	\$13050.50
		5	33.0	6357.50	7253.00	34.6	10250.50	12062.00
		6	20.0	3165.50	3943.50	36.9 (sw)	7733.00	9166.00
		8	22.0	3165.50	4009.00	21.6	6549.50	8140.00
12	x	4	44.0 (sw)	13827.00	16454.00	48.0 (sw)	11430.00	13445.00
		6	24.6	3772.00	4659.00	50.0 (sw)	10327.00	12437.00
		8	52.0	5653.50	6674.50	53.5 (sw)	10067.00	12042.00
		10	39.0	5653.50	6997.00	57.0 (sw)	9013.00	10687.50

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

(sw) Victaulic fittings are made of ductile iron, except those marked (sw) segmentally welded steel.

Reducer - Male Threaded Small End

Refer to publication 07.01



No. 52



REDUCER - MALE THREADED SMALL END

Nominal Size			Approx. Wgt. Ea.	Price Each	
inches Inlet x Outlet			lb	Painted	Galv.
1½	x	1	0.8	\$287.00	\$350.00
		1¼	0.9	299.50	350.50
2	x	¾	0.9	287.00	350.00
		1	0.7	287.00	350.00
		1¼	1.2	287.00	350.00
		1½	1.0	287.00	350.00
		2	1.1	384.00	440.50
2½	x	1¼	1.2	403.00	494.00
		1½	1.3	422.00	494.00
		2	1.4	287.00	350.00
		2½	1.5 (sw)	2007.00	2135.50
3	x	1	1.3	310.00	373.00
		1½	1.5	350.00	417.50
		2	1.5	350.00	417.50
		2½	2.4	422.00	494.00
		3	2.3	399.00	481.00
4	x	1½	2.7	922.50	1204.50
		2	2.6	424.00	505.00
		2½	2.6	425.00	519.00
		3	2.5	518.50	610.50
		4	4.5	2905.00	3158.00
6	x	1	5.5	799.50	980.00
		2	5.7	799.50	980.00
		2½	5.8	799.50	980.00
		3	5.8	799.50	980.00
		4	6.5 (sw)	4764.50	5276.50
		5	2.0 (sw)	+	+

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

+ Quoted on application. Contact Victaulic for pricing and availability.

Available with British Standard Pipe Threads (BSPT). Contact Victaulic for details.

(sw) Victaulic fittings are made of ductile iron, except those marked (sw) segmentally welded steel.

Couplings, Spare Parts and Fittings

Series GH1

Refer to publication 10.88



Series GH1-C2C



Series GH1



Series	Diameter inches	Actual Hose Length inches	Approx. Wgt. Ea. lb	Victaulic Part No.	Price Each	Sold Only in Box Quantities of
GH1-C2C	1	25	3.3	A310AQBH2C	\$241.50 ^{NR}	10
		30	3.6	A360AQBH2C	249.50	
		42	4.3	A480AQBH2C	269.00 ^{NR}	
		54	5.0	A600AQBH2C	296.50	
		66	5.7	A720AQBH2C	327.50 ^{NR}	
GH1	1.25	24	2.5	A012AQB024	161.50	
		36	3.5	A012AQB036	199.00	
		48	4.4	A012AQB048	233.00	
	1.5	24	3.2	A014AQB024	217.00	
		36	4.5	A014AQB036	262.00	
		48	5.8	A014AQB048	310.00	
	2	24	4.0	A020AQB024	263.00	8
		36	5.6	A020AQB036	317.00	
		48	7.2	A020AQB048	358.50	
	2.5	24	6.3	A024AQB024	475.50	5
		36	8.8	A024AQB036	566.50	
		48	11.3	A024AQB048	663.50	
	3	36	10.6	A030AQB036	683.50	4
		48	13.5	A030AQB048	797.50	
	4	36	15.9	A040AQB036	972.50	
		48	20.5	A040AQB048	1139.50	

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

^{NR} Non-returnable

VicFlex™ Flexible Sprinkler Fitting Systems



VicFlex™ Sprinkler Fitting Systems

Series AH2-CC Hose

Refer to publication 10.85



Braided AH2-CC Hose



Size		Approx. Wgt. Ea.	Painted Coupling		Galv. Coupling		Sold Only in Box Quantities of
inches			Part No.	Price Each	Part No.	Price Each	
31	x 1/2	3.3	A31HAQBP2C	\$207.00 ^{NR}	A31HAQBG2C	\$231.00	10
	3/4	3.3	A31TAQBP2C	207.00 ^{NR}	A31TAQBG2C	231.00	10
36	x 1/2	3.6	A36HAQBP2C	217.00 ^{NR}	A36HAQBG2C	240.00	10
	3/4	3.6	A36TAQBP2C	217.00 ^{NR}	A36TAQBG2C	240.00	10
48	x 1/2	4.3	A48HAQBP2C	226.00 ^{NR}	A48HAQBG2C	250.00	10
	3/4	4.3	A48TAQBP2C	226.00 ^{NR}	A48TAQBG2C	250.00	10
60	x 1/2	5.0	A60HAQBP2C	250.50 ^{NR}	A60HAQBG2C	273.50	10
	3/4	5.0	A60TAQBP2C	250.50 ^{NR}	A60TAQBG2C	273.50	10
72	x 1/2	5.7	A72HAQBP2C	273.50 ^{NR}	A72HAQBG2C	295.50	10
	3/4	5.7	A72TAQBP2C	273.50 ^{NR}	A72TAQBG2C	295.50	10

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

^{NR} Non-returnable

Series AH2-CC-300 Hose

UL Listed and FM Approved up to 300 psi

Refer to publication 10.84



Braided AH2-300-CC Hose



Size		Approx. Wgt. Ea.	Victaulic	Price Each	Sold Only in Box Quantities of
inches			Part No.		
31	x 1/2	2.8	A31HAQB30C	\$251.50	10
	3/4	2.8	A31TAQB30C	251.50	10
36	x 1/2	3.1	A36HAQB30C	263.00	10
	3/4	3.1	A36TAQB30C	263.00	10
48	x 1/2	3.8	A48HAQB30C	271.00	10
	3/4	3.8	A48TAQB30C	271.00	10
60	x 1/2	4.5	A60HAQB30C	298.50	10
	3/4	4.5	A60TAQB30C	298.50	10
72	x 1/2	5.2	A72HAQB30C	322.50	10
	3/4	5.2	A72TAQB30C	322.50	10

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

VicFlex™ Sprinkler Fitting Systems

Series AH2 Hose

Refer to publication 10.85



Braided AH2 Hose



Size		Approx. Wgt. Ea.	Victaulic	Price Each	Sold Only in Box Quantities of	
inches		lb	Part No.			
31	x	1/2	2.8	A31HAQFBA2	\$187.50 ^{NR}	10
		3/4	2.8	A31TAQFBA2	187.50 ^{NR}	10
36	x	1/2	3.1	A36HAQFBA2	198.00 ^{NR}	10
		3/4	3.1	A36TAQFBA2	198.00 ^{NR}	10
48	x	1/2	3.8	A48HAQFBA2	207.50 ^{NR}	10
		3/4	3.8	A48TAQFBA2	207.50 ^{NR}	10
60	x	1/2	4.5	A60HAQFBA2	233.50 ^{NR}	10
		3/4	4.5	A60TAQFBA2	233.50 ^{NR}	10
72	x	1/2	5.2	A72HAQFBA2	255.00 ^{NR}	10
		3/4	5.2	A72TAQFBA2	255.00 ^{NR}	10

^{NR} Non-returnable

Series AH2-300 Hose

FM Approved up to 300 psi

Refer to publication 10.84



Braided AH2-300 Hose



Size		Approx. Wgt. Ea.	Victaulic	Price Each	Sold Only in Box Quantities of	
inches			Part No.			
31	x	1/2	2.8	A31HAQB300	\$206.50	10
		3/4	2.8	A31TAQB300	206.50	10
36	x	1/2	3.1	A36HAQB300	216.50	10
		3/4	3.1	A36TAQB300	216.50	10
48	x	1/2	3.8	A48HAQB300	225.50 ^{NR}	10
		3/4	3.8	A48TAQB300	225.50	10
60	x	1/2	4.5	A60HAQB300	251.00 ^{NR}	10
		3/4	4.5	A60TAQB300	251.00	10
72	x	1/2	5.2	A72HAQB300	275.50 ^{NR}	10
		3/4	5.2	A72TAQB300	275.50	10

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

^{NR} Non-returnable

Series AH1-CC Hose

Refer to publication 10.95



Braided AH1-CC Hose



Size		Approx. Wgt. Ea.	Painted Coupling		Galv. Coupling		Sold in Box Quantities of
inches		lb	Victaulic Part No.	Price Each	Victaulic Part No.	Price Each	
31	x 1/2	2.9	A31HAQBP1C	\$162.00	A31HAQBG1C	\$185.50	10
	3/4	2.9	A31TAQBP1C	162.00 ^{NR}	A31TAQBG1C	185.50	10
36	x 1/2	3.1	A36HAQBP1C	171.50 ^{NR}	A36HAQBG1C	195.00	10
	3/4	3.1	A36TAQBP1C	171.50 ^{NR}	A36TAQBG1C	195.00	10
48	x 1/2	3.6	A48HAQBP1C	181.50 ^{NR}	A48HAQBG1C	205.50	10
	3/4	3.6	A48TAQBP1C	181.50 ^{NR}	A48TAQBG1C	205.50	10
60	x 1/2	4.1	A60HAQBP1C	205.50 ^{NR}	A60HAQBG1C	226.00	10
	3/4	4.1	A60TAQBP1C	205.50	A60TAQBG1C	226.00	10
72	x 1/2	4.6	A72HAQBP1C	226.00 ^{NR}	A72HAQBG1C	250.50	10
	3/4	4.6	A72TAQBP1C	226.00	A72TAQBG1C	250.50	10

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

^{NR} Non-returnable



VicFlex™ Sprinkler Fitting Systems

Series AH1 Hose

Refer to publication 10.95



Braided AH1 Hose



Size		Approx. Wgt. Ea.	Victaulic	Price Each	Sold Only in Box Quantities of
inches		lb	Part No.		
31	x 1/2	2.4	A31HAQBBA1	\$140.50 ^{NR}	10
	x 3/4	2.4	A31TAQBBA1	140.50 ^{NR}	10
36	x 1/2	2.6	A36HAQBBA1	149.50 ^{NR}	10
	x 3/4	2.6	A36TAQBBA1	149.50 ^{NR}	10
48	x 1/2	3.1	A48HAQBBA1	161.00 ^{NR}	10
	x 3/4	3.1	A48TAQBBA1	161.00 ^{NR}	10
60	x 1/2	3.6	A60HAQBBA1	185.50 ^{NR}	10
	x 3/4	3.6	A60TAQBBA1	185.50 ^{NR}	10
72	x 1/2	4.1	A72HAQBBA1	207.50 ^{NR}	10
	x 3/4	4.1	A72TAQBBA1	207.50 ^{NR}	10

^{NR} Non-returnable

VicFlex™ Sprinkler Fitting Systems

VicFlex™ Brackets



Style AB2
Bracket



Style AB5
Bracket



Style AB11
Bracket



Style AB12
Bracket



Style AB14
Bracket

Brackets	Size	Approx. Wgt. Ea.	Victaulic	Price	Sold Only in Box Quantities of
Description	inches	lb	Part No.	Each	
Style AB2 For suspended and hard-lid ceilings – Over/ Under Center Bracket allows for installation and vertical adjustment from above or below the ceiling surface (Includes all previous Style AB1 features)	24	1.8	A240AB200N	\$51.00 ^{NR}	10
	48	2.7	A480AB200N	66.00 ^{NR}	10
Style AB3 Surface mount applications, wood, metal and block walls	–	0.3	A000AQFINB	25.00 ^{NR}	10
Style AB4 For hard-lid ceilings with hat furring channel grid systems – Over/Under Center Bracket allows for installation and vertical adjustment from above or below the ceiling surface	24	1.5	A240AB400N	66.00 ^{NR}	10
	48	2.2	A480AB400N	84.00 ^{NR}	10
Style AB5 For hard-lid ceilings - Over/Under Center Bracket allows for installation and vertical adjustment from above or below the ceiling surface	24	1.6	A240AB500N	51.00 ^{NR}	10
	48	2.3	A480AB500N	66.00 ^{NR}	10
Style AB7 For suspended ceilings	24	1.4	A000AQFBEE	34.50 ^{NR}	10
	48	1.9	A000AQFB48	51.00 ^{NR}	10
Style AB7 Adjustable For suspended ceilings	24	1.5	A275AQFADJ	36.00 ^{NR}	10
	48	2.0	A551AQFADJ	50.50 ^{NR}	10
Style AB10 For Armstrong® Techzone™ Ceilings	6	1.1	A06AB100TZ	67.00 ^{NR}	10
Style AB11 For lay-in panel suspended t-grid ceilings or drywall suspended t-grid ceilings, allows for low profile installations	24	1.5	A240B11000	51.00 ^{NR}	10
	48	2.7	A480B11000	66.00 ^{NR}	10
Style AB12 For suspended and hard-lid ceilings, allows for vertical sprinkler adjustment, and allows for low profile installation down to 4" 100 mm	–	0.4	A040AQBB12	25.50 ^{NR}	10
Style AB14 Stand-off mount for wood and metal joists or walls. Pendant and sidewall configurations	½	0.6	A004B14000	66.50	10
	¾	0.6	A006B14000	66.50	10
Style ABBA For suspended, exposed and hard-lid ceilings, allows for above mount and cantilever mount.	–	1.3	A000AQBBAM	51.00 ^{NR}	10
Style ABMM For wood, metal, block walls or ceilings, and hard-lid ceilings, allows surface mount and stand-off mount.	–	0.7	A000AQBBK1	31.00 ^{NR}	10

^{NR} Non-returnable

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

VicFlex™ Sprinkler Fitting Systems

VicFlex™ Reducers and End Fittings



End Fittings and Parts	Outlet Size	Approx. Wgt. Ea.	Victaulic Part No.	Price Each	Sold Only in Box Quantities of
Description	inches	lb			
Reducing Nipple – 5 ³ / ₄ "/140 mm Length	1/2	0.7	A004AQB RNH	\$41.00 ^{NR}	10
	3/4	0.7	A006AQB RNT	41.00 ^{NR}	10
Reducing Nipple – 9"/229 mm Length	1/2	1.6	A090AQFRNH	58.00 ^{NR}	10
	3/4	1.7	A090AQFRNT	58.00 ^{NR}	10
Reducing Nipple – 13"/330 mm Length	1/2	2.3	A130AQFRNH	73.00 ^{NR}	10
	3/4	2.3	A130AQFRNT	73.00 ^{NR}	10
90° Reducing Elbow – 4"/102 mm Length	1/2	1.0	A000AQFRE4	70.00 ^{NR}	10
	3/4	1.0	A000AQFRE6	70.00 ^{NR}	10
90° Reducing Elbow – 6"/152 mm Length	1/2	1.2	A000AQFRE5	70.00 ^{NR}	10
	3/4	1.2	A000AQFRE7	70.00 ^{NR}	10
Low Profile Long 90° Reducing Elbow – Recessed Sprinkler †	1/2	1.0	A004AQBDE1	70.00 ^{NR}	10
	3/4	1.0	A006AQBDE1	70.00 ^{NR}	10
Low Profile Short 90° Reducing Elbow – Concealed Sprinkler †	1/2	0.7	A004AQBDEL	70.00 ^{NR}	10
	3/4	0.7	A006AQBDEL	70.00 ^{NR}	10

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

^{NR} Non-returnable

Style AB6W for Wet Drop Assemblies

Includes Style AB6 Bracket, No. 148 Reducer, and Series GH1-C2C Flexible Fitting

Refer to publication 10.99



Series GH1-C2C	No. 148 Reducer		Approx. Wgt. Ea.	Victaulic Part No.	Price Each	Sold Only in Box Quantities of
Length	Length	Threaded NPT Outlet Size				
inches	inches	inches	lb			
42	12	1/2	7.8	A42HAQBN12	\$401.00	10
		3/4	7.8	A42TAQBN12	401.00	

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

VicFlex™ Sprinkler Fitting Systems

VicFlex™ Preassembled System

SELECT ADAPTER AND SPRINKLER COMBINATION, THEN MAKE BRAIDED HOSE SELECTION. SPRINKLER/ ADAPTER SUB-ASSEMBLY WILL SHIP SEPARATELY FROM BRAIDED HOSE

Additional configurations of sprinkler and adapter can be configured on following page.

Adapter	Sprinkler	Temperature	Finish	Victaulic Part No.	Price Each
Straight – 5.5"	V2708	155F	CP	A271BCQ42G	\$83.00
	V2708	155F	WH	A271BCQ44G	83.00
	V2708	200F	CO	A271BFQ42G	83.00
	V2708	200F	WH	A271BFQ44G	83.00
	V3802	155F	BR	A381PCQ41G	91.50
	V4906	155F	BR	A491NCQH1G	96.50
	V5606	155F	BR	A561PCQ41G	96.50
	V5606	200F	BR	A561PFQ41G	96.50
Low Profile Elbow	V4906	155F	BR	A491NCQH1S	101.00
	V5606	155F	BR	A561PCQ41S	101.00

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

VicFlex™ Hose	Length Inches	Victaulic Part No.	Price Each
Series AH1	31	A310AQB10	\$60.00
	36	A360AQB10	63.50
	48	A480AQB10	83.00
	60	A600AQB10	99.00
	72	A720AQB10	106.00
Series AH1-CC	31	A310AQB1C	64.50
	36	A360AQB1C	67.50
	48	A480AQB1C	87.00
	60	A600AQB1C	103.00
	72	A720AQB1C	110.50
Series AH2	31	A310AQB20	69.00
	36	A360AQB20	74.00
	48	A480AQB20	95.00
	60	A600AQB20	118.50
	72	A720AQB20	129.50
Series AH2-CC	31	A310AQB2C	73.50
	36	A360AQB2C	78.00
	48	A480AQB2C	99.50
	60	A600AQB2C	122.50
	72	A720AQB2C	134.00
Series AH2-300	31	A310AQB30	83.00
	36	A360AQB30	89.00
	48	A480AQB30	114.00
	60	A600AQB30	142.50
	72	A720AQB30	155.50
Series AH2-CC-300	31	A310AQB3C	88.00
	36	A360AQB3C	94.00
	48	A480AQB3C	119.50
	60	A600AQB3C	147.50
	72	A720AQB3C	161.00


NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

VicFlex™ Sprinkler Fitting Systems

VicFlex™ Preassembled System Order Form

Bill To:

Company Name	
Address	
State/Province	Zip Code/Postal Code
Phone No.	Email
Fax No.	



Sprinkler Selection								Hose/Bracket Selection
Class	Sprinkler Frame	Sprinkler Thread	Deflector Style	Sprinkler Temperature	Sprinkler Response	Sprinkler K-Factor	Sprinkler Finish	Reducer (outlet)
☐ A - VicFlex™	☐ 27 - V27 ☐ 31 - V31 ☐ 34 - V34 ☐ 38 - V38 ☐ 49 - V49 ☐ 56 - V56 ☐ 11 - V11	☐ 1 - ½" NPT ☐ 2 - ¾" NPT	☐ B - STD PEND ☐ G - ECLH PEND ☐ J - ECLH CNC ☐ K - RES PEND ☐ N - RES CNC ☐ C - HSW ☐ P - CNCL PEN ☐ F - ECOH PEN	☐ C - 155°F/68°C ☐ E - 175°F/79°C ☐ F - 200°F/93°C	☐ S - Standard ☐ Q - Quick	☐ H - 4.9 ☐ 4 - 5.6 ☐ 5 - 8.0 ☐ 6 - 11.2 ☐ 7 - 14.0	☐ 1 - Plain Brass ☐ 2 - Chrome ☐ 4 - White (RAL 9010) ☐ W - Bright White (RAL 9003) ☐ N - VC250 ¹ ☐ B - Black (RAL 9004)	☐ G - 5¾" Straight ☐ 9 - 9" Straight ☐ 3 - 13" Straight ☐ P - 4¾" Elbow ☐ E - 6¼" Elbow ☐ S - Short Low Profile Elbow ☐ L - Long Low Profile Elbow

¹ UL and FM approved corrosion resistant coating, and VdS and LPCB recognized and approved alternate coating. Appears chrome in color. Escutcheons for recessed sprinklers will match color of sprinkler. When VC-250 is selected, stainless steel escutcheons will be used.

VicFlex™ Sprinkler Fitting Systems

VicFlex™ Style AB6 Assembly - Cold Storage

INTERCHANGEABLE ESCUTCHEONS

1" NPT Thread

K5.6, K8.0, K11.2

Refer to publication 10.90



STYLE AB6 ASSEMBLY WITH 31 INCH HOSE

Size	Price Each			
inches	K5.6, K8.0 Pendent	K11.2 Pendent	K5.6, K8.0 Sidewall	K5.6, K8.0 Concealed
12	\$995.50	\$1204.50	\$1015.50	\$1109.00
18	1041.50	1253.50	1064.50	1154.00
24	1106.00	1305.50	1110.00	1201.00
30	1135.00	1355.50	1156.50	1267.00

STYLE AB6 ASSEMBLY WITH 48 INCH HOSE

Size	Price Each			
inches	K5.6, K8.0 Pendent	K11.2 Pendent	K5.6, K8.0 Sidewall	K5.6, K8.0 Concealed
12	\$1014.50	\$1223.00	\$1034.50	\$1128.00
18	1061.00	1273.00	1083.50	1173.00
24	1106.00	1324.00	1129.00	1220.50
30	1154.00	1374.50	1176.00	1267.00

STYLE AB6 ASSEMBLY WITH 72 INCH HOSE

Size	Price Each			
inches	K5.6, K8.0 Pendent	K11.2 Pendent	K5.6, K8.0 Sidewall	K5.6, K8.0 Concealed
12	\$1059.50	\$1268.00	\$1079.50	\$1173.00
18	1106.00	1320.50	1128.50	1218.00
24	1151.00	1369.00	1174.00	1265.50
30	1199.00	1419.50	1221.00	1312.00

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

VicFlex™ Sprinkler Fitting Systems

VicFlex™ Style AB6 Bracket Assembly Order Form



VICIFLEX™ STYLE AB6 ASSEMBLY DRY SPRINKLER ORDER FORM

SHIP TO:	
Name:	Date of Order:
Address:	Purchase Order:
	Ship Via:
City:	Tag:
State/Prov.:	Signature*:
Zip/Postal Code:	
* I agree to purchase the dry sprinklers specified on this form, which are NON-RETURNABLE & NOT CANCELLABLE.	

PART CODE CONFIGURATOR: Configure the part code with **options** from chart below. DO NOT circle pipe order lengths. Input appropriate length and quantity for each in the chart below. Please attach additional forms if extra ordering space is needed. **Separate forms must be completed for each configuration ordered.**

A											UB6			
Class	Style	Connection	Deflector	Temperature	Response	K-Factor	Sprinkler Finish	Escutcheon Finish	Sprinkler Barrel Length	Escutcheon Style	Bracket Style	Hose Style	Hose Length	
A = VicFlex™	33 = V33 ¹ (Concealed)	3 = 1" NPT	B = Std. Pendent C = Horizontal Sidewall ³ P = Concealed	C = 155°F/68°C F = 200°F/93°C J = 286°F/141°C	Q = Quick S = Standard	4 = 5.6K 5 = 8.0K 6 = 11.2K	2 = Chrome 4 = White (RAL 9010) B = Black N = VC-250 ⁴	0 = Painted Cold Rolled Steel, Finish Matches Sprinkler Finish X = Stainless Steel W = White (RAL 9010) Painted Stainless Steel	120 = 12" 180 = 18" 240 = 24" 300 = 30"	11 = Flush 12 = Recessed 13 = Sleeve & Skirt 17 = Interchangeable Escutcheons ⁵	UB6 = AB6	2 = AH2 (NPT) 3 = AH2 (BSPT) 8 = AH2-CC (Captured Coupling) R = AH2-CC Red (Europe Only)	2 = 31" 4 = 48" 7 = 72"	
	36 = V36 (Std. Pendent/ Horizontal Sidewall)													
	40 = V40 ² (Std. Pendent)													
	41 = V41 ESFR Dry Pendent													
A = VicFlex		L = 1" IGS with Coupling	S = Dry ESFR	D = 165°F/74°C G = 212°F/100°C	R = Fast Response	8 = 16.8K	1 = Plain Brass	X = Stainless Steel	240 = 24" 300 = 30" 360 = 36"	10 = Plain Barrel with Clamshell	UB6 = AB6	G = GH1	3 = 36"	

1. V33 Sprinkler only available with Temperature **C** (155°F | 68°C) or **F** (200°F | 93°C), Escutcheon Finish **0** (Painted Cold Rolled Steel, Finish Matches Sprinkler Finish), and Escutcheon Style **15** (Concealed).

Finish watches Sprinkler Finish, and escutcheon style **13** (Concealed).
 v40 Sprinkler only available with Deflector **B** (Standard Pendant), K-Factor **6** (K11.2), and Sprinkler Finish **2** (Chrome), **4** (White RAL 9010) and **N** (VC-250). Horizontal Sidewall not available with interchangeable escutcheons.

VC-250 coating is only available with stainless steel escutcheons. UL and FM approved corrosion resistant coating, and VdS and LPCB recognized and approved alternate coating. Appears chrome in color. Not available with concealed sprinklers.

5 **Only available with pendent sprinklers:** Sleeve and Skirt, Recessed and Flush escutcheons included with a plain barrel sprinkler.

Total Sprinklers with specs identical to part code configuration above



Send completed order form to pickvic@victaulic.com

VicFlex™ Sprinkler Fitting Systems

VicFlex™ Dry Sprinkler Style VS1

RECESSED OR SLEEVE AND SKIRT PENDENT OR SIDEWALL, CONCEALED PENDENT

1" NPT Thread
K5.6

Refer to publication 10.91



Length	Approx. Wgt. Ea.	Price Each		Sold Only in Box Quantities of
		V3505, V3506, V3509, V3510 Recessed or Sleeve and Skirt Pendent or Sidewall	V3517, V3518 Concealed Pendent	
inches	lb			
38	3.9	\$1092.50	\$1207.00 ^{NR}	5
50	4.3	1169.50	1285.50 ^{NR}	5
58	4.6	1246.00	1363.50 ^{NR}	5


NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

Note: Sleeve and Skirt escutcheon not compatible with Style VB2 or VB3 brackets.

NOTE: Concealed cover plates must be ordered separately.

^{NR} Non-returnable

Note: Part Code Order Form on 5-13 page.



VS1 COVER PLATES

Finish	135° F/57° C		165°F/74°C	
	Part Code	Price	Part Code	Price
Bright Brass	S3506A0030	\$51.00 ^{NR}	S3506D0030	\$51.00 ^{NR}
Brushed Brass	S3506A00D0	51.00 ^{NR}	S3506D00D0	51.00 ^{NR}
Chrome	S3506A0020	51.00 ^{NR}	S3506D0020	51.00 ^{NR}
Brushed Chrome	S3506A00C0	51.00 ^{NR}	S3506D00C0	51.00 ^{NR}
White	S3506A0040	51.00 ^{NR}	S3506D0040	51.00 ^{NR}
Bright White	S3506A00W0	51.00 ^{NR}	S3506D00W0	51.00 ^{NR}
Cream	S3506A00G0	51.00 ^{NR}	S3506D00G0	51.00 ^{NR}
Black	S3506A00B0	51.00 ^{NR}	S3506D00B0	51.00 ^{NR}
Custom	S3506A00_0	+	S3506D00_0	+

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

For custom finishes, contact Victaulic for details.

+ Quoted on application. Contact Victaulic for pricing and availability.

^{NR} Non-returnable

Clean Room Cover Seal Gasket



Victaulic Part Number	Price Each	Sold Only in Box Quantities of
S380P00000	\$17.00 ^{NR}	10

^{NR} Non-returnable



VicFlex™ Sprinkler Fitting Systems

VicFlex™ Dry Sprinkler Brackets



Bracket Description	Size inches	Approx. Wgt. Ea. lb	Victaulic Part No.	Price Each	Sold Only in Box Quantities of
Style VB1 For wood and metal stud or joist	–	0.2	A000000SLV	\$82.00 ^{NR}	5
Style VB2 Recessed pendent, suspended lay-in tile ceilings	24	1.5	A24TBAR000	234.00 ^{NR}	5
	48	2.7	A48TBAR000	295.00 ^{NR}	5
Style VB3 Concealed pendent, suspended lay-in tile ceilings	24	1.6	A240AQBVB3	234.00 ^{NR}	5
	48	2.9	A480AQBVB3	295.00 ^{NR}	5
Style VB4 Sleeve and skirt pendent, suspended lay-in tile ceilings	24	1.6	A240VB4VS1	234.00 ^{NR}	5
	48	2.9	A480VB4VS1	295.00 ^{NR}	5
Style VB5 For data center ceilings, wood and metal stud or joist	24	1.4	A240VB5001	234.00	5
	48	2.1	A480VB5001	295.00	5
Style VBBA For suspended, exposed and hard-lid ceilings, allows for above mount and cantilever mount.	–	1.3	A000VBA001	151.00	5

^{NR} **Non-returnable**

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.



Victaulic **VICFLEX™ STYLE VS1 DRY SPRINKLER ORDER FORM**

VicFlex™ Sprinkler Fitting Systems

VicFlex™ Dry Sprinkler Style VS1 Order Form

SHIP TO:

Name:	Date of Order:
Address:	Purchase Order:
City:	Ship Via:
State/Prov.:	Tag:
Zip/Postal Code:	Signature*:

* I agree to purchase the dry sprinklers specified on this form, which are NON-RETURNABLE & NOT CANCELLABLE.

PART CODE CONFIGURATOR: Configure the part code with **options** from chart below. DO NOT circle pipe order lengths and increments. Input appropriate length and quantity for each in the chart below. Please attach additional forms if extra ordering space is needed. **Separate forms must be completed for each configuration ordered.**

A	3F					4					
Class	Style	Connection	Deflector	Temperature	Response	K-Factor	Sprinkler Finish	Escutcheon Finish	Flexible Sprinkler Length	Escutcheon Style	
A = VicFlex™	3F = V35	3 = 1" NPT 8 = 25mm BSPT	B = Pendant C = Horizontal P = Concealed	A = 135°F/57°C C = 155°F/68°C E = 175°F/79°C F = 200°F/93°C J = 286°F/141°C	Q = Quick S = Standard	4 = 5.6K	4 = White (RAL 9010) ¹ N = VC-250 ^{2,3} B = Black ¹	X = Stainless Steel W = White (RAL 9010) Painted Stainless Steel O = Concealed, No Escutcheon ^{2,4} Y = Black Painted Stainless Steel	380 = 38" 500 = 50" 580 = 58"	12 = Recessed 13 = Sleeve & Skirt 15 = Concealed	

- 1 Not available with Deflector P = Concealed.
- 2 Deflector P = Concealed is only available with Sprinkler Finish N = VC-250 Coating and Escutcheon Finish O = Concealed, No Escutcheon.
- 3 VC-250 coating is only available with stainless steel escutcheons. UL and FM approved corrosion resistant coating, and VS1 and LPCB recognized and approved alternate coating. Appears chrome in color.
- 4 Coverplates sold separately.

Send completed order form to pic@victaulic.com

BRACKET SELECTION: Input quantity for each bracket size.		Victaulic Part No.		Boxes (5 Brackets per Box)	
Style VB1:	Wood and metal stud or joist	—	A000000SLV		
Style VB2:	Recessed pendant, suspended lay-in tile ceilings	24"	A24TBAR000		
		48"	A48TBAR000		
Style VB3:	Concealed pendant, suspended lay-in tile ceilings	24"	A24OABVB3		
		48"	A48OABVB3		
Style VB4:	Sleeve and skirt pendant, suspended lay-in tile ceilings	24"	A24OVB4VS1		
		48"	A48OVB4VS1		
Style VB5:	Data center ceilings, wood and metal stud or joist	24"	A24OVB5001		
		48"	A48OVB5001		
Style VBBA:	For suspended, exposed and hard-hid ceilings, allows for above mount and cantilever mount	—	A000VBA001		

VicFlex™ Sprinkler Fitting Systems

Series FL-SC/VS2 V3202

**QUICK RESPONSE
K5.6 (8.0 SI)**

**Recessed Pendant
1" NPT (25 mm BSPT) Thread
1" IGS™ Groove**

Refer to publication 10.93.



Pendant V3202 with
Style 108 Coupling



Pendant
V3202



Length	Temp. Rating		Victaulic Part Number	Price Each	Sold in Box Quantities of
inches	°F	°C	Pendent		
IGS™ Groove with Style 108 Coupling					
CHROME PLATED					
56	155	68	A32LBCQ5F3	\$283.50 ^{NR}	10
	200	93	A32LBFQ5F3	283.50 ^{NR}	10
68	155	68	A32LBCQ6F3	296.50 ^{NR}	10
	200	93	A32LBFQ6F3	296.50 ^{NR}	10
WHITE FINISH					
56	155	68	A32LBCQ5F2	\$283.50 ^{NR}	10
	200	93	A32LBFQ5F2	283.50 ^{NR}	10
68	155	68	A32LBCQ6F2	296.50 ^{NR}	10
	200	93	A32LBFQ6F2	296.50	10
Threaded Connection					
CHROME PLATED					
56	155	68	A323BCQ5F1	\$275.00 ^{NR}	10
	200	93	A323BFQ5F1	275.00 ^{NR}	10
68	155	68	A323BCQ6F1	286.50 ^{NR}	10
	200	93	A323BFQ6F1	286.50 ^{NR}	10
WHITE FINISH					
56	155	68	A323BCQ5F0	\$275.00 ^{NR}	10
	200	93	A323BFQ5F0	275.00	10
68	155	68	A323BCQ6F0	286.50 ^{NR}	10
	200	93	A323BFQ6F0	286.50 ^{NR}	10

V3202 REPLACEMENT SPRINKLER HEADS – QUICK RESPONSE – PENDENT

Temp. Rating		Victaulic Part Number	Price Each	Sold in Box Quantities of
°F	°C			
CHROME PLATED				
155	68	K322BCQ42F	\$122.00	6
200	93	K322BFQ42F	122.00	6
WHITE FINISH				
155	68	K322BCQ44F	\$122.00	6
200	93	K322BFQ44F	122.00	6

^{NR} Non-returnable

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

V32 CONCEALED/RECESSED WRENCH

Description	Victaulic Part Number	Price Each
V32 Concealed/Recessed Wrench	ST32000003	\$41.50 ^{NR}

^{NR} Non-returnable

VicFlex™ Sprinkler Fitting Systems

Series FL-SC/VS2 V3201

**STANDARD RESPONSE
K5.6 (8.0 SI)**

**Recessed Pendant
1" NPT (25mm BSPT) Thread
1" IGS™ Groove**

Refer to publication 10.93.



Pendant V3201 with
Style 108 Coupling



Pendant
V3201



Length	Temp. Rating		Victaulic Part Number	Price Each	Sold in Box Quantities of
inches	°F	°C	Pendent		
IGS™ Groove with Style 108 Coupling					
CHROME PLATED					
56	155	68	A32LBCS5F3	\$281.50	10
	200	93	A32LBFS5F3	281.50	10
68	155	68	A32LBCS6F3	288.50	10
	200	93	A32LBFS6F3	288.50	10
WHITE FINISH					
56	155	68	A32LBCS5F2	\$281.50	10
	200	93	A32LBFS5F2	281.50	10
68	155	68	A32LBCS6F2	288.50	10
	200	93	A32LBFS6F2	288.50	10
Threaded Connection					
CHROME PLATED					
56	155	68	A323BCS5F1	\$272.00 ^{NR}	10
	200	93	A323BFS5F1	272.00 ^{NR}	10
68	155	68	A323BCS6F1	285.00 ^{NR}	10
	200	93	A323BFS6F1	285.00	10
WHITE FINISH					
56	155	68	A323BCS5F0	\$272.00	10
	200	93	A323BFS5F0	272.00	10
68	155	68	A323BCS6F0	285.00	10
	200	93	A323BFS6F0	285.00	10

V3201 REPLACEMENT SPRINKLER HEADS – STANDARD RESPONSE – PENDENT

Temp. Rating		Victaulic Part Number	Price Each	Sold in Box Quantities of
°F	°C			
CHROME PLATED				
155	68	K322BCS42F	\$120.00	6
200	93	K322BFS42F	120.00	6
WHITE FINISH				
155	68	K322BCS44F	\$120.00	6
200	93	K322BFS44F	120.00	6

^{NR} Non-returnable

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

V32 CONCEALED/RECESSED WRENCH

Description	Victaulic Part Number	Price Each
V32 Concealed/Recessed Wrench	ST32000003	\$41.50 ^{NR}

^{NR} Non-returnable

VicFlex™ Sprinkler Fitting Systems

Series FL-SC/VS2 V3204

**QUICK RESPONSE
K5.6 (8.0 SI)**

**Concealed Pendent
1" NPT (25 mm BSPT) Thread
1" IGS™ Groove**

Refer to publication 10.93.



Pendent V3204 with
Style 108 Coupling



Pendent
V3204



Series FL-SC/VS2 V3204 is
FM Approved as a Standard
Response sprinkler

Length	Temp. Rating		Victaulic Part Number	Price Each	Sold in Box Quantities of
inches	°F	°C	Pendent		
IGS™ Groove with Style 108 Coupling					
PLAIN BRASS					
56	155	68	A32LPCQ5F1	\$277.50 ^{NR}	10
	200	93	A32LPFQ5F1	277.50	10
68	155	68	A32LPCQ6F1	291.00 ^{NR}	10
	200	93	A32LPFQ6F1	291.00	10
Threaded Connection					
PLAIN BRASS					
56	155	68	A323PCQ5F0	\$269.00 ^{NR}	10
	200	93	A323PFQ5F0	269.00 ^{NR}	10
68	155	68	A323PCQ6F0	281.00 ^{NR}	10
	200	93	A323PFQ6F0	281.00 ^{NR}	10

V3204 REPLACEMENT SPRINKLER HEADS – QUICK RESPONSE – CONCEALED PENDENT

Temp. Rating		Victaulic Part Number	Price Each	Sold in Box Quantities of
°F	°C	Brass		
155	68	K322PCQ41F	\$120.50	6
200	93	K322PFQ41F	120.50	6

FL-SC/VS2 COVER PLATES

Finish	135° F/57° C		165° F/74° C	
	Part Code	Price	Part Code	Price
Bright Brass	S3506A0030	\$51.00 ^{NR}	S3506D0030	\$51.00 ^{NR}
Brushed Brass	S3506A00D0	51.00	S3506D00D0	51.00
Chrome	S3506A0020	51.00 ^{NR}	S3506D0020	51.00 ^{NR}
Brushed Chrome	S3506A00C0	51.00	S3506D00C0	51.00
White	S3506A0040	51.00 ^{NR}	S3506D0040	51.00 ^{NR}
Bright White	S3506A00W0	51.00 ^{NR}	S3506D00W0	51.00 ^{NR}
Cream	S3506A00G0	51.00	S3506D00G0	51.00
Black	S3506A00B0	51.00 ^{NR}	S3506D00B0	51.00 ^{NR}
Custom	S3506A00_0	+	S3506D00_0	+

For custom finishes, contact Victaulic for details.

+ Quoted on application. Contact Victaulic for pricing and availability.

^{NR} **Non-returnable**

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

V32 CONCEALED/RECESSED WRENCH

Description	Victaulic Part Number	Price Each
V32 Concealed/Recessed Wrench	ST32000003	\$41.50 ^{NR}

^{NR} **Non-returnable**

VicFlex™ Sprinkler Fitting Systems

Series FL-SC/VS2 V3203

STANDARD RESPONSE
K5.6 (8.0 SI)

Concealed Pendant
1" NPT (25 mm BSPT) Thread
1" IGS™ Groove

Refer to publication 10.93.



Pendant V3203 with
Style 108 Coupling



Pendant
V3203



Length	Temp. Rating		Victaulic Part Number	Price Each	Sold in Box Quantities of
inches	°F	°C	Pendent		
IGS™ Groove with Style 108 Coupling					
PLAIN BRASS					
56	155	68	A32LPCS501	\$276.00	10
	200	93	A32LPFS501	276.00	10
68	155	68	A32LPCS601	287.50	10
	200	93	A32LPFS601	287.50	10
Threaded Connection					
PLAIN BRASS					
56	155	68	A323PCS500	\$266.50	10
	200	93	A323PFS500	266.50	10
68	155	68	A323PCS600	278.00	10
	200	93	A323PFS600	278.00	10

V3203 REPLACEMENT SPRINKLER HEADS – STANDARD RESPONSE – CONCEALED PENDENT

Temp. Rating		Victaulic Part Number	Price Each	Sold in Box Quantities of
°F	°C			
Brass				
155	68	K322PCS41U	\$117.50	6
200	93	K322PFS41U	117.50	6

FL-SC/VS2 COVER PLATES

Finish	135° F/57° C		165°F/74°C	
	Part Code	Price	Part Code	Price
Bright Brass	S3506A0030	\$51.00 ^{NR}	S3506D0030	\$51.00 ^{NR}
Brushed Brass	S3506A00D0	51.00	S3506D00D0	51.00
Chrome	S3506A0020	51.00 ^{NR}	S3506D0020	51.00 ^{NR}
Brushed Chrome	S3506A00C0	51.00	S3506D00C0	51.00
White	S3506A0040	51.00 ^{NR}	S3506D0040	51.00 ^{NR}
Bright White	S3506A00W0	51.00 ^{NR}	S3506D00W0	51.00 ^{NR}
Cream	S3506A00G0	51.00	S3506D00G0	51.00
Black	S3506A00B0	51.00 ^{NR}	S3506D00B0	51.00 ^{NR}
Custom	S3506A00_0	+	S3506D00_0	+

For custom finishes, contact Victaulic for details.

+ Quoted on application. Contact Victaulic for pricing and availability.

^{NR} **Non-returnable**

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

V32 CONCEALED/RECESSED WRENCH

Description	Victaulic Part Number	Price Each
V32 Concealed/Recessed Wrench	ST32000003	\$41.50 ^{NR}

^{NR} **Non-returnable**

VicFlex™ Sprinkler Fitting Systems

Series AQC-U Assembly

FOR CLEAN ROOM APPLICATIONS

Refer to publication 10.86



Size inches	Approx. Wgt. Ea. lb	Price Each
36	2.8	+
48 x 1/2	3.2	+
72	4.0	+
36	2.8	+
48 x 3/4	3.2	+
72	4.0	+

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

NOTE: Please refer to publication 10.86 for certifications and listings.

+ Quoted on application. Contact Victaulic for pricing and availability.

Series AQD Assembly

FOR DUCT SYSTEMS

Refer to publication 10.87



Size inches	Base Mount Radius	Round Duct Dia.	Approx. Wgt. Ea. lb	Victaulic Part No.	Price Each
24 x 1/2	6.1 Round	12 – 14	2.2	A24HAQD96R	\$1868.50
	9.4 Round	16 – 24	2.2	A24HAQD99R	1868.50
	18.9 Round	26 – 72	2.2	A24HAQD91R	1868.50
	Square	N/A	2.2	A24HAQD96S	1868.50
48 x 1/2	6.1 Round	12 – 14	2.6	A48HAQD96R	2050.50
	9.4 Round	16 – 24	2.6	A48HAQD99R	2050.50
	18.9 Round	26 – 72	2.6	A48HAQD91R	2050.50
	Square	N/A	2.6	A48HAQD96S	2050.50
72 x 1/2	6.1 Round	12 – 14	3.1	A72HAQD96R	2311.50
	9.4 Round	16 – 24	3.1	A72HAQD99R	2311.50
	18.9 Round	26 – 72	3.1	A72HAQD91R	2311.50
	Square	N/A	3.1	A72HAQD96S	2192.00

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

VicFlex™ Sprinkler Fitting Systems

Series AQD Assembly

FOR METAL DUCT SYSTEMS

Refer to publication 10.77

Braided Hose Length	Base Mount	Approx. Wgt. Ea.	Coupling with Grade "E" EPDM Gasket			Coupling with Grade "L" Silicone Gasket		
	Duct Dia.		½" NPT Sprinklers	¾" NPT Sprinklers		½" NPT Sprinklers	¾" NPT Sprinklers	
inches	inches	lb	Victaulic Part No.		Price Each	Victaulic Part No.		Price Each
48	Square	7.6	A010AQDBMD	A010AQDBM6	\$1442.00 ^{NR}	A010AQDBLD	A010AQDBL6	\$1450.50
	8 – 12 Round		A080AQDBMD	A080AQDBM6	1442.00 ^{NR}	A080AQDBLD	A080AQDBL6	1450.50
	13 – 16 Round		A130AQDBMD	A130AQDBM6	1442.00 ^{NR}	A130AQDBLD	A130AQDBL6	1450.50
	17 + Round		A170AQDBMD	A170AQDBM6	1442.00 ^{NR}	A170AQDBLD	A170AQDBL6	1450.50

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

^{NR} Non-returnable

Sprinkler Bag Replacement Kit *



Victaulic Part No.	Price Each
A000AQDBGK	\$136.00

* Kit includes 3 cellophane bags, 3 polyethylene bags, and 3 FKM retainer rings

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

Vic-Press™ System for Schedule 10S Stainless Steel Pipe



Vic-Press™ System For Type 304 Schedule 10S Stainless Steel Pipe

Vic-Press™ Vic-Press™ System for Type 304 Schedule 10S FOR SCHEDULE 10S Stainless Steel Pipe

The Victaulic® Vic-Press™ System for joining Schedule 10S Type 304 (L) stainless steel pipe provides a fast, easy, clean, and reliable means for joining $\frac{1}{2}$ – 2”/15 – 50 mm standard ASTM A312 Schedule 10S stainless steel pipe. Vic-Press™ Schedule 10S products are designed for pressure service up to 500 psi/3450 kPa or ANSI Class 150 (except steam, according to standard temperature/pressure charts) for water, oil, noncombustible gaseous and general chemical services and are dimensioned to ANSI/ASME B36.19M. Refer to seal selection data for the intended service.

The Vic-Press™ Schedule 10S System requires no flame or arc as with welding, and no cutting oil, chips or preparation time as with threading or flanging. Off-the-shelf standard ASTM A312 Schedule 10S stainless steel pipe is cut to size, inserted into the coupling and the coupling or fitting is pressed onto the pipe in seconds.

The Vic-Press™ Schedule 10S System meets the hanging requirements of ASME B31.1, B31.3 and B31.9.

Vic-Press™ Schedule 10S Type 304 couplings and fittings are ANSI/NSF 61 & 372 Certified for cold (+86°F/+30°C) and hot (+180°F/+82°C) potable water service for Grade H and Grade E seal materials. Unless specified otherwise, Grade “H” seals will be applied. FM Approved to 175 psi/1200 kPa service for above ground sprinkler systems.



IMPORTANT PLEASE READ BEFORE ORDERING.
Gasket selection must always be specified on your order.

For information pertaining to gasket seals for couplings, seals for Vic-Press™ products, O-rings for Victaulic® Bolted Split Sleeve products and general definition/seal material Selection, refer to publication 05.01.

For specific chemical and temperature compatibility, refer to the Gasket Chemical Services Guide Long Report (GSG-100).

⚠ WARNING

Before attempting to install any Vic-Press™ Schedule 10S System products, carefully read and fully understand the “Vic-Press™ Schedule 10S Products Installation Instructions” (I-P500) and the operating and maintenance manual supplied with the tool.

Failure to follow these instructions could result in serious personal injury, property damage, product damage, joint leakage, and/or joint failure.

Vic-Press™ System For Type 304 Schedule 10S Stainless Steel Pipe

Style P500

LOOSE SEALS

Refer to publication 18.12



STYLE P500 – SPARE PARTS – LOOSE SEALS

Nominal Size	Price Each †
inches	Standard Grade “H” HNBR or Grade “E” EPDM Seal
1/2	\$28.00 ^{NR}
3/4	30.00 ^{NR}
1	36.50 ^{NR}
1 1/2	46.00 ^{NR}
2	62.50 ^{NR}

† Specify choice clearly on order.

^{NR} Non-returnable

Style P597

STANDARD COUPLING

(P X P)

Refer to publication 18.12



STYLE P597 – WITH STANDARD GRADE “H” HNBR SEAL OR OPTIONAL GRADE “E” SEAL

Nominal Size	Approx. Weight Each	Price Each †
inches	lb	Standard Grade “H” HNBR or Grade “E” EPDM Seal
1/2	0.2	\$151.50
3/4	0.3	165.00
1	0.5	186.00
1 1/2	0.7	247.00
2	1.0	323.50

† Specify choice clearly on order.

Style P596

MALE ADAPTER – THREADED

(P X M)

Refer to publication 18.12



STYLE P596 – WITH STANDARD GRADE “H” HNBR SEAL OR OPTIONAL GRADE “E” SEAL

Nominal Size	Approx. Weight Each	Price Each †
inches	lb	Standard Grade “H” HNBR or Grade “E” EPDM Seal
1/2 x 1/2	0.3	\$277.00
3/4 x 1/2	0.4	287.00
3/4 x 3/4	0.4	287.00
1 x 3/4	0.5	332.50
1 x 1	0.6	340.00
1 1/2 x 3/4	0.8	628.50
1 1/2 x 1 1/2	1.0	562.50
2 x 2	1.4	691.50

† Specify choice clearly on order.

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

Vic-Press™ System For Type 304 Schedule 10S Stainless Steel Pipe

Series P569

For Series P569 pricing, please refer to Series P569 in the Type 316 section.

TYPE 316 STAINLESS STEEL BALL VALVE WITH LOCKING HANDLE

Refer to publication 18.12



P x P



P x G



G x G



Series P589

VIC-PRESS™ SCHEDULE 10S SYSTEM BRASS BODY BALL VALVE

Stainless Steel Vic-Press™ Type 304 Schedule 10S Ends

Refer to publication 18.12



SERIES P589 – VIC-PRESS™ SCHEDULE 10S ENDS WITH STANDARD GRADE “H” HNBR SEAL OR OPTIONAL GRADE “E” SEAL

Nominal Size	Approx. Weight Each	End to End	Price Each †
inches	lb	Inches	Standard Grade “H” HNBR or Grade “E” EPDM Seal
1/2	1.0	9.03	\$860.50
3/4	1.6	9.12	944.00
1	2.8	10.11	1131.00
1 1/2	4.7	11.18	1582.00
2	6.9	12.69	1935.50

† Specify choice clearly on order.

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

Vic-Press™ System For Type 304 Schedule 10S Stainless Steel Pipe

Style P586

90° ELBOW – SHORT TANGENT

(P X P)

Refer to publication 18.12



STYLE P586 – WITH STANDARD GRADE “H” HNBR SEAL OR OPTIONAL GRADE “E” SEAL

Nominal Size	Approx. Weight Each	Price Each †
inches	lb	Standard Grade “H” HNBR or Grade “E” EPDM Seal
1/2	0.3	\$276.50
3/4	0.4	309.50
1	0.8	367.00
1 1/2	1.4	717.00
2	2.0	916.00

† Specify choice clearly on order.

Style P542

90° STREET ELBOW

(P X T)

Refer to publication 18.12



STYLE P542 – WITH STANDARD GRADE “H” HNBR SEAL OR OPTIONAL GRADE “E” SEAL

Nominal Size	Approx. Weight Each	Price Each †
inches	lb	Standard Grade “H” HNBR or Grade “E” EPDM Seal
1/2	0.3	\$276.50
3/4	0.4	309.50
1	0.7	367.00
1 1/2	1.4	717.00
2	2.0	916.00

† Specify choice clearly on order.

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

Style P591

45° ELBOW

(P X P)

Refer to publication 18.12



STYLE P591 – WITH STANDARD GRADE “H” HNBR SEAL OR OPTIONAL GRADE “E” SEAL

Nominal Size	Approx. Weight Each	Price Each †
inches	lb	Standard Grade “H” HNBR or Grade “E” EPDM Seal
1/2	0.2	\$246.50
3/4	0.4	270.50
1	0.8	321.50
1 1/2	1.7	625.00
2	2.5	799.00

† Specify choice clearly on order.

Vic-Press™ System For Type 304 Schedule 10S Stainless Steel Pipe

Style P543

45° STREET ELBOW

(P X T)

Refer to publication 18.12



STYLE P543 – WITH STANDARD GRADE “H” HNBR SEAL OR OPTIONAL GRADE “E” SEAL

Nominal Size	Approx. Weight Each	Price Each †
inches	lb	Standard Grade “H” HNBR or Grade “E” EPDM Seal
1/2	0.2	\$246.50
3/4	0.4	270.50
1	0.8	321.50
1 1/2	1.7	625.00
2	2.5	799.00

† Specify choice clearly on order.

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

Style P592

TEE

(P X P X P)

Refer to publication 18.12



STYLE P592 – WITH STANDARD GRADE “H” HNBR SEAL OR OPTIONAL GRADE “E” SEAL

Nominal Size	Approx. Weight Each	Price Each †
inches	lb	Standard Grade “H” HNBR or Grade “E” EPDM Seal
1/2	0.4	\$495.50
3/4	0.5	545.00
1	0.9	584.00
1 1/2	1.5	745.50
2	2.1	925.00

† Specify choice clearly on order.

Style P593

TEE – REDUCING BRANCH

(P X P X P)

Refer to publication 18.12



STYLE P593 – WITH STANDARD GRADE “H” HNBR SEAL OR OPTIONAL GRADE “E” SEAL

Nominal Size	Approx. Weight Each	Price Each †
inches	lb	Standard Grade “H” HNBR or Grade “E” EPDM Seal
3/4 x 3/4 x 1/2	0.5	\$549.00
1 x 1 x 1/2	0.8	567.00
	3/4	581.00
1 1/2 x 1 1/2 x 1/2	1.2	684.50
	3/4	690.50
	1	694.00
2 x 2 x 1/2	1.7	890.00
	3/4	903.00
	1	927.00
	1 1/2	1021.00

† Specify choice clearly on order.

Vic-Press™ System For Type 304 Schedule 10S Stainless Steel Pipe

Style P588

TEE – REDUCING BRANCH – THREADED

(P X P X F)

Refer to publication 18.12



STYLE P588 – WITH STANDARD GRADE “H” HNBR SEAL OR OPTIONAL GRADE “E” SEAL

Nominal Size				Approx. Weight Each	Price Each †
inches				lb	Standard Grade “H” HNBR or Grade “E” EPDM Seal
1/2	x	1/2	x 1/2	0.4	\$745.50
3/4	x	3/4	x 1/2	0.5	806.50
			3/4	0.6	815.00
1	x	1	x 1/2	0.9	819.50
			3/4	0.9	822.50
			1	1.1	893.00
1 1/2	x	1 1/2	x 1/2	1.4	927.00
			3/4	1.5	937.50
			1	1.5	1024.00
2	x	2	x 1/2	1.7	1058.00
			3/4	1.7	1067.00
			1	2.0	1144.00

† Specify choice clearly on order.

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

Style P594

CONCENTRIC REDUCER

(P X P)

Refer to publication 18.12



STYLE P594 – WITH STANDARD GRADE “H” HNBR SEAL OR OPTIONAL GRADE “E” SEAL

Nominal Size			Approx. Weight Each	Price Each †
inches			lb	Standard Grade “H” HNBR or Grade “E” EPDM Seal
3/4	x	1/2	0.5	\$448.00
1	x	1/2	0.6	601.00
		3/4	0.7	479.50
1 1/2	x	1/2	0.9	843.00
		3/4	1.0	791.00
		1	1.1	442.00
2	x	1/2	1.2	1558.00
		3/4	1.3	705.50
		1	1.4	545.00
		1 1/2	1.6	545.00

† Specify choice clearly on order.

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

Vic-Press™ System For Type 304 Schedule 10S Stainless Steel Pipe

Style P595

FLANGE ADAPTER

(P X L)

Refer to publication 18.12



STYLE P595 – WITH STANDARD GRADE “H” HNBR SEAL OR OPTIONAL GRADE “E” SEAL

Nominal Size	Approx. Weight Each	Price Each †
inches	lb	Standard Grade “H” HNBR or Grade “E” EPDM Seal
1/2	2.2	\$2000.00
3/4	2.3	2059.50
1	2.8	2089.50
1 1/2	3.6	2547.00
2	5.8	2835.00

† Specify choice clearly on order.

Style P565

FLANGE ADAPTER (VAN STONE TYPE)

(P X L)

Refer to publication 18.12



STYLE P565 – WITH STANDARD GRADE “H” HNBR SEAL OR OPTIONAL GRADE “E” SEAL

Nominal Size	Approx. Weight Each	Price Each †
inches	lb	Standard Grade “H” HNBR or Grade “E” EPDM Seal
1/2	2.4	\$702.50
3/4	2.5	702.50
1	3.0	944.00
1 1/2	4.1	1039.00
2	6.8	1115.00

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

† Specify choice clearly on order.

Style P587

TRANSITION NIPPLE

(T X G)

Refer to publication 18.12



STYLE P587

Nominal Size	Approx. Weight Each Unit	End to End Inches	Price Each
inches	lb	Inches	Each
3/4	0.3	4	\$372.50
1	0.5	4	385.50
1 1/2	0.7	4	482.50
2	0.9	4	504.00

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

† Specify choice clearly on order.

Vic-Press™ System For Type 304 Schedule 10S Stainless Steel Pipe

Style P584

THREADED UNION **

(P X P)

Refer to publication 18.12



STYLE P584 – WITH STANDARD GRADE “H” HNBR SEAL OR OPTIONAL GRADE “E” SEAL

Nominal Size	Approx. Weight Each	Price Each †
inches	lb	Standard Grade “H” HNBR or Grade “E” EPDM Seal
1/2	3.0	\$1643.50
3/4	3.7	1866.00
1	4.3	2270.00
1 1/2	6.0	3876.00
2	6.8	4776.50

† Specify choice clearly on order.

** Grooved End Union - A grooved end union can be formed with two Style P587 (Type 304 stainless) transition nipples (see above) and a variety of grooved end couplings equipped with varied gasket materials to meet service requirements. For standard ductile iron couplings, stainless steel couplings and gaskets refer to the Stainless Steel Products section.

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

Style P599

FEMALE ADAPTER – THREADED

(P X F)

Refer to publication 18.12



STYLE P599 – WITH STANDARD GRADE “H” HNBR SEAL OR OPTIONAL GRADE “E” SEAL

Nominal Size	Approx. Weight Each	Price Each †
inches	lb	Standard Grade “H” HNBR or Grade “E” EPDM Seal
1/2 x 1/2	0.3	\$337.50
3/4 x 1/2	0.3	338.00
3/4 x 3/4	0.4	344.50
1 x 1/2	0.7	362.50
1 x 3/4	0.6	388.00
1 x 1	0.6	410.00
1 1/2 x 1	1.0	646.00
1 1/2 x 1 1/4	0.8	727.00
1 1/2 x 1 1/2	1.0	809.00
2 x 1 1/4	1.1	943.50
2 x 1 1/2	1.3	797.00
2 x 2	1.2	878.50

† Specify choice clearly on order.

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

+ Quoted on application. Contact Victaulic for pricing and availability.

Style P561

WELD ADAPTER

(P X T)

Refer to publication 18.12



STYLE P561 – WITH STANDARD GRADE “H” HNBR SEAL OR OPTIONAL GRADE “E” SEAL

Nominal Size	Approx. Weight Each	Price Each †
inches	lb	Standard Grade “H” HNBR or Grade “E” EPDM Seal
1/2	0.3	\$269.50
3/4	0.4	278.00
1	0.6	328.00
1 1/2	0.9	567.00
2	1.4	672.00

† Specify choice clearly on order.

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

Vic-Press™ System For Type 304 Schedule 10S Stainless Steel Pipe

Style P540

END CAP

Refer to publication 18.12



STYLE P540

Nominal Size	Approx. Weight Each	Price
inches	lb	Each
1/2	0.1	\$343.00
3/4	0.1	379.00
1	0.3	403.50
1 1/2	0.4	514.50
2	0.5	640.00

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

PFT510 Vic-Press 10S Tool

The Vic-Press Schedule 10S System requires a tool specifically designed for products on off-the-shelf standard ASTM A312 Schedule 10S stainless steel pipe. Refer to Section 17 – Pipe Preparation Tools for prices and where to call for purchase information.

NOTE: Victaulic Tool Discount will apply.



PFT510 Tool

Vic-Press™ System For Type 316 Schedule 10S Stainless Steel Pipe

Vic-Press™ Vic-Press™ System for Type 316 Schedule 10S FOR SCHEDULE 10S Stainless Steel Pipe

The Victaulic® Vic-Press™ System for joining Schedule 10S Type 316 (L) stainless steel pipe provides a fast, easy, clean, and reliable means for joining $\frac{1}{2}$ – 2 $\frac{1}{16}$ – 50 mm standard ASTM A312 Schedule 10S stainless steel pipe. Vic-Press™ Schedule 10S products are designed for pressure service up to 500 psi/3450 kPa or ANSI Class 150 (except steam, according to standard temperature/pressure charts) for water, oil, noncombustible gaseous and general chemical services and are dimensioned to ANSI/ASME B36.19M. Refer to seal selection data for the intended service.

The Vic-Press™ Schedule 10S System eliminates the need for flame as in welding, no cutting oil, chips or preparation time as with threading or flanging. Off-the-shelf standard ASTM A312 Schedule 10S stainless steel pipe is cut to size, inserted into the coupling and the coupling is pressed onto the pipe and fitting in seconds.

The Vic-Press™ Schedule 10S System meets the hanging requirements of ASME B31.1, B31.3 and B31.9.

Vic-Press™ Type 316 couplings and fittings are recommended for varying concentrations of hot petroleum/water mixtures, hydrocarbons, air with oil vapors, vegetable and mineral oils, as well as automotive fluids such as engine oil and transmission fluid within the temperature range of –20°F to +210°F/–29°C to +98°C. UL Classified in accordance with ANSI/NSF 61 & 372 for cold (+86°F/+30°C) and hot (+180°F/+82°C) potable water service for Grade H and Grade E seal materials. Unless specified otherwise, Grade “H” seals will be applied. FM Approved to 175 psi/1200 kPa service for above ground sprinkler systems.



IMPORTANT PLEASE READ BEFORE ORDERING.
Gasket selection must always be specified on your order.

For information pertaining to gasket seals for couplings, seals for Vic-Press™ products, O-rings for Victaulic® Bolted Split Sleeve products and general definition/seal material Selection, refer to publication 05.01.

For specific chemical and temperature compatibility, refer to the Gasket Chemical Services Guide Long Report (GSG-100).

⚠ WARNING

Before attempting to install any Vic-Press™ Schedule 10S System products, carefully read and fully understand the “Vic-Press™ Schedule 10S Products Installation Instructions” (I-P500) and the operating and maintenance manual supplied with the tool.

Failure to follow these instructions could result in serious personal injury, property damage, product damage, joint leakage, and/or joint failure.

Vic-Press™ System For Type 316 Schedule 10S Stainless Steel Pipe

Style P500

LOOSE SEALS

Refer to publication 18.11



STYLE P500 – SPARE PARTS – LOOSE SEALS

Nominal Size	Price Each †
inches	Standard Grade “H” HNBR or Grade “E” EPDM Seal
1/2	\$28.00 ^{NR}
3/4	30.00 ^{NR}
1	36.50 ^{NR}
1 1/2	46.00 ^{NR}
2	62.50 ^{NR}

† Specify choice clearly on order.

^{NR} **Non-returnable**

Style P507

STANDARD COUPLING

(P X P)

Refer to publication 18.11



STYLE P507 – WITH STANDARD GRADE “H” HNBR SEAL OR OPTIONAL GRADE “E” SEAL

Nominal Size	Approx. Weight Each	Price Each †
inches	lb	Standard Grade “H” HNBR or Grade “E” EPDM Seal
1/2	0.2	\$167.00
3/4	0.3	187.50
1	0.5	211.50
1 1/2	0.7	290.50
2	1.0	419.00

† Specify choice clearly on order.

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

Style P576

MALE ADAPTER – THREADED

(P X M)

Refer to publication 18.11



STYLE P576 – WITH STANDARD GRADE “H” HNBR SEAL OR OPTIONAL GRADE “E” SEAL

Nominal Size	Approx. Weight Each	Price Each †
inches	lb	Standard Grade “H” HNBR or Grade “E” EPDM Seal
1/2 x 1/2	0.3	\$285.50
3/4 x 1/2	0.4	298.50
3/4 x 3/4	0.4	298.50
1 x 3/4	0.5	342.00
1 x 1	0.5	349.50
1 x 1 1/2	0.6	349.50
1 1/2 x 3/4	0.8	635.50
1 1/2 x 1 1/2	1.0	718.00
2 x 2	1.4	932.50

† Specify choice clearly on order.

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

Vic-Press™ System For Type 316 Schedule 10S Stainless Steel Pipe

Style P508

SLIP COUPLING

(P X P)

Refer to publication 18.11



STYLE P508 – WITH STANDARD GRADE “H” HNBR SEAL OR OPTIONAL GRADE “E” SEAL

Nominal Size	Approx. Weight Each	Price Each †
inches	lb	Standard Grade “H” HNBR or Grade “E” EPDM Seal
1/2	0.3	\$196.00
3/4	0.4	211.50
1	0.7	242.00
1 1/2	1.1	309.50
2	1.6	394.00

† Specify choice clearly on order.

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

Series P569

TYPE 316 STAINLESS STEEL BALL VALVE WITH LOCKING HANDLE

Refer to publication 18.11



P x P



P x G



G x G



SERIES P569 – VIC-PRESS SCHEDULE 10S X VIC-PRESS SCHEDULE 10S (P X P)

Nominal Size	Approx. Weight Each	End to End	Price Each Vic-Press x Vic-Press (P X P) †
inches	lb	Inches	Standard Grade “H” HNBR or Grade “E” EPDM Seal
1/2	1.5	8.43	\$1147.50
3/4	2.4	8.63	1333.00
1	3.6	9.22	1601.50
1 1/2	6.9	10.11	2484.50
2	9.5	10.46	3330.00

SERIES P569 VIC-PRESS SCHEDULE 10S X GROOVED (P X G)

Nominal Size	Approx. Weight Each	End to End	Price Each Vic-Press x Grooved (P X G) †
inches	lb	Inches	Standard Grade “H” HNBR or Grade “E” EPDM Seal
3/4	2.4	8.72	\$1333.00
1	3.6	9.21	1601.50
1 1/2	6.9	10.68	2484.50
2	9.5	11.60	3330.00

SERIES P569 GROOVED X GROOVED (G X G)

Nominal Size	Approx. Weight Each	End to End	Price Each Grooved x Grooved (G X G)
inches	lb	Inches	
3/4	2.4	8.81	\$1160.50
1	3.6	9.20	1405.50
1 1/2	6.9	11.24	2212.00
2	9.5	12.74	2932.00

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

† Specify choice clearly on order.

Vic-Press™ System For Type 316 Schedule 10S Stainless Steel Pipe

Series P569

REPAIR KITS

Refer to publication 18.11



SERIES P569 REPAIR KITS

Nominal Size	Price Each	
inches	Type 316 Stainless Steel Ball	Stem
1/2	\$222.00	+
3/4	209.50	+
1	260.50	+
1 1/2	559.00	+
2	942.00	+

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

+ Quoted on application. Contact Victaulic for pricing and availability.

Series P589

VIC-PRESS™ SCHEDULE 10S SYSTEM BRASS BODY BALL VALVE

Stainless Steel Vic-Press™ Type 316 Schedule 10S Ends
Refer to publication 18.11



SERIES P589 – VIC-PRESS™ SCHEDULE 10S ENDS WITH STANDARD GRADE “H” HNBR SEAL OR OPTIONAL GRADE “E” SEAL

Nominal Size	Approx. Weight Each	End to End	Price Each †
inches	lb	Inches	Standard Grade “H” HNBR or Grade “E” EPDM Seal
1/2	1.0	9.03	\$878.50
3/4	1.6	9.12	962.00
1	2.8	10.11	1150.50
1 1/2	4.7	11.18	1886.00
2	6.9	12.69	2398.50

† Specify choice clearly on order.

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

Style P568

90° ELBOW – SHORT TANGENT

(P X P)

Refer to publication 18.11



STYLE P568 – WITH STANDARD GRADE “H” HNBR SEAL OR OPTIONAL GRADE “E” SEAL

Nominal Size	Approx. Weight Each	Price Each †
inches	lb	Standard Grade “H” HNBR or Grade “E” EPDM Seal
1/2	0.3	\$521.00
3/4	0.4	587.00
1	0.8	656.50
1 1/2	1.4	886.50
2	2.0	1216.50

† Specify choice clearly on order.

Vic-Press™ System For Type 316 Schedule 10S Stainless Steel Pipe

Style P562

90° STREET ELBOW

(P X T)

Refer to publication 18.11



STYLE P562 – WITH STANDARD GRADE “H” HNBR SEAL OR OPTIONAL GRADE “E” SEAL

Nominal Size	Approx. Weight Each	Price Each †
inches	lb	Standard Grade “H” HNBR or Grade “E” EPDM Seal
1/2	0.3	\$521.00
3/4	0.4	587.00
1	0.7	656.50
1 1/2	1.4	886.50
2	2.0	1216.50

† Specify choice clearly on order.

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

Style P571

45° ELBOW

(P X P)

Refer to publication 18.11



STYLE P571 – WITH STANDARD GRADE “H” HNBR SEAL OR OPTIONAL GRADE “E” SEAL

Nominal Size	Approx. Weight Each	Price Each †
inches	lb	Standard Grade “H” HNBR or Grade “E” EPDM Seal
1/2	0.2	\$479.50
3/4	0.4	514.50
1	0.8	576.50
1 1/2	1.7	770.00
2	2.5	1057.50

† Specify choice clearly on order.

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

Style P563

45° STREET ELBOW

(P X T)

Refer to publication 18.11



STYLE P563 – WITH STANDARD GRADE “H” HNBR SEAL OR OPTIONAL GRADE “E” SEAL

Nominal Size	Approx. Weight Each	Price Each †
inches	lb	Standard Grade “H” HNBR or Grade “E” EPDM Seal
1/2	0.2	\$479.50
3/4	0.4	514.50
1	0.8	576.50
1 1/2	1.7	770.00
2	2.5	1057.50

† Specify choice clearly on order.

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

Vic-Press™ System For Type 316 Schedule 10S Stainless Steel Pipe

Style P572

TEE

(P X P X P)

Refer to publication 18.11



STYLE P572 – WITH STANDARD GRADE “H” HNBR SEAL OR OPTIONAL GRADE “E” SEAL

Nominal Size	Approx. Weight Each	Price Each †
inches	lb	Standard Grade “H” HNBR or Grade “E” EPDM Seal
1/2	0.4	\$1118.50
3/4	0.5	1208.00
1	0.9	1266.50
1 1/2	1.5	1492.50
2	2.1	1840.00

† Specify choice clearly on order.

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

Style P573

TEE – REDUCING BRANCH

(P X P X P)

Refer to publication 18.11



STYLE P573 – WITH STANDARD GRADE “H” HNBR SEAL OR OPTIONAL GRADE “E” SEAL

Nominal Size	Approx. Weight Each	Price Each †
inches	lb	Standard Grade “H” HNBR or Grade “E” EPDM Seal
3/4 x 3/4 x 1/2	0.5	\$1277.00
1 x 1 x 1/2	0.8	1386.00
	0.8	1441.50
1 1/2 x 1 1/2 x 1/2	1.2	2034.00
	1.3	2050.00
	1.4	2098.00
2 x 2 x 1/2	1.7	2377.00
	1.7	2447.00
	1.8	2726.00
	2.0	2797.00

† Specify choice clearly on order.

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

Style P578

TEE – REDUCING BRANCH THREADED

(P X P X F)

Refer to publication 18.11



STYLE P578 – WITH STANDARD GRADE “H” HNBR SEAL OR OPTIONAL GRADE “E” SEAL

Nominal Size	Approx. Weight Each	Price Each †
inches	lb	Standard Grade “H” HNBR or Grade “E” EPDM Seal
1/2 x 1/2 x 1/2	0.4	\$1557.50
3/4 x 3/4 x 1/2	0.5	1724.50
	0.6	1768.00
1 x 1 x 1/2	0.9	1888.00
	0.9	1922.50
	1.1	2068.50
1 1/2 x 1 1/2 x 1/2	1.4	2257.50
	1.5	2338.00
	1.5	2432.50
2 x 2 x 1/2	1.7	2489.50
	1.7	2579.00
	2.0	2734.00

† Specify choice clearly on order.

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

Vic-Press™ System For Type 316 Schedule 10S Stainless Steel Pipe

Style P574

CONCENTRIC REDUCER

(P X P)

Refer to publication 18.11



STYLE P574 – WITH STANDARD GRADE “H” HNBR SEAL OR OPTIONAL GRADE “E” SEAL

Nominal Size		Approx. Weight Each	Price Each †
inches		lb	Standard Grade “H” HNBR or Grade “E” EPDM Seal
$\frac{3}{4}$	x $\frac{1}{2}$	0.5	\$526.00
1	x $\frac{1}{2}$	0.6	669.00
	$\frac{3}{4}$	0.7	495.50
$1\frac{1}{2}$	x $\frac{1}{2}$	0.9	986.50
	$\frac{3}{4}$	1.0	650.50
	1	1.1	458.50
2	x $\frac{1}{2}$	1.2	1701.50
	$\frac{3}{4}$	1.3	746.50
	1	1.4	561.50
	$1\frac{1}{2}$	1.6	561.50

† Specify choice clearly on order.

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

Style P575

FLANGE ADAPTER

(P X L)

Refer to publication 18.11



STYLE P575 – WITH STANDARD GRADE “H” HNBR SEAL OR OPTIONAL GRADE “E” SEAL

Nominal Size	Approx. Weight Each	Price Each †
inches	lb	Standard Grade “H” HNBR or Grade “E” EPDM Seal
$\frac{1}{2}$	2.2	\$2033.00
$\frac{3}{4}$	2.3	2068.50
1	2.8	2116.00
$1\frac{1}{2}$	3.6	2563.50
2	5.8	2848.00

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

† Specify choice clearly on order.

Vic-Press™ System For Type 316 Schedule 10S Stainless Steel Pipe

Style P566

FLANGE ADAPTER (VAN STONE TYPE)

(P X L)

Refer to publication 18.11



STYLE P566 – WITH STANDARD GRADE “H” HNBR SEAL OR OPTIONAL GRADE “E” SEAL

Nominal Size	Approx. Weight Each	Price Each †
inches	lb	Standard Grade “H” HNBR or Grade “E” EPDM Seal
1/2	2.4	\$702.50
3/4	2.5	702.50
1	3.0	944.00
1 1/2	4.1	1039.00
2	6.8	1115.00

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

† Specify choice clearly on order.

Style P577

ADAPTER NIPPLE

(T X G)

Refer to publication 18.11



STYLE P577

Nominal Size	Approx. Weight Each	Price
inches	lb	Each
3/4	0.3	\$385.00
1	0.5	398.00
1 1/2	0.7	496.50
2	0.9	516.50

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

Style P585

THREADED UNION **

(P X P)

Refer to publication 18.11



STYLE P585 – WITH STANDARD GRADE “H” HNBR SEAL OR OPTIONAL GRADE “E” SEAL

Nominal Size	Approx. Weight Each	Price Each †
inches	lb	Standard Grade “H” HNBR or Grade “E” EPDM Seal
1/2	3.0	\$1682.50
3/4	3.7	1938.50
1	4.3	2367.00
1 1/2	6.0	3910.00
2	6.8	5166.00

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

** Grooved End Union - A grooved end union can be formed with two Style P587 (Type 304 stainless) transition nipples (see above) and a variety of grooved end couplings equipped with varied gasket materials to meet service requirements. For standard ductile iron couplings, stainless steel couplings and gaskets refer to the Stainless Steel Products section.

† Specify choice clearly on order.

Vic-Press™ System For Type 316 Schedule 10S Stainless Steel Pipe

Style P579

FEMALE ADAPTER – THREADED

(P X F)

Refer to publication 18.11



STYLE P579 – WITH STANDARD GRADE “H” HNBR SEAL OR OPTIONAL GRADE “E” SEAL

Nominal Size	Approx. Weight Each	Price Each †
inches	lb	Standard Grade “H” HNBR or Grade “E” EPDM Seal
1/2 x 1/2	0.3	\$373.00
3/4 x 1/2	0.3	390.00
3/4 x 3/4	0.4	396.00
1 x 1/2	0.7	416.50
1 x 3/4	0.6	441.00
1 x 1	0.6	463.00
1 1/2 x 1	1.0	768.50
1 1/2 x 1 1/4	0.8	768.50
1 1/2 x 1 1/2	1.0	963.50
2 x 1 1/4	1.1	955.50
2 x 1 1/2	1.3	955.50
2 x 2	1.2	1048.50

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

† Specify choice clearly on order.

P560

END CAP

Refer to publication 18.11



STYLE P560 END CAP

Nominal Size	Approx. Weight Each	Price Each
inches	lb	Each
1/2	0.1	\$774.50
3/4	0.1	837.00
1	0.3	878.50
1 1/2	0.4	1032.00
2	0.5	1268.00

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

PFT510

Vic-Press 10S Tool

The Vic-Press Schedule 10S System requires a tool specifically designed for products on off-the-shelf standard ASTM A312 Schedule 10S stainless steel pipe. Refer to Section 17 – Pipe Preparation Tools for prices and where to call for purchase information.

NOTE: Victaulic Tool Discount will apply.



PFT510 Tool

Pipe Preparation Tools



Pipe Preparation Tools

Roll Grooving Tools – Field Portable

RG2300



The RG2300 is a combo roll grooving tool that can be used manually in-air or mounted to a power drive for increased productivity. This tool provides 1 to 12 inches of grooving capacity in a compact, lightweight package well suited for field use. The available tool configurations are listed below.

Tool Model, Roll Package and Grooving Capability	Part Number	Shipping Weight lb	Tool List Price
RG2300 Roll Grooving Tool and Fire Protection Roll Package (See table below for package contents)	R0102300ZR	56.0	\$3623.50
RG2300 Roll Grooving Tool and Carbon Steel/Stainless Steel OGS Roll Package (See table below for package contents)	R010230AZR	53.1	3623.50
RG2300 Roll Grooving Tool and Light Wall Stainless Steel Roll Package (See table below for package contents)	R010230XZR	49.0	3623.50
RG2300 Roll Grooving Tool and Copper Roll Package (See table below for package contents)	R010230RZR	48.5	3623.50

For tool rating capacity please reference publication 24.24.

All tools come with a RIDGID 300 Power Drive Adapter

RG2300 GROOVING ROLL PACKAGES *

Roll Package and Grooving Capability	Part Number	Pipe Size Range inches DN	Purchase List Price Each Set
Fire Protection Roll Package: – Carbon Steel (Sch. 5 – 40) : 1" IGS™ – Carbon Steel (Sch. 5 – 40) / Stainless Steel (Sch. 40S) : 1¼ – 4" – Carbon Steel (Sch. 5 – 40) : 5 – 6" – Carbon Steel (Sch. 5 – 20) : 8" – Carbon Steel (Sch. 5 – 10) : 10 – 12"	R901230001	1 – 12/DN25 – DN300	\$1933.00
Carbon Steel/Stainless Steel OGS Roll Package: – Carbon Steel (Sch. 5 – 40) / Stainless Steel (Sch. 40S) : 1 – 4" – Carbon Steel (Sch. 5 – 40) : 5 – 6" – Carbon Steel (Sch. 5 – 20) : 8" – Carbon Steel (Sch. 5 – 10) : 10 – 12"	R901230012	1 – 12/DN25 – DN300	1611.50
Lt. Wall Stainless Steel RX Roll Package: – Lt. Wall Stainless Steel RX (Sch. 5S – 10S) : 2 – 12"	RX02230012	2 – 12/DN50 – DN300	1611.50
Copper Roll Package: – Copper (Types K, L, M, DWV) : 2 – 8"	RR02230P08	2 – 8/DN50 – DN200	1611.50
PVC and Aluminum RP Roll Package: – PVC (Sch. 40) : 2", 8" – PVC (Sch. 40 – 80) : 2½ – 6" – Aluminum (Sch. 5 – 40) : 2 – 8"	RP02230P08	2 – 8/DN50 – DN200	1611.50

NOTE: Roll sets for the RG2300 are not compatible with other roll grooving tools.

* Refer to How to Order at the end of this section.

Please reference publication 24.24 for pipe wall thickness and tool capacity ratings.

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

Thoroughly Read and Understand All Operating and Maintenance Instructions Before Attempting to Use any Victaulic Pipe Preparation Tools.

Pipe Preparation Tools

RG2300 GROOVING ROLLS*

Grooving Capability	Part Number	Pipe Size Range inches I DN	Purchase List Price Each Set
Carbon Steel (Sch. 10 – 40) : 1" IGS™	RI01230201	1/DN25	\$532.50
Carbon Steel (Sch. 5 – 40) / Stainless Steel (Sch. 40S) : 1 – 4" Carbon Steel (Sch. 5 – 40) : 5 – 6" Carbon Steel (Sch. 5 – 20) : 8" Carbon Steel (Sch. 5 – 10) : 10 – 12"	R901230201	1 – 1½/DN25 – DN40	545.50
	R90A230201	1¼ – 1½/DN32 – DN40	545.50
	R902230206	2 – 6/DN50 – DN150	623.50
	R908230212	8 – 12/DN200 – DN300	627.50
Lt. Wall Stainless Steel RX (Sch. 5S – 10S)	RX02230006	2 – 6/DN50 – DN150	915.00
	RX08230012	8 – 12/DN200 – DN300	915.00
Copper (Types K, L, M, DWV)	RR02230006	2 – 6/DN50 – DN150	915.00
	RR08230008	8/DN200	915.00
PVC (Sch. 40) : 2", 8" PVC (Sch. 40 – 80) : 2½ – 6" Aluminum (Sch. 5 – 40) : 2 – 6" Aluminum (Sch. 5 – 20) : 8"	RP02230006	2 – 6/DN50 – DN150	915.00
	RP08230008	8/DN200	915.00

For tool rating capacity please reference publication 24.24.

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

* Refer to How to Order at the end of this section.

RG2300 ADAPTERS

Description	Part Number	List Price
RG2300 Power Drive Adapter for REMS	R001230PDA	\$90.50
RG2300 Power Drive Adapter and Shaft for RIDGID 300 Compact	R002230PDA	402.00

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

Roll Grooving Tool

RG2910

Refer to publication 24.21



RG2910 ROLL GROOVING TOOL

Tool Model	Part Number	Tool Weight/ Shipping Weight lb	Tool List Price
RG2910 – Tool	R150910MAS	22.0	\$4149.50
RG2910 – RG2100 Adapter	R086910ASY	2.0	241.50
RG2910 – Rothenberger Adapter	R057910ADP	2.0	162.00
RG2910 – REMS Adapter	R053910ADP	2.0	162.00
RG2910 – Replacement RIDGID Tool Adapter	R059910ADP	2.0	122.50

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

For tool rating capacity please reference publication 10.54.

Thoroughly Read and Understand All Operating and Maintenance Instructions Before Attempting to Use any Victaulic Pipe Preparation Tools.

Pipe Preparation Tools

Roll Grooving Tools – Field Fabrication

RG3400



The RG3400 is a self-contained, transportable roll grooving tool with an integral drive motor and hydraulic feed unit. The RG3400 requires a 120V, 15-amp or 220V, 8-amp power source and is supplied with a pipe stand for 1 – 12" pipe. The available configurations for this tool are listed below.

Tool Model, Roll Package and Grooving Capability	Motor Options	Part Number	Tool Weight lb	Tool List Price
RG3400 Roll Grooving Tool, Pipe Stand and Fire Protection Roll Package (See table below for package contents)	120V 60Hz	R010G34I16	302	\$15380.00
	220V 50Hz	R010G34I25	302	15380.00
RG3400 Roll Grooving Tool, Pipe Stand and Carbon Steel/ Stainless Steel OGS Roll Package (See table below for package contents)	120V 60Hz	R010G34S16	302	15380.00
	220V 50Hz	R010G34S25	302	15380.00
RG3400 Roll Grooving Tool, Pipe Stand and Light Wall Stainless Steel Roll Package (See table below for package contents)	120V 60Hz	R020G34X16	302	15380.00
	220V 50Hz	R020G34X25	302	15380.00
RG3400 Roll Grooving Tool, Pipe Stand and Copper Roll Package (See table below for package contents)	120V 60Hz	R020G34R16	302	15380.00
	220V 50Hz	R020G34R25	302	15380.00

For tool rating capacity please reference publication 24.22.

RG3400 GROOVING ROLL PACKAGES *

Roll Package and Grooving Capability	Part Number	Pipe Size Range inches DN	Purchase List Price Each Set
Fire Protection Roll Package: – Carbon Steel (Sch. 10 – 40) : 1" IGS™ – Carbon Steel (Sch. 5 – 40) / Stainless Steel (Sch. 40S) : 1¼ – 8" – Carbon Steel (Sch. 5 – 20) / Stainless Steel (Sch. 20S) : 10 – 12"	RI01G34K12	1 – 12/DN25 – DN300	\$7804.00
Carbon Steel/Stainless Steel OGS Roll Package: – Carbon Steel (Sch. 5 – 40) / Stainless Steel (Sch. 40S) : 1 – 8" – Carbon Steel (Sch. 5 – 20) / Stainless Steel (Sch. 20S) : 10 – 12"	R901G34K12	1 – 12/DN25 – DN300	6107.50
Lt. Wall Stainless Steel RX Roll Package: – Lt. Wall Stainless Steel RX (Sch. 5S – 10S) : 2 – 12"	RX02G34K12	2 – 12/DN50 – DN300	7600.50
Copper Roll Package: – Copper (Types K, L, M, DWV) : 2 – 8"	RR02G34K12	2 – 8/DN50 – DN200	3732.50
PVC and Aluminum RP Roll Package: – PVC (Sch. 40) : 2", 8" – PVC (Sch. 40 – 80) : 2½ – 6" – Aluminum (Sch. 5 – 40) : 2 – 8" – Aluminum (Sch. 5 – 20) : 10", 12"	RP02G34K12	2 – 12/DN50 – DN300	5836.00

NOTE: Roll sets for the RG3400 are not compatible with other roll grooving tools.

* Refer to How to Order at the end of this section.

Please reference publication 24.22 when referencing pipe wall thickness and tool capacity ratings.

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

Thoroughly Read and Understand All Operating and Maintenance Instructions Before Attempting to Use any Victaulic Pipe Preparation Tools.

Pipe Preparation Tools

RG3400 GROOVING ROLLS*

Grooving Capability	Part Number	Pipe Size Range inches DN	Purchase List Price Each Set
Carbon Steel (Sch. 10 – 40) : 1" IGS™	RI01G34201	1/DN25	\$1702.50
Carbon Steel (Sch. 5 – 40) / Stainless Steel (Sch. 40S) : 1 – 8" Carbon Steel (Sch. 5 – 20) / Stainless Steel (Sch. 20S) : 10 – 12"	R901G34201	1 – 1½/DN25 – DN40	1566.00
	R90AG34201	1¼ – 1½/DN32 – DN40	1566.00
	R902G34203	2 – 3½/DN50 – DN90	1456.00
	R904G34206	4 – 6/DN100 – DN150	1530.00
	R908G34212	8 – 12/DN200 – DN300	1603.00
Lt. Wall Stainless Steel RX (Sch. 5S – 10S)	RX02G34203	2 – 3½/DN50 – DN90	1904.50
	RX04G34206	4 – 6/DN100 – DN150	2338.50
	RX08G34212	8 – 12/DN200 – DN300	2644.50
Copper (Types K, L, M, DWV)	RR02G34206	2 – 6/DN50 – DN150	1656.00
	RR08G34208	8/DN200	2131.00
PVC (Sch. 40) : 2", 8"	RP02G34203	2 – 3½/DN50 – DN90	1672.00
PVC (Sch. 40 – 80) : 2½ – 6"	RP04G34206	4 – 6/DN100 – DN150	2112.00
Aluminum (Sch. 5 – 40) : 2 – 8"	RP08G34212	8 – 12/DN200 – DN300	2117.00
Aluminum (Sch. 5 – 20) : 10", 12"			

† Upper and lower rolls (1 of each per set) can be sold separately. Contact Victaulic.

* Refer to How to Order at the end of this section.

For tool rating capacity please reference publication 24.22.

Thoroughly Read and Understand All Operating and Maintenance Instructions Before Attempting to Use any Victaulic Pipe Preparation Tools.



Pipe Preparation Tools

Roll Grooving Tools – Shop Fabrication

NOTE: All shop models shipped set for 220 power, unless specified otherwise.

RG4200



RG4200 is designed for small diameter shop fabrication of 1" | DN25 IGS and 1¼ – 2" | DN32 – DN50 carbon steel pipe, corresponding grooving heads, groove diameter cable, and operating and maintenance instructions manual included.

Tool Model	Part Number	Tool Weight/ Shipping Weight lb	Tool List Price
RG4200	R010G422MR	433/825	\$94989.50

For tool rating capacity please reference publication 24.15.

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

Thoroughly Read and Understand All Operating and Maintenance Instructions Before Attempting to Use any Victaulic Pipe Preparation Tools.

Pipe Preparation Tools

VE268 †



NOTE: All shop models shipped set for 220 power, unless specified otherwise. **3 phase requires tool power to be hard wired by a local certified electrician.**

Fully-motorized, semi-automatic, electro-hydraulic tool complete with safety guards, safety foot switch and power cord. The VE268 requires a 220/440V, 3 phase, 60 hertz power supply for operation and is equipped with a pipe stabilizer for 8 – 12"/200 – 300 mm nominal pipe sizes to prevent pipe sway. The tool is shipped fully assembled for standard grooving (2 – 12"/50 – 300 mm pipe) * (8 – 12"/200 – 300 mm rolls are installed, unless otherwise specified).

NOTE: Optional $\frac{3}{4}$ " and 1 – $1\frac{1}{2}$ " grooving rolls available.

Request RP-268 for power requirements or visit the Victaulic web site.

† These tools are rated for 220 or 240 volt service. They cannot be used with 208 volt service. For individual amperage power requirements, refer to RP sheet supplied with tool. Each model may require different incoming power requirements. (If your service is 208 volts, a "Boost and Buck Transformer" may be required.)

Tool Model	Part Number	Tool Weight/ Shipping Weight lb	Rental Per Month	Tool List Price
VE268 – 220V	R000268VE0	735/766	\$7553.50	\$75683.00 [^]
VE268 – 440V	R000268VE4	735/766	7553.50	75683.00 [^]

[^] For proper operation, a pipe stand is required. See Accessories for details.

For tool rating capacity please reference publication 24.01.

VE268 GROOVING ROLLS *

Pipe Material	Part Number	Pipe Size Range inches I mm	Purchase List Price Each Set †
Carbon Steel (Sch. 5 – 40) Stainless Steel (Sch. 20 – 40)	R900268001	$\frac{3}{4}$ "/20	\$7166.50
	R900268002	1 – $1\frac{1}{2}$ "/25 – 40	6173.00
	R902272003	2 – $3\frac{1}{2}$ "/50 – 80	3469.50
	R904272006	4 – 6/100 – 150	3708.00
	R908272012	8 – 12/200 – 300 ‡	4134.50
Copper	RR02272006	2 – 6/50 – 150	4297.50
	RR08272008	8/200	6036.00
EndSeal	RZ02272003	2 – $3\frac{1}{2}$ "/50 – 90	5642.00
	RZ04272006	4 – 6/100 – 150	5769.00
	RZ08272012	8 – 12/200 – 300	6003.00
Lt. Wall Stainless Steel RX (Sch. 5S – 10S)	RX75268001	$\frac{3}{4}$ "/20	7166.50
	RX01268002	1 – $1\frac{1}{2}$ "/25 – 40	6173.00
	RX02272003	2 – $3\frac{1}{2}$ "/50 – 80	4836.00
	RX04272006	4 – 6/100 – 150	5188.00
	RX08272012	8 – 12/200 – 300	5196.00
PVC/Aluminum	RP02272003 [^]	2 – $3\frac{1}{2}$ "/50 – 90	3730.50
	RP04272006	4 – 6/100 – 150	4255.00
	RP08272012	8/200	4507.50

NOTE: ROLLS CAN **ONLY** BE RENTED WITH A TOOL RENTAL. Contact Victaulic for details.

Any rental tool requiring extra rolls, in addition to standard rolls supplied, such as **RR (Copper)**, **RX (Stainless Steel)**, **RP (Plastic)**, **RZ (EndSeal)** will incur an additional rental charge per roll set.

† Upper and lower rolls (1 of each per set) can be sold separately. Contact Victaulic.

* Refer to How to Order at the end of this section.

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

[^] Lower roll only.

‡ Wall thickness capacity for 8 – 12" pipe is limited to Schedule 5 – 20.

Thoroughly Read and Understand All Operating and Maintenance Instructions Before Attempting to Use any Victaulic Pipe Preparation Tools.

Pipe Preparation Tools

Tool Accessories

PS3400



Adjustable Pipe Stands are portable and self-standing units. Rotating design allows pipe to be spun around for grooving of both pipe ends without removing pipe from the stand. They are designed for direct use with roll grooving tools: RG3212 and RG3400.

Capacities: 1 – 12"/DN25 – DN300 IPS pipe †

Load Rating: 750 lbs

Vertical Stroke: 9.9"/251 mm

Min. Pipe Height from Floor: 17.83"/453mm on 12"/DN300 pipe and 21.3"/541mm on 1"/DN25 pipe

Max. Pipe Height from Floor: 27.72"/704mm on 12"/DN300 pipe and 31.2"/792mm on 1"/DN25 pipe

Tool Model	Part Number	Tool Weight/ Shipping Weight lb	Tool List Price
PS3400	NMSC000120	40/45	\$1280.50

† Indicates pipe size capacity. For wall thickness capacity and general tool ratings see separate Tool Rating Data in publication 24.01.

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

VAPS112



Adjustable Pipe Stands are portable and self-standing units. Turnstile design allows pipe to be spun around for grooving of both pipe ends without dismounting pipe from stand. Unique trough design allows for rotational and forward/traverse movement. They are designed for direct use with roll grooving tools: VE272SFS, VE268, VE270FSD.

Capacities: $\frac{3}{4}$ – 12"/20 – 300 mm IPS pipe †

Load Rating: 1075 lbs

Vertical Stroke: 10 $\frac{3}{4}$ "/273.1 mm

Min. Pipe Height from Floor: 23 $\frac{1}{4}$ "/590.6 mm on $\frac{3}{4}$ "/19.1 mm pipe

Max. Pipe Height from Floor: 48"/1219.2 mm on 12"/304.8 mm pipe

Handle Effort Required to Raise 1075 lbs Load: 50 lbs Max.

Tool Model	Part Number	Tool Weight/ Shipping Weight lb	Rental Per Month	Tool List Price
VAPS 112	R000112PS0	190/220	\$1927.50	\$15132.50

† Indicates pipe size capacity. For wall thickness capacity and general tool ratings see separate Tool Rating Data in publication 24.01.

Thoroughly Read and Understand All Operating and Maintenance Instructions Before Attempting to Use any Victaulic Pipe Preparation Tools.

Pipe Preparation Tools

Vic-Press™ Tool

PFT510 Vic-Press® Tool



The Vic-Press tool for ASTM A-312 Schedule 10S stainless steel pipe arrives in 2 carrying cases and includes:

Case 1 – PFT510 Vic-Press tool, 2 18V lithium ion batteries, 120 VAC charger, wire brush, 1 paint stick and 1 tube of lubricant

Case 2 – 1/2"/DN15, 3/4"/DN20, and 1"/DN25 jaws, 1 1/2"/DN40 and 2"/DN50 ring-jaws, ring-jaw adapter jaw, insertion gauge set

WARNING: The PFT510 Vic-Press tool is designed for use only with Vic-Press Schedule 10S system couplings, valves and fittings. Do not attempt to install Schedule 5 Carbon Steel Press products with this tool. Failure to follow this instruction could cause system failure resulting in serious personal injury and property damage. Refer to TM-PFT510 for complete tool operating instructions.

Tool Model	Part Number	Tool Weight lb	Rental Per Month *	Tool List Price
PFT510 Vic-Press™ Tool – 18V	R120510PFS	103.5	\$2792.00	\$23092.50

Weight is for tool and complete set of jaws.

Contact Victaulic for Replacement Gauge Kit (R000501SET) pricing and availability.

* Lithium ion battery is not included with tool rental.

PFT510 JAWS AND ADAPTER

Description / Jaw Size inches	Part Number	List Price
PFT510 Jaw Adapter	RJAW510ADP	\$1963.00
1/2	RJAW510050	1612.50
3/4	RJAW510075	1612.50
1	RJAW510100	1612.50
1 1/2	RJAW510150	6200.00
2	RJAW510200	6200.00

NOTE: Items listed in shaded areas are non-cancellable and non-returnable.

⚠ WARNING

Always read and understand all operating and maintenance instructions before attempting to use any Victaulic pipe preparation tools. Victaulic tool operating and maintenance manuals can also be located at victaulic.com.

Any Victaulic pipe preparation tools must be used by trained operators **ONLY**. Operators that use Victaulic Pipe Cut-Off Tools must be knowledgeable in sound welding and safety procedures.

Misuse of any equipment and lack of adherence to proper safety procedures may result in serious personal injury, property damage, and/or product damage.

Thoroughly Read and Understand All Operating and Maintenance Instructions Before Attempting to Use any Victaulic Pipe Preparation Tools.

Pipe Preparation Tools

How to Order

When ordering tools or tool parts, please include the following information:

A. PARTS ORDERS

1. Tool Model Number. Example: VE272SFS.
2. Tool Serial Number. The serial number can be found on the tool name plate.
3. Part Number and Description. Example: Part #09, R-201-261-0FS, Pump.
4. Where to send the part(s). Company Name, Address and Telephone Number
5. Attention: Person's Name
6. Purchase Order Number. Order parts from the nearest Victaulic Sales Office. Consult victaulic.com for locations.

B. TOOL ORDERS

1. Tool Model Number. Example: VE416FSD.
2. Tool Description. Example: VE416FSD Roll Grooving Tool.
3. Where to send the tool. Company Name, Address and Telephone Number
4. Attention: Person's Name
5. Purchase Order Number. Order tool from the nearest Victaulic Sales Office. Consult victaulic.com for locations.

C. TOOL RENTAL ORDER

1. A completed and signed tool rental agreement.
2. Purchase Order Number.
3. Tool Model Number. Example: VE272SFS
4. Tool Description. Example: VE272SFS Roll Grooving Tool.
5. Where to send the tool. Company Name, Address and Telephone
6. Attention: Person's Name. Order tool from the nearest Victaulic Sales Office. Consult victaulic.com for locations.

NOTES:

Aluminum pipe must consist of 6061-T4 or 6063-T4 alloys for roll grooving.

PVC grades that can be grooved – PVC Type I Grade I – PVC 1120; PVC Type I Grade II – PVC 1220; PVC Type II Grade I – PVC 2116.

Copper/nickel pipe - contact Victaulic for details.

Light weight stainless steel pipe (Sch. 10S and Sch. 5S) must be grooved using stainless Rx and RWX roll sets.

Note: Roll grooving tools and rolls shown on this chart will produce grooves in accordance with Victaulic Roll Groove Dimension charts and to ANSI/AWWA C-606 standards.

SPECIAL NOTE: All roll grooving tools will be stocked with standard rolls only. No substitution will be done. Optional rolls are available at an additional cost.

Thoroughly Read and Understand All Operating and Maintenance Instructions Before Attempting to Use any Victaulic Pipe Preparation Tools.

Pipe Preparation Tools

TERMS AND CONDITIONS OF TOOL RENTAL

1. Lessor rents to Lessee and Lessee leases from Lessor the tool(s) and accessories listed on the reverse side hereof, which are designed for use in the preparation of pipe to receive Victaulic products, hereinafter called the leased property; for the term specified, commencing when the leased property is delivered to carrier for delivery to Lessee.
2. **Rental Rate.** Lessee agrees to pay rent at the rates specified on this agreement. The rental shall be due and payable at the end of each month during the term of the lease. Terms of payment: net 30 days from date of invoice. If lease is terminated any time during the initial month, the rental shall be payable at the then current published monthly rental rate. If lease is terminated any time during a subsequent month, the rental will be prorated. (This agreement is valid for one (1) year, at the time of signing. It will be automatically renewed with price in effect at the time of renewal until the signee terminates the agreement.)
3. **On-Account Payment.** Lessee, on executing the agreement, has made an on-account payment to Lessor which shall be returned to Lessee upon termination of the lease, or applied to any open invoices on the Lessee's account, provided Lessee is not in default under any of the term of the lease and has returned leased property in good condition, less ordinary wear and tear.
4. **Freight.** Outbound: F.O.B. Shipping Point (Our Option) – Freight Collect. Return: Lessee shall pay all shipping charges for return of the leased property.
5. **Use.** All leased property is for the exclusive use of Lessee only, and may not be assigned, transferred, sublet or loaned to or used by any other party, without prior written consent of the Lessor.
6. **Ownership.** The property leased is and shall at all times remain the sole property of the Lessor, and Lessee shall have no right, title or interest therein except as expressly set forth in this Lease.
7. **Taxes.** Lessee shall pay all taxes, assessments, license and registration fees levied on the leased property while in the Lessee's possession and Lessee shall keep the leased property free and clear of all liens and encumbrances. Lessee shall pay all sales taxes invoiced by Victaulic Company unless the lessee provides the lessor with a valid sales tax exemption certificate for the state where the tool is delivered.
8. **Access.** Lessor shall at all times have free access to the leased property and to the premises on which located, for the purpose of examining the leased property.
9. **Return of Property.** Lessee shall return all leased property, properly crated, freight prepaid, and insured for its market value to Lessor at one of the locations indicated on the back cover. If Lessee fails to return the leased property upon termination, Lessee shall pay rent at the then current monthly rental rate until returned, and Lessor shall also have the right to remove the leased property from Lessee's premises, without recourse to any legal proceedings.
10. **Repairs and Servicing.** If leased property, excluding Tool Bits, becomes worn or unserviceable from normal recommended use, Lessor will supply replacement tools and/or parts, without cost, upon return of the leased property to Lessor.
11. **Damage or Loss.** If leased property is damaged by reason of other than normal recommended use, Lessee shall indemnify Lessor for the cost of repairs. If leased property is not returned to Lessor in accordance with the terms of this Agreement for any cause or reason whatsoever, including, without limiting the generality of the foregoing, loss, theft, damage, accident, neglect, abuse or destruction, by fire or otherwise, whether due to Lessee's fault or not, Lessee shall pay to Lessor as liquidated damages an amount to be determined by Lessor not to exceed the list price of all leased property, as published in the most current Victaulic price list for Pipe Preparation tools.
12. **Indemnity.** Lessee assumes full responsibility for the operation of the leased property and shall indemnify, protect, save and keep harmless the Lessor, its agents and servants from and against all losses, damages, penalties, claims, actions, suits, costs, expenses and disbursements, including legal expenses of whatsoever kind in nature imposed upon, incurred by, or asserted against the Lessor in any way relating to or arising out of this Lease or of the Lessee's delivery, possession, use, operation or return of the leased property. The indemnities contained in this paragraph shall continue in full force and effect, notwithstanding the termination of this Lease.
13. **Lessor's remedies on default.** If the Lessee, with regard to any item or items of property, fails to pay any rent or other amount herein provided when the same shall become due and payable, or if the Lessee, with regard to any item or items of leased property, fails to observe, keep or perform any other provisions of this lease required to be observed, kept, or performed by the Lessee, or if any execution or other writ or process shall be issued in any action or proceeding against the Lessee, whereby the said leased property may be taken, the Lessor shall have the right to exercise any one or more of the following remedies:
 - (a) To declare the entire amount of rent hereunder immediately due and payable as to any or all items of leased property, without notice or demand to the Lessee.
 - (b) To sue for and recover all rents, and other payments, then accrued or thereafter accruing, with respect to any or all items of leased property.
 - (c) To take possession of any or all items of leased property without demand or notice, wherever the same shall be located, without any court order or other process of law. The Lessee hereby waives any and all damage occasioned by such taking of possession. Any said taking of possession shall not constitute a termination of this lease as to any or all items of leased property unless the Lessor expressly so notifies the Lessee in writing.
 - (d) To terminate this lease as to any or all items of leased property.
 - (e) To pursue any other remedy at law or in equity.Notwithstanding any such repossession or any other action, which the Lessor may take, the Lessee shall be and remain liable for the full performance of all obligations on its part to be performed under this lease; provided however, that if the Lessor is able to obtain any monies for said leased property from re-rental or sale thereof, which the Lessor specifically is not in any manner obligated to do, said monies, less expenses, shall be credited to the last payments of the Lessee's obligation. Waiver of any default herein is not a waiver of any subsequent default. All such remedies are cumulative and may be exercised concurrently or separately.
14. **Bankruptcy.** Neither this lease nor any interest therein is assignable or transferable by operation of law. If any proceeding under the Bankruptcy Act, as amended, is commenced by or against the Lessee, or if the Lessee is adjudged insolvent, or if the Lessee makes any assignment for the benefit of his creditors, or if a writ of attachment or execution is levied on any item or items of leased property and is not released or satisfied within 10 days thereafter, or if a receiver is appointed in any proceeding or action, to which the Lessee is a party, with authority to take possession or control of any item or items of the leased property, the Lessor shall have any may exercise any one or more of the remedies set forth in Paragraph 13 hereof; and this lease shall, at the option of the Lessor, without notice immediately terminate and shall not be treated as an asset of the Lessee after the exercise of said option.
15. **Concurrent Remedies:** The rights and remedies provided in this lease for the benefit of the Lessor shall be cumulative and shall not be exclusive but in addition to any other remedies to which the Lessor may be entitled. The Lessee waives trial by jury in any action or proceeding arising hereunder.
16. **Lessor's expenses:** The Lessee shall pay the Lessor all costs and expenses, including attorney's fees, incurred by the Lessor in exercising any of its rights or remedies hereunder or enforcing any of the terms, conditions, or provisions hereof.
17. **Binding Effect of Lease.** This lease agreement shall inure to the benefit of and be binding upon the parties hereto and their respective heirs, executors, administrators, personal or legal representatives, successors and assigns.
18. **Applicable Law and Severability.** This lease shall be governed by and construed under the laws of the State of Pennsylvania. If any provision herein is invalid, it shall be considered deleted from this lease, and shall not invalidate the remaining provisions of this lease.

Thoroughly Read and Understand All Operating and Maintenance Instructions Before Attempting to Use any Victaulic Pipe Preparation Tools.



Pipe Preparation Tools

TERMS AND CONDITIONS OF TOOL SALE

Controlling Provisions: These terms and conditions shall control with respect to any purchase order or sale of Victaulic products.

No alteration, modification or waiver of these terms and conditions whether on Customer's purchase order or otherwise shall be valid unless the alteration, modification or waive is specifically accepted in writing by an authorized representative of Victaulic.

Prices, Designs and Terms and Conditions of Sale are subject to change without notice.

Terms of Payment: As stated on invoice. Maximum permissible interest rate thereafter.

Shipping Terms: F.O.B. shipping point (our option), freight prepaid and allowed on single orders having a net price value of \$15000 and over, for shipment at one time to one destination within the continental United States, excluding Alaska, Hawaii, Puerto Rico and U.S. possessions.

Shipments beyond the borders of the United States are prepaid and chargeable or collectable to final destination.

The most economical routing to recognized delivery points will be used, at our discretion. If special routing is desired, orders should so state.

Orders are accepted subject to approval of our General Office and Credit Department at Easton, Pennsylvania, and contingent upon **acts of God, war, civil disturbance, strikes, labor difficulties, delays of carriers, inability to obtain materials, accidents or any other cause beyond our control.**

Shipping dates are estimated as closely as possible. We use our best efforts to ship within the time estimated, but cannot guarantee to do so. In the event production or shipment is delayed, we reserve the privilege of changing shipping estimate. **Under no circumstances shall Victaulic be liable for damages of any kind, including but not limited to incidental or consequential damages for lost profits or lost sales or liquidated damages, directly or indirectly arising from delays or failure to meet shipping dates.**

Orders, when accepted, cannot be countermanded without our written consent. No material will be taken back without our written consent. Orders for non-standard material may not be cancelled nor will we accept return of such material for credit.

All material is carefully examined, counted and packed by experienced employees. Claims for corrections must be made within 10 days of receipt of goods. Our responsibility ceases when goods are delivered to carrier in good condition and its receipt obtained. Carriers are responsible for goods lost, damaged or delayed in transit. For your own protection, have transportation company's agent verify damages, shortages or delays and note them on freight bill over his signature.

Weights: All weights are approximate shipping weights and subject to change without notice.

Victaulic Company maintains a continual policy of product improvement and, therefore, reserves the right to change product specifications, designs, and standard equipment without notice and without incurring obligation.

WARRANTY

Standard product warranty applies. See Inside Back Cover.

NOTE: Reconditioned tools shall be warranted 30 days from date of purchase.

Thoroughly Read and Understand All Operating and Maintenance Instructions Before Attempting to Use any Victaulic Pipe Preparation Tools.
--

1.0 TERMS AND CONDITIONS OF SALE

CONTROLLING PROVISIONS: These terms and conditions shall control with respect to any purchase order or sale of Victaulic products.

No alteration, modification or waiver of these terms and conditions whether on Customer's purchase order or otherwise shall be valid unless the alteration, modification or waiver is specifically accepted in writing by an authorized representative of Victaulic.

Prices, Designs and Terms and Conditions of Sale are subject to change without notice.

TERMS OF PAYMENT: As stated on invoice. Maximum legal interest rate charged thereafter.

MINIMUM INVOICE CHARGES: \$500 net for any single order.

SHIPPING TERMS: F.O.B. shipping point (our option) freight prepaid and allowed on single orders (excluding No. 26/No. W26 Outlet Fittings, No. 826 Steam Outlet Fittings, Series 387 Inline/Series 388 End Suction Pump Skids, Customer Specified Flat Beds, Style W257 Dynamic Movement Joints, Bend Elbows – 3D/5D/6D, Victaulic Bolted Split-Sleeve Products and Victaulic Vortex™ Products) having a net price value of \$15000 and over for shipment at one time to one destination into distributor stock or direct ship to a project, as determined by Victaulic within the continental United States, excluding Alaska, Hawaii, Puerto Rico and U.S. possessions.

Shipping and handling charges on orders less than net price value of \$15000, F.O.B. shipping point (our option) will be paid by the customer. The most economical routing to recognized delivery points will be used, at our discretion. The cost of any special routing, packaging or handling that has been requested by the customer, and is a deviation to our normal handling methods, will be added to the order and paid by the customer.

Shipments beyond the borders of the United States are prepaid and chargeable or collectable to final destination.

Orders are accepted subject to approval of our General Office and Credit Department at Easton, Pennsylvania, and contingent upon **acts of God, war, civil disturbance, strikes, labor difficulties, delays of carriers, inability to obtain materials, accidents or any other cause beyond our control.**

Victaulic will endeavor to ship by the requested ship date, but reserves the right to ship within a reasonable period thereafter. **Under no circumstances shall Victaulic be liable for damages of any kind, including but not limited to incidental or consequential damages for lost profits or lost sales or liquidated damages, directly or indirectly arising from delays or failure to meet shipping dates.**

Orders, when accepted, cannot be cancelled without our written consent. No material will be taken back without our written consent. **Orders for non-standard (i.e. non-cancellable/non-returnable) material may not be cancelled nor will Victaulic accept return of such material for credit. Victaulic reserves the right to change the designation of products from standard to non-standard and vice versa. This may be done at any time without notice, and without incurring obligation. For further information contact Victaulic.**

All material is carefully examined, counted and packed by experienced employees. Claims for corrections must be made within 10 days of receipt of goods to the Customer Care center in Easton, PA (1-800-PICK VIC). We prove our count by weight. Claims for shortages are subject to that test. Our responsibility ceases when goods are delivered to carrier in good condition and its receipt obtained. Carriers are responsible for goods lost, damaged or delayed in transit. For your own protection, have transportation company's agent verify damages, shortages or delays and note them on freight bill over his signature.

WEIGHTS: All weights are approximate shipping weights and subject to change without notice.

Victaulic maintains a continual policy of product improvement and, therefore, reserves the right to change product specifications, designs, and standard equipment without notice and without incurring obligation.

2.0 LIMITED WARRANTY

What is Covered: This warranty covers any defects in materials or workmanship in products sold by Victaulic occurring under normal conditions of use and service with the exceptions stated below.

How Long Coverage Lasts: This warranty runs for one year from the date of delivery to the original buyer.

What is Not Covered: This warranty shall not apply to any product which has been subject to misuse, negligence, or accident (such as, without limitation, exposure to incompatible chemical or corrosive agents including microbial corrosion), which has been repaired or altered in any manner outside of Victaulic's factory, or which has been used in a manner contrary to Victaulic's instructions or recommendations. This warranty shall not apply to any Victaulic products utilizing proprietary grooves (such as, but not limited to, the Victaulic AGS™, IGS™, or PGS-300™ grooves) which have been used on pipe that has been grooved to ANSI/AWWA C-606 standards or which was grooved using tools not supplied by Victaulic or its licensees. Victaulic shall not be responsible for design errors due to inaccurate or incomplete information supplied by Buyer or its representatives.

What Victaulic will do: Victaulic will repair or replace, at its option, any product that proves to be defective in materials or workmanship following an examination by Victaulic that shows to its satisfaction the product was defective in materials or workmanship.

THIS LIMITED WARRANTY IS EXCLUSIVE AND MADE EXPRESSLY IN LIEU OF ANY OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. THE BUYER'S SOLE AND EXCLUSIVE REMEDY SHALL BE FOR THE REPAIR OR REPLACEMENT OF DEFECTIVE PRODUCTS AS PROVIDED HEREIN. THE BUYER AGREES THAT NO OTHER REMEDY (INCLUDING, BUT NOT LIMITED TO, INCIDENTAL OR CONSEQUENTIAL DAMAGES FOR LOST PROFITS, LOST SALES, INJURY TO PERSON OR PROPERTY OR ANY OTHER INCIDENTAL OR CONSEQUENTIAL LOSS) SHALL BE AVAILABLE.

Victaulic neither assumes nor authorizes any person to assume for it any other liability in connection with the sale of products.

Items purchased by Victaulic and resold will have the original equipment manufacturer's warranty extended to Victaulic customers.

How to Get Service: Contact Victaulic at 610-559-3300 within one year after delivery to the original buyer to arrange for an examination of the product. You will be asked to ship the product to Victaulic's factory, postage and transportation charges prepaid, for examination. There is no charge for examination. Victaulic will examine the product and contact you within a reasonable time regarding the results of that examination and to arrange for repair or replacement of any product determined to be defective in materials or workmanship.

EFFECTIVE JUNE 24, 2022

COUPLINGS, FITTINGS, VALVES & ACCESSORIES

FIRE PROTECTION PRICE LIST



U.S./World Headquarters

4901 Kesslersville Road
Easton, PA 18040 USA

◀ victauliclocations.com

EMEA

Prijkelstraat 36
9810 Nazareth, Belgium

Asia Pacific

Unit 808, Building B
Hongwell International Plaza
No.1602 West Zhongshan Road
Shanghai, China 200235



PL2026-A-FP 23269 REV A 09/2026

Victaulic and all other Victaulic marks are the trademarks or registered trademarks of Victaulic Company, and/or its affiliated entities, in the U.S. and/or other countries. All other trademarks listed herein are the property of their respective holders, in the U.S. and/or other countries. The terms "Patented" or "Patent Pending" refer to design or utility patents or patent applications for articles and/or methods of use in the United States and/or other countries.

© 2026 VICTAULIC COMPANY. ALL RIGHTS RESERVED.

